

**Mbsm.pro, Unionaire,  
Refrigerator, RN-350VS-C20,  
RN-350 M, 350 L, compressor,  
1/5 hp, 130 w, r600a, 42 G,  
0.87A**

written by Lilianne | 23 January 2024




Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Unionaire, Refrigerator, RN-350VS-C20, RN-350 M, 350 L, compressor, 1/5 hp, 130 w, r600a, 42 G, 0.87A

---

# **Mbsm.pro, Donper, Compressor, R600A, L88CY, 1/5 hp, 1bp**

written by Lilianne | 23 January 2024

 Condor

 **L88CY1**  
220-240V~50Hz 1PH  
THERMALLY PROTECTED

RoHS     H2008  
<http://www.donper.com>  
  
220320003580102311  
Warning Risk of fire

Mbsm.pro, Donper, Compressor, R600A, L88CY, 1/5 hp, lbp

---

**Mbsm.pro, Bristol,  
Compressor, H24B17QABJA,  
17000 btu, 1.5 hp, r22,  
Capillary Size (0.060),  
Capillary Length 33"**

written by Lilianne | 23 January 2024



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Bristol, Compressor, H24B17QABJA, 17000 btu, 1.5 hp,

r22, Capillary Size (0.060), Capillary Length 33"

---

**Mbsm.pro, compressor, Sanyo,  
Rotary, Split system air  
conditioner, Compressors, C-  
R221H5S, S6231526791, 24000  
btu, R22, 3 hp, 2 ton**

written by Lilianne | 23 January 2024



**SANYO**



MODEL C-R221H5S

CODE 80687145



CHINA RESOURCES SANYO (SHENYANG) COMPRESSOR CO., LTD.  
沈阳三洋压缩机有限公司

**WARNING-SERVICEMAN**

- 1. FIELD SERVICE LEAK TEST PRESSURE MUST NOT EXCEED 40PSI (2.7MPa)
  - 2. THIS COMPRESSOR MUST BE GROUNDED.
  - 3. DO NOT OPERATE WITHOUT PROTECTIVE COVER OVER TERMINALS
- DISCONNECT ALL POWER BEFORE REMOVING THE PROTECTIVE COVER

**CAUTION**

COMPRESSOR HOUSING MAY REACH 150°C WITH THERMAL PROTECTION  
APPROVED BY SANYO AND TESTED IN ACCORDANCE WITH EN 1254

Mbsm.pro, compressor, Sanyo, Rotary, Split system air conditioner, Compressors, C-R221H5S, S6231526791, 24000 btu,

R22, 3 hp, 2 ton

---

# Mbsm.pro, Refrigerator, All Size Condenser Length Details in table with Feet

written by Lilianne | 23 January 2024



Mbsm.pro, Refrigerator, All Size Condenser Length Details in table with Feet

---

**Mbsm.pro, compressors,**

**DZ120V1A, DZ120V1V, DZ120V1B,  
inverter, blcd, from 1320 to  
4320 rpm, from 82 to 265 w  
input, cooling 293 btu to 904  
, 1/3 hp, r600a, lbp**

written by Lilianne | 23 January 2024



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, compressors, DZ120V1A, DZ120V1V, DZ120V1B,  
inverter, blcd, from 1320 to 4320 rpm, from 82 to 265 w input,  
cooling 293 btu to 904 , 1/3 hp, r600a, lbp

---



**Mbsm.pro, compressor, Secop,  
SC18CLX.2, 104L2197, Danfoss  
R404A, R507, 3/4 hp, lbp**

written by Lilianne | 23 January 2024



Mbsm.pro, compressor, Secop, SC18CLX.2, 104L2197, Danfoss  
R404A, R507, 3/4 hp, lbp

---

**Mbsm.pro, Toshiba, Rotary,  
refrigerator ,compressor,  
PH360X3C-4KTS1, 1.5T++, 2,5  
hp, 1 ph, r22**

written by Lilianne | 23 January 2024



Mbsm.pro, Toshiba, Rotary, refrigerator ,compressor,  
PH360X3C-4KTS1, 1.5T++, 3 hp, 1 ph, r22

---

**Mbsm.pro, Compressor,**

# EA65H1E-U, 1/3 hp++, mbp, r290, freezer, with two doors, GMCC Refrigeration Compressor

written by Lilianne | 23 January 2024



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, EA65H1E-U, 1/3 hp++, mbp, r290, freezer, with two doors, GMCC Refrigeration Compressor

---

# **Mbsm.pro, 104L2848, SC15CM, COMPRESSOR, DANFOSS, 1/2 hp, r22, LBP**

written by Lilianne | 23 January 2024



Mbsm.pro, 104L2848, SC15CM, COMPRESSOR, DANFOSS, 1/2 hp, r22,  
LBP