

Mbsm.pro, Daewoo Compressor, YX58LHP5, R134a, 200 w, 1/4 hp, 683 BTU, Lbp, 95 G, Congélateur, CONDOR NOFROST, 375L

written by Lilianne | 1 September 2022

	JX58LHK4	5.84	161	170	198	675	1.06	1.23	4.19	CSIR	ST/FC	8.2	230
	JX58LHP4	5.84	139	170	198	675	1.22	1.42	4.85	RSCR	ST/FC	8.2	230
	JX58LHP4-K	5.85	155	170	198	675	1.10	1.28	4.35	RSCR	ST/FC	8.2	230
	JX58LHS4	5.84	150	170	198	675	1.13	1.32	4.50	RSIR	ST/FC	8.2	230
YH	HPL15YH-4	5.12	122	135	157	536	1.11	1.29	4.39	RSCR	ST/OC/FC	8.9	290
	HPL17YH-4	5.55	131	148	172	587	1.13	1.31	4.48	RSCR	ST/OC/FC	8.9	290
	HPL19YH-4	5.84	137	170	198	675	1.24	1.44	4.92	RSCR	ST/OC/FC	9.5	290
	HDL21YH-4	6.72	156	189	220	750	1.21	1.41	4.81	CSIR	ST/OC/FC	9.5	290
	HPL21YH-4	6.73	155	188	219	746	1.21	1.41	4.81	RSCR	ST/OC/FC	9.5	290
	HPL23YH-4	7.03	165	201	234	798	1.22	1.42	4.83	RSCR	ST/OC/FC	9.5	290
	HPL26YH-4	8.25	205	235	273	933	1.15	1.33	4.55	RSCR	ST/OC/FC	9.5	290
YX	YX46LHP4	4.62	104	125	145	496	1.20	1.40	4.77	RSCR	ST/OC/FC	8.8	290
	YX51LHP4	5.12	120	150	174	595	1.25	1.45	4.96	RSCR	ST/OC/FC	8.8	290
	YX51LHP4-K	5.12	128	144	168	572	1.12	1.31	4.46	RSCR	ST/OC/FC	8.8	290
	YX58LHP4	5.84	133	172	200	683	1.29	1.50	5.13	RSCR	ST/OC/FC	9.8	290
YG	HPL21YG-4	6.73	175	185	215	734	1.06	1.23	4.20	RSCR	ST/OC/FC	9.0	290
	HPL27YG-4A	8.69	232	250	291	992	1.08	1.25	4.28	RSCR	ST/OC/FC	9.5	290
	HPL30YG-4	9.92	247	283	329	1123	1.15	1.33	4.55	RSCR	ST/OC/FC	9.5	290







Réfrigérateur - Congélateur

Modèle H 430NC Classe T

Volume brut 375L

Volume utile compt denrées fraîche 242L

Volume utile compt basse température 90L

Voltage / Fréquence 220-240V - 50Hz

Puissance 0.8A


Puissance de dégivrage 180W

Puissance de lampe 25W*1

Réfrigérant R134a 95grs

N° de série

WIRING DIAGRAM



Note: 1. laissez au moins 5cm d'espace libre à l'arrière de l'appareil pour une bonne ventilation.
2. Après avoir débranché l'appareil, attendre 5 minutes avant de le rebrancher.

W341-S



Mbsm_dot_pro_private_PDF_YX58LHP5-R134aTélécharger

**Mbsm.pro, Hermetic
compressor, Aspera, Embraco,
NEK6212Z, R134a, 1/2 hp, HBP**

written by Lilianne | 1 September 2022



Mbsm.pro, Hermetic compressor, Aspera, Embraco, NEK6212Z,
R134a, 1/2 hp , HBP

**Mbsm.pro, R600a, Aruki
Compressors, Compressor,
QD65Y(N) (1/9HP) , QD75Y(J)
(1/8+HP), QD85Y(J) (1/7+HP),
QD91Y(J) (1/6HP), QD103Y(J)
(1/6+HP)**

written by Lilianne | 1 September 2022

 **QD103Y**
220-240V~50Hz 1PH

     R600a

   **Warning: Risk of fire**

NO. 15592401
Hangzhou Qianjiang Refrigeration Group Co.,Ltd

Mbsm.pro, R600a, Aruki Compressors, Compressor, QD65Y(N)
(1/9HP) , QD75Y(J) (1/8+HP), QD85Y(J) (1/7+HP), QD91Y(J)
(1/6HP), QD103Y(J) (1/6+HP)

**Mbsm.pro, compressor,
MT160HW4D , 13 hp, MT160,
Displacement: 271.55cm³/rev**

written by Lilianne | 1 September 2022

*Mbsm.pro, Danfoss, Compressor, MT100HS4D, 8.3HP, R22, 380V,
3PH*

Danfoss Commercial Compressors

Danfoss


Model no: MT160HW4EVE

MADE IN FRANCE



380-400V 3- 50 Hz UL electrical ratings.
460V 3- 60 Hz

Serial no: EF1007049041




LR 130A 36A MAX

THERMALLY PROTECTED

P.E.D. Marking	LP side	HP side
PS	18.4 bar	27.8 bar
TS max	50 °C	68 °C
TS min	-35 °C	-35 °C
Volume	31 l	1.2 l

Lubricant: MINERAL OIL 160 P



Refrigerant: R22(ULrating)-R417A with 160PZ

Maneurop
REFRIGERATING COMPRESSORS

WARNING


Installation and servicing must be performed by trained personnel. In case of any safety warning could be issued, please refer to the manual. Do not use the compressor for any other purpose than for which it is designed. Do not use the compressor for any other purpose than for which it is designed. Do not use the compressor for any other purpose than for which it is designed. Do not use the compressor for any other purpose than for which it is designed.



CAUTION

Use only manufacturer's approved refrigerants, lubricants and electrical components. Improper use of refrigerant / lubricant / electrical components could cause fire, explosion, electric shock, etc.

For details refer to fault diagnosis manual and to the service manual. For more information contact your distributor.



Private Picture Copyright : WWW.MBSM.PRO



Mbsm.pro, Compressor, T3, 3.3 hp, 30000 btu, nht52vbat, 14 A, Mitsubishi Compressor, r22, 4.5 bar

written by Lilianne | 1 September 2022



SIAM COMPRESSOR INDUSTRY

MITSUBISHI ELECTRIC GROUP



REFRIGERANT COMPRESSOR

MODEL **NHT52VBAT**

MANUFACTURING DATE **18052012**

POWER SOURCE

220-240V 1~ 50Hz

POWER INPUT **2970 W** AT **50** Hz

LRA **86/94** A

REFRIGERANT **R-22**


OIL **1.30 L**

AP **2.74** MPa

SP **10.5** MPa

THERMALLY PROTECTED

MADE IN THAILAND



NHT52VBAT-012051-180512

Mbsm.pro, Compressor, T3, 3.3 hp, 30000 btu, nht52vbat, 14 A,
Mitsubishi Compressor

**Mbsm.pro, Embraco, Aspera,
NEK2150CK, 1/2 hp, freezing
(LBP), 121 cm³, R404A /RS07A
/ R452A**

written by Lilianne | 1 September 2022



 **Embraco Accera** **NEK2130GK**
 

THERMALLY PROTECTED		220 - 240V ~ 50Hz
	R 404A	
POE. OIL 350CC	1 PH	

MADE IN SLOVAKIA NO START WITHOUT STARTING DEVICE



958BA51 FX N10ESUX1


R 404A

Mbsm.pro, Embraco, Aspera, NEK2150CK, 1/2 hp, freezing (LBP),
121 cm³, R404A /RS07A / R452A

**Mbsm.pro, Compresor, ZMC, 1/5
hp++, 1/4 hp-, High-Medium
Back Pressure, GL80TB,
GL80AA, cooling and freezing**

written by Lilianne | 1 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compresor, ZMC, 1/5 hp++, 1/4 hp-, High-Medium Back Pressure, GL80TB, GL80AA, cooling and freezing

Mbsm.pro, Compressor, MK190G-L2u, MK190G, Refrigerator, USA, RS22hknrs, 527 L, r134a, 190g, 230w, Samsung, MK190GL2U/E08, 1/3hp, 200-240V-50Hz, RSCR

written by Lilianne | 1 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, MK190G-L2u, MK190G, Refrigerator, USA, RS22hknrs, 527 L, r134a, 190g, 230w, Samsung, MK190GL2U/E08, 1/3hp, 200-240V-50Hz, RSCR

**Mbsm.pro, Copeland,
Reciprocating, Hermetic,
Compressors, CRNQ-0500-TFD, 5
hp, R22, HCFC, R-22, 50 Hz, 3
– Phase, 380/420 V , CR QR
Series**

written by Lilianne | 1 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Copeland, Reciprocating, Hermetic, Compressors, CRNQ-0500-TFD, 5 hp, R22, HCFC, R-22, 50 Hz, 3 - Phase, 380/420 V , CR QR Series

Mbsm.pro, Compressor, semi-hermetic, piston, Q4-24.1Y, Q4-24.1y1000, 4 hp, lbp

written by Lilianne | 1 September 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, semi-hermetic, piston, Q4-24.1Y,
Q4-24.1y1000, 4 hp, lbp