

Mbsm.pro, PDF, LG, compressor, msa43lbeg, 116 w, 1/8 hp, lbp, r134a

written by Lilianne | 2 June 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, PDF, LG, compressor, msa43lbeg, 116 w, 1/8 hp, lbp

**Mbsm.pro, Compressor, DONPER,
NE 2125 CE, NE2125CE, r22,
3/8hp++, HMBP, 266 w**

written by Lilianne | 2 June 2022



NE2125CE 220V-50Hz 1PH

CSR 3/8+HP



THERMALLY PROTECTED
MADE IN CHINA-TECH OF ITALY



H140422568320302154

R22

Mbsm.pro, Compressor, DONPER, NE 2125 CE, NE2125CE, r22,
3/8hp++, lbp HMBP

**Mbsm.pro, Secop, Freezer,
Compressor, Sc18cl, 104L2123,
104L2123, 5/8HP++, 1/2-,
R404A, Secop SCxxCL Series,
LMBP, 495 w**

written by Lilianne | 2 June 2022



Mbsm.pro, Secop, Freezer, Compressor, Sc18cl, 104L2123,
5/8HP++, 1/2-, R404A, Secop SCxxCL Series, LMBP, 495 w

**Mbsm.pro, Compressor,
DB110C19RAW5, 1/3 hp, LBP,
R134a, 200g, D series,
Refrigerators, Smeg, 2 Doors,
18 feet, no-frost freezer**

written by Lilianne | 2 June 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, DB110C19RAW5, 1/3 hp, LBP, R134a, 200g, D series, Refrigerators, Smeg, 2 Doors, 18 feet, no-frost freezer

Mbsm.pro, compressor, EM Series, Embraco, EMY75HLC, 211 w, 1/4 hp, 1bp, 750 btu, r134a

written by Lilianne | 2 June 2022

Model	Capacity (L)	Power (hp)	BTU/hr	Current (A)	Voltage (V)	Frequency (Hz)	ISO Class	Compressor	Weight (kg)	Dimensions (mm)		
EMZ 66 CLP	220-240/50	10.61	190	163.4	1.74	1.50	4	ISO 5	CCC/VDE	171 6.73		
EMX	EMX 32 CLC	220-240/50	5.96	102	87.7	1.78	1.53	2.5	ISO 5	CCC	166 6.54	
	EMX 40 CLC	220-240/50	7.24	128	110.1	1.80	1.55	4	ISO 5	CCC	166 6.54	
EMB	EMB 32 CLC	220-240/50	5.96	103	88.6	1.88	1.62	2.5	ISO 5	CCC	166 6.54	
	EMB 40 CLC	220-240/50	7.24	128	110.1	1.92	1.65	4	ISO 5	CCC/VDE	171 6.73	
	EMB 46 CLC	220-240/50	7.96	142	122.1	1.90	1.63	4	ISO 5	CCC/VDE	171 6.73	
	EMB 55 CLC	220-240/50	9.05	163	140.2	1.88	1.62	4	ISO 5	CCC/VDE	171 6.73	
	EMB 66 CLC	220-240/50	10.61	190	163.4	1.87	1.61	4	ISO 5	CCC/VDE	171 6.73	
R 134a	EMT	EMT 45 HLP	220-240/50	4.85	145	124.7	1.40	1.20		ISO 7	CCC/VDE	158 6.22
		EMU 45 HLP	220-240/50	4.85	145	124.7	1.50	1.29		ISO 7	CCC/VDE	158 6.22
	EMU	EMU 55 HLP	220-240/50	5.20	161	138.5	1.50	1.29		ISO 7	CCC/VDE	166 6.54
		EMU 65 HLP	220-240/50	5.96	185	159.1	1.47	1.26		ISO 7	CCC/VDE	166 6.54
		EMU 45 HLP	200-230/50	4.85	145	124.7	1.45	1.25		ISO 22	CCC/VDE	158 6.22
		EMU 55 HLP	200-230/50	5.20	161	138.5	1.45	1.25		ISO 22	CCC/VDE	166 6.54
		EMU 65 HLP	200-230/50	5.96	185	159.1	1.45	1.25		ISO 22	CCC/VDE	166 6.54
		EMU 55 HLP	115-127/60	4.15	148	127.3	1.46	1.26		ISO 7	UL	158 6.22
	EMY	EMY 55 HLC	220-240/50	5.20	161	138.5	1.60	1.38	4	ISO 7	CCC/VDE	166 6.54
		EMY 65 HLC	220-240/50	5.96	185	159.1	1.60	1.38	4	ISO 7	CCC/VDE	166 6.54
		EMY 75 HLC	220-240/50	7.00	215	184.9	1.60	1.38	4	ISO 7	CCC/VDE	171 6.73
		EMY 50 HLP	115-127/60	4.15	140	120.4	1.60	1.38	12	ISO 7	UL	158 6.22
EMY 55 HLP		115-127/60	4.50	160	137.6	1.60	1.38	12	ISO 7	UL	158 6.22	
EMY 60 HLP		115-127/60	4.85	180	154.8	1.60	1.38	12	ISO 7	UL	166 6.54	
R 290	EMH	EMH 60 HER	115-127/60	5.19	189	162.5	1.47	1.26		ISO 7	CCC	166 6.54
		EMT 2121 U	220-240/50	5.57	256	220.0	1.42	1.22	48	ISO 22	CCC/VDE	166 6.54
		EMT 2125 U	220-240/50	5.96	301	259.0	1.48	1.28	58	ISO 22	CCC/VDE	166 6.54

测试条件: 蒸发-23.3° C (-10° F) 冷凝54.4° C (130° F) 吸气/环境32.2° C (90° F) 液体32.2° C (90° F)
 Test Conditions: Evaporating: -23.3°C (-10°F) | Condensing: 54.4°C (130°F) | Gas and Ambient: 32.2°C (90°F) | Liquid: 32.2°C (90°F)

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, compressor, EM Series, Embraco, EMY75HLC, 211 w, 1/4 hp, 1bp, 750 btu, r134a

Mbsm.pro, Freezer, 420 L,

**regeneration, using Cooling,
Aluminium Plated, Roll
Bonded, Evaporator Plate,
Compressor, L72cZ1 , 1/4 hp,
r134a, capillarie 3 M, 0.032**

written by Lilianne | 2 June 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Freezer, 420 L, regeneration, using Cooling,
Aluminium Plated, Roll Bonded, Evaporator Plate, Compressor,
L72cZ1 , 1/4 hp, r134a, capillarie 3 M, 0.032

**Mbsm.pro, compressor,
cae2412y, Tecumseh, 1/3 hp,**

**306 w, 236 kcal/h, 1043
btu/h, Lbp, r134a**

written by Lilianne | 2 June 2022



Mbsm.pro, compressor, cae2412y, Tecumseh, 1/3 hp, 306 w, 236 kcal/h, 1043 btu/h, Lbp, r134a

Mbsm.pro, PDF, Personnel DOC,

**Files, DAEWOO COMPRESSOR ,FOR
REFRIGERATOR , 220/240 V ,
R12, jx46lcs5, 1/6 Hp, 127 w,
109 kcal/h, 433 byu/h, lbp,
Jx58lhs5-k, 1/5 Hp, R134A**

written by Lilianne | 2 June 2022

JX46LCS5

AC 220-240V 50Hz (J19)

LRA 4.3 R12 RoHS

THERMALLY PROTECTED

DAEWOO ELECTRONICS Corp.

MADE IN KOREA DAEWOO DC

K90100999

Mbsm.pro, PDF, Personel DOC, Files, DAEWOO COMPRESSOR ,FOR REFRIGERATOR , 220/240 V , R12, jx46lcs5, 1/6 Hp, 127 w, 109 kcal/h, 433 byu/h, lbp, Jx58lhs5-k, 1/5 Hp, R134A

Mbsm.pro, Compressor, Aspera, B3119Z, 234 w, 1/4 hp, r134a

written by Lilianne | 2 June 2022



Mbsm.pro, Compressor, Aspera, B3119Z, 234 w, 1/4 hp, r134a

Mbsm.pro, Compressor, Toshiba, ph441x3cs-4kts1, 3 hp, 1 PH, 50Hz-220V/240V, R22

written by Lilianne | 2 June 2022



Mbsm.pro, Compressor, Toshiba, ph441x3cs-4kts1, 3 hp, 1 PH, 50Hz-220V/240V, R22