

**Mbsm.pro, compressor,  
aez1380a, 1/4 hp++, 1/3 hp -,  
r12, 193 w, HBP**

written by Lilianne | 2 June 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, compressor, aez1380a, 1/4 hp++, 1/3 hp -, r12, 193 w, HBP

---

**Mbsm.pro, PDF, LG,  
compressor, msa43lbeq, 116 w,  
1/8 hp, lbp, r134a**

written by Lilianne | 2 June 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, PDF, LG, compressor, msa43lbeg, 116 w, 1/8 hp, lbp

---

**Mbsm.pro, Compressor, DONPER,  
NE 2125 CE, NE2125CE, r22,  
3/8hp++, HMBP, 266 w**

written by Lilianne | 2 June 2022



NE2125CE 220V-50Hz 1PH

CSR 3/8+HP



THERMALLY PROTECTED  
MADE IN CHINA-TECH OF ITALY



H140422568320302154

R22

Mbsm.pro, Compressor, DONPER, NE 2125 CE, NE2125CE, r22,  
3/8hp++, lbp HMBP

---

**Mbsm.pro, Secop, Freezer,  
Compressor, Sc18cl, 104L2123,  
104L2123, 5/8HP++, 1/2-,  
R404A, Secop SCxxCL Series,  
LMBP, 495 w**

written by Lilianne | 2 June 2022





Mbsm.pro, Secop, Freezer, Compressor, Sc18cl, 104L2123,  
5/8HP++, 1/2-, R404A, Secop SCxxCL Series, LMBP, 495 w

---

**Mbsm.pro, Compressor,  
DB110C19RAW5, 1/3 hp, LBP,  
R134a, 200g, D series,  
Refrigerators, Smeg, 2 Doors,  
18 feet, no-frost freezer**

written by Lilianne | 2 June 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, DB110C19RAW5, 1/3 hp, LBP, R134a, 200g, D series, Refrigerators, Smeg, 2 Doors, 18 feet, no-frost freezer

---

# Mbsm.pro, compressor, EM Series, Embraco, EMY75HLC, 211 w, 1/4 hp, 1bp, 750 btu, r134a

written by Lilianne | 2 June 2022

R134a	Model	Capacity (kg/24h)	Power (W)	Current (A)	Voltage (V)	Frequency (Hz)	Compressor Type	ISO Class	CCC/VDE	Weight (kg)	Height (mm)	Performance				
												Capacity (kg/24h)	Power (W)			
R134a	EMZ 66 CLP	220-240/50	10.61	190	163.4	1.74	1.50	4	ISO 5	CCC/VDE	171	6.73				
	EMX	EMX 32 CLC	220-240/50	5.96	102	87.7	1.78	1.53	2.5	ISO 5	CCC	166	6.54			
		EMX 40 CLC	220-240/50	7.24	128	110.1	1.80	1.55	4	ISO 5	CCC	166	6.54			
	EMB	EMB 32 CLC	220-240/50	5.96	103	88.6	1.88	1.62	2.5	ISO 5	CCC	166	6.54			
		EMB 40 CLC	220-240/50	7.24	128	110.1	1.92	1.65	4	ISO 5	CCC/VDE	171	6.73			
		EMB 46 CLC	220-240/50	7.96	142	122.1	1.90	1.63	4	ISO 5	CCC/VDE	171	6.73			
		EMB 55 CLC	220-240/50	9.05	163	140.2	1.88	1.62	4	ISO 5	CCC/VDE	171	6.73			
	EMB 66 CLC	220-240/50	10.61	190	163.4	1.87	1.61	4	ISO 5	CCC/VDE	171	6.73				
	R134a	EMT	EMT 45 HLP	220-240/50	4.85	145	124.7	1.40	1.20		ISO 7	CCC/VDE	158	6.22		
			EMU 45 HLP	220-240/50	4.85	145	124.7	1.50	1.29		ISO 7	CCC/VDE	158	6.22		
		EMU	EMU 55 HLP	220-240/50	5.20	161	138.5	1.50	1.29		ISO 7	CCC/VDE	166	6.54		
			EMU 65 HLP	220-240/50	5.96	185	159.1	1.47	1.26		ISO 7	CCC/VDE	166	6.54		
EMU 45 HLP			200-230/50	4.85	145	124.7	1.45	1.25		ISO 22	CCC/VDE	158	6.22			
EMU 55 HLP			200-230/50	5.20	161	138.5	1.45	1.25		ISO 22	CCC/VDE	166	6.54			
EMU		EMU 65 HLP	200-230/50	5.96	185	159.1	1.45	1.25		ISO 22	CCC/VDE	166	6.54			
		EMU 55 HLP	115-127/60	4.15	148	127.3	1.46	1.26		ISO 7	UL	158	6.22			
EMY		EMY 55 HLC	220-240/50	5.20	161	138.5	1.60	1.38	4	ISO 7	CCC/VDE	166	6.54			
		EMY 65 HLC	220-240/50	5.96	185	159.1	1.60	1.38	4	ISO 7	CCC/VDE	166	6.54			
		EMY 75 HLC	220-240/50	7.00	215	184.9	1.60	1.38	4	ISO 7	CCC/VDE	171	6.73			
		EMY 50 HLP	115-127/60	4.15	140	120.4	1.60	1.38	12	ISO 7	UL	158	6.22			
	EMY 55 HLP	115-127/60	4.50	160	137.6	1.60	1.38	12	ISO 7	UL	158	6.22				
	EMY 60 HLP	115-127/60	4.85	180	154.8	1.60	1.38	12	ISO 7	UL	166	6.54				
EMH	EMH 60 HER	115-127/60	5.19	189	162.5	1.47	1.26		ISO 7	CCC	166	6.54				
R290	EMT	EMT 2121 U	220-240/50	5.57	256	220.0	1.42	1.22	48	ISO 22	CCC/VDE	166	6.54			
		EMT 2125 U	220-240/50	5.96	301	259.0	1.48	1.28	58	ISO 22	CCC/VDE	166	6.54			

测试条件: 蒸发-23.3° C (-10° F) 冷凝54.4° C (130° F) 吸气/环境32.2° C (90° F) 液体32.2° C (90° F)  
 Test Conditions: Evaporating: -23.3°C (-10°F) | Condensing: 54.4°C (130°F) | Gas and Ambient: 32.2°C (90°F) | Liquid: 32.2°C (90°F)

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, compressor, EM Series, Embraco, EMY75HLC, 211 w, 1/4 hp, 1bp, 750 btu, r134a

Mbsm.pro, Freezer, 420 L,

**regeneration, using Cooling,  
Aluminium Plated, Roll  
Bonded, Evaporator Plate,  
Compressor, L72cZ1 , 1/4 hp,  
r134a, capillarie 3 M, 0.032**

written by Lilianne | 2 June 2022



Mbsm.pro, Freezer, 420 L, regeneration, using Cooling,  
Aluminium Plated, Roll Bonded, Evaporator Plate, Compressor,  
L72cZ1 , 1/4 hp, r134a, capillarie 3 M, 0.032

---

**Mbsm.pro, compressor,  
cae2412y, Tecumseh, 1/3 hp,**

**306 w, 236 kcal/h, 1043  
btu/h, Lbp, r134a**

written by Lilianne | 2 June 2022



Mbsm.pro, compressor, cae2412y, Tecumseh, 1/3 hp, 306 w, 236 kcal/h, 1043 btu/h, Lbp, r134a

---

**Mbsm.pro, PDF, Personnel DOC,**

**Files, DAEWOO COMPRESSOR ,FOR  
REFRIGERATOR , 220/240 V ,  
R12, jx46lcs5, 1/6 Hp, 127 w,  
109 kcal/h, 433 byu/h, lbp,  
Jx58lhs5-k, 1/5 Hp, R134A**

written by Lilianne | 2 June 2022

**JX46LCS5**

AC 220-240V 50Hz (J19)

LRA 4.3 R12 RoHS

THERMALLY PROTECTED

DAEWOO ELECTRONICS Corp.

MADE IN KOREA DAEWOO DC

**K90100999**

Mbsm.pro, PDF, Personel DOC, Files, DAEWOO COMPRESSOR ,FOR REFRIGERATOR , 220/240 V , R12, jx46lcs5, 1/6 Hp, 127 w, 109 kcal/h, 433 byu/h, lbp, Jx58lhs5-k, 1/5 Hp, R134A

---

## **Mbsm.pro, Compressor, Aspera, B3119Z, 234 w, 1/4 hp, r134a**

written by Lilianne | 2 June 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Aspera, B3119Z, 234 w, 1/4 hp, r134a