

**Mbsm.pro, Compressor, 1/5hp,
Low-temperature, hermetic,
refrigeration, compressor
Embraco, Aspera, (Embrako
Aspera), NB3117Z, LBP,
R-134a, 174W at $T_i = -23.3\text{C}$,
 $T_k = 54.4\text{C}$**

written by Lilianne | 11 April 2022

aspera **SUCTION** 

MADE IN SLOVAKIA
THERMALLY PROTECTED
200-240 V ~ 50 HZ
220 V ~ 60 HZ 1Ø

NB3117Z
285AN48
ESTER OIL 450 CC
R 134a

009597 7603




CE

Mbsm.pro, Compressor, 1/5hp, Low-temperature, hermetic, refrigeration, compressor Embraco, Aspera, (Embrako Aspera), NB3117Z, LBP, R-134a, 174W at $T_i = -23.3\text{C}$, $T_k = 54.4\text{C}$

**Mbsm.pro, Compressor,
Embraco, aspera, ne6187z, 1/3
hp++, big, CSIR, HMBP, r134a,
230/1/50**

written by Lilianne | 11 April 2022



Mbsm.pro, Compressor, Embraco, aspera, ne6187z, 1/3 hp++, big, CSIR, HMBP, r134a, 230/1/50

Mbsm.pro, Compressor, ZEL,

**GML160G, 1/6 hp, 129 w, LBP,
R134a, 220-240V, KONOR
CATALOG**

written by Lilianne | 11 April 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, ZEL, GML160G, 1/6 hp, 129 w, LBP, R134a, 220-240V, KONOR CATALOG

**Mbsm.pro,asw-12a4/fm, Air
conditioner, 12000 btu/h,
r22, 590g, 8.5 a, Cooling
only , T1**

written by Lilianne | 11 April 2022

AUX

Split Air Conditioner (Outdoor Unit)


CE

Product Type	ASW-12A4/FM
Outdoor Unit Type	ASW-12A4/FM
Power Supply	220-240V~/50Hz

Rated Cooling Input	1.25kW
Max. Input Current	8.5A

Refrigerant	R22
Refrigerant Quantity	0.59kg
Water-proof Class	IPX4
Outdoor Unit Net Weight	23.5kg

Date	2019.12.11
No.	A19539770910W00363



Made in China

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro,asw-12a4/fm, Air conditioner, 12000 btu/h, r22, 590g, 8.5 a, Cooling only , T1

**Mbsm.pro, Compressor, Qdh51g,
1/6 Hp, 118 w, 0.85A , Lbp,
R134a, 220v, 1 phase 50 hz,
Baixue, QDH51G Refrigerator**

written by Lilianne | 11 April 2022



Mbsm.pro, Compressor, Qdh51g, 1/6 Hp, 118 w, 0.85A , Lbp, R134a, 220v, 1 phase 50 hz, Baixue, QDH51G Refrigerator

**Mbsm.pro, Compressor,
embraco, aspera, nj6226z,
HBP-R134a, 220-240V/1/50Hz, 1
HP++, displacement 34.38 cm³,
LRA 31.0 A**

written by Lilianne | 11 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, embraco, aspera, nj6226z, HBP-R134a, 220-240V/1/50Hz, 1 HP++, displacement 34.38 cm³, LRA 31.0 A

**Mbsm.pro, Compressor,
Kiriazi, refrigerator,
Defrost, k350, 1/5 ++ Hp, 1/4
– Hp, embraco, ff17.5hak,
tw146-gy-486, twb1374ygs,
tles7ft.4, r134a**

written by Lilianne | 11 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Kiriazi, refrigerator, Defrost, k350,
1/5 ++ Hp, 1/4 - Hp, embraco, ff17.5hak, tw146-gy-486,
twb1374ygs, tles7ft.4, r134a

**Mbsm.pro, Compressor,
PH440G2CS-4KUS1, 26000 Btu, 3
Hp, GMCC, Toshiba, 220/240v
50hz, T3, 2490 W, r22**

written by Lilianne | 11 April 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, PH440G2CS-4KUS1, 26000 Btu, 3 Hp, GMCC, toshiba, 220/240v 50hz, T3, 2490 W, r22

Mbsm.pro, Compressor, Te195yt, 1/4 Hp, 226 W, Lbp, R134a, lra 14a, 220v, 1 phase 50 hz

written by Lilianne | 11 April 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, Te195yt, 1/4 Hp, 226 W, Lbp, R134a, lra
14a, 220v, 1 phase 50 hz

**Mbsm.pro, Trane OEM
CSHD183K00M / COM09161
Replacement Compressor 15.2
TON 380-415/3/50-460/3/60
R-410A, 180000 btu/h**

written by Lilianne | 11 April 2022



TRANE®

SCROLL COMPRESSOR


Model: CSHD183JOB0M



Trane part nbr: 570011402100




Serial: 15073N1F3A



Field service part nbr. COM09867

P.E.D Marking	LP: PS = 31.1 bar	HP: PS = 45.5 bar
	TS max = 52 °C	TS max = 70 °C
	TS min = -35 °C	TS min = -35 °C
	VOL 13.35 LITERS	VOL 0.85 LITERS



0059

IPX4

THERMALLY PROTECTED

VOLTAGE -1 200 - 230V / 3/60Hz

VOLTAGE -2

MAX AMPS 71A

LRA 345A

**LUBRICANT
USE TRANE OIL ONLY**

**POLYOLESTER OIL
OIL 00078 OR OIL00080
VOL: 7.608 pt (3.6L)
REFRIGERANT: R410A**



MADE IN MEXICO
Ingersoll - Rand Manufactura, S. de R.L. de
C.V.
Apodaca, N.L. CP 66600
92-11-2875

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Trane OEM CSHD183K00M / COM09161 Replacement Compressor 15.2 TON 380-415/3/50-460/3/60 R-410A, 180000 btu/h