

Refrigerant High & Low Pressure Temperature Chart ,R22 R410A ,R12 ,R134A ,R401A ,R409A ,R502 ,R404A ,R507A ,R408A ,R402A ,R600A

written by Lilianne | 12 May 2020

Refrigerant High & Low Pressure Temperature Chart ,R22 R410A
,R12 ,R134A ,R401A ,R409A ,R502 ,R404A ,R507A ,R408A ,R402A
,R600A

Compresseur, Aspera – Embraco EMT ,EMT2121U, R290 ,1/3 HP , 220-240V 50 Hz ,Cylindrée = 5.56 CM3 , Moteur type: CSIR,7.7LRA , Oil 180ML

written by Lilianne | 12 May 2020

Compresseur, Aspera – Embraco EMT ,EMT2121U, R290 ,1/3 HP ,
220-240V 50 Hz ,Cylindrée = 5.56 CM3 , Moteur type:
CSIR,7.7LRA , Oil 180ML

**COMPRESSOR, EMBRACO ,
fgs130ha, LBP (Low Back
Pressure) ,RSCR ,316 W ,1/3+
HP ,220-240 V 50 Hz ,1080
Btu/h ,11,14 c.c.,R134a**

written by Lilianne | 12 May 2020



 **Embraco** FGS130HAW



THERMALLY PROTECTED

10 LRA

R 134a

1 PH

220-240V~

50Hz

JOINVILLE-SC NO START WITHOUT STARTING DEVICE
MADE IN BRAZIL



513200607 FAB 1 26/JAN/05 E05DDHWA

HFC - 134a

 注意



高温注意

Compressore	EMBRACO
Modello	FGS130HAW
Altezza (mm)	
Gas	R134a
Tensione	220-240 V 50 Hz
Applicazione	LBP (Low Back Pressure)
Test Condition	ASHRAE LBP 32
Cilindrata	11,14 c.c.
Motore	RSCR
Potenza (HP)	1/3+
Cap. Frigor. Watt	316
Cap. Frigor. Kcal	272
Cap. Frigor. Btu/h	1080
COP (W/W)	1,49
Watt assorbiti (W)	
Dispositivo di Adv.	
Condensatore	
Tipo Raffreddamento	
Imballo (Pcs/Pallet)	

**Panasonic , Compressor , R134a
, QB series , QB66C13GPX5 ,
1/5 HP , 1Phase , 165 w ,**

RSIR, PTC relay ,220V 50Hz

written by Lilianne | 12 May 2020

Panasonic ,Compressor ,R134a ,QB series , QB66C13GPX5 , 1/5 HP
,1Phase , 165 w , RSIR, PTC relay ,220V 50Hz

**Compressor ELECTROLUX,
CUBIGEL ,GP12TB ,Hermetic
piston ,ACC ,HMBP , moteur HP
, 3/8 HP++, 1/2 hp- , 1PH ,
R134A , Pression 1.7 Bar ,
220V**

written by Lilianne | 12 May 2020

	Model	Refr.	HP
▶ <input type="checkbox"/>	<u>GL45PB</u>	HMBP::R134a	1/6
▶ <input type="checkbox"/>	<u>GL45PB</u>	HMBP::R134a	1/6
▶ <input type="checkbox"/>	<u>GL45TB</u>	HMBP::R134a	1/6
▶ <input type="checkbox"/>	<u>GL60PB</u>	HMBP::R134a	1/5
▶ <input type="checkbox"/>	<u>GL60TB</u>	HMBP::R134a	1/5
▶ <input type="checkbox"/>	<u>GL80PB</u>	HMBP::R134a	1/5
▶ <input type="checkbox"/>	<u>GL80TB</u>	HMBP::R134a	F
▶ <input type="checkbox"/>	<u>GL90TB</u>	HMBP::R134a	1/4
▶ <input type="checkbox"/>	<u>GP12TB</u>	HMBP::R134a	3/8

PictureS Mbsm Dot Pro : www.mbsm.pro

Private Picture Copyright : WWW.MBSM.PRO

Compressor ELECTROLUX, CUBIGEL GP12TB ,Hermetic piston ,ACC ,HMBP , moteur HP , 3/8 HP , 1PH , R134A , Pression 1.7 Bar


QBH57C10GPX, 1/6HP ,RSIR, Reciprocating Fixed Speed, Compressors, R134a, LBP ,PANASONIC SMALL REFRIGERATOR

written by Lilianne | 12 May 2020

QBH57C10GPX, 1/6HP ,RSIR, Reciprocating Fixed Speed,
Compressors, R134a, LBP ,PANASONIC SMALL REFRIGERATOR

PREFIXES , CONVERSION ,FACTORS

written by Lilianne | 12 May 2020



PREFIXES , CONVERSION ,FACTORS

Compressor Danfoss SC12CL 3/8 HP , LBP/MBP, R404A/R507

written by Lilianne | 12 May 2020

Compressor Danfoss SC12CL 3/8 HP , LBP/MBP, R404A/R507

3/8 HP, using R134a, LBP Wanbao Compressor , Marlboro, ANA120 , 340W

written by Lilianne | 12 May 2020

3/8 HP, using R134a, LBP Wanbao Compressor , Marlboro, ANA120
, 340W

Compressor Bpm111z , r134a 1/6hp , 5.6cc, 240v 50hz , ASPERA, EMBRACO

written by Lilianne | 12 May 2020



Picture5 Mbsm Dot Pro : www.mbsm.pro

Compressor Bpm111z , r134a 1/6hp ,5.6cc, 240v 50hz ,ASPERA, EMBRACO