

# mbsm.pro, Refrigeration, Compressor, GFF57AA, SEBERIA, Hermetic, Compressor GFF57AA, LBP, R134a, Disp.5.7cc, 1/5HP, Series, LBP

written by Lilianne | 17 December 2021



mbsm.pro, Refrigeration, Compressor, GFF57AA, SEBERIA, Hermetic, Compressor GFF57AA, LBP, R134a, Disp.5.7cc, 1/5HP, Series, LBP

---

## COMPRESSOR, EMBRACO, 1/4 HP++ (big), 220V, R134A, EGAS

# 80HLR, FREEZER MOTOR

written by Lilianne | 17 December 2021

#mbsmpro

## TECHNICAL SPECIFICATIONS

- Voltage: 220V 50 / 60Hz
- Refrigerant: R-134A
- Evaporation temperature range: -35 ° C to -10 ° C
- Power: 1/4 +

Mbsm\_dot\_pro\_private\_PDF\_pdf\_embraco-compressor-egas-80-hlrTélécharger

### Technical Specifications

Brand	Embraco
Production place	Brazil
Compressor Type	Hermetic Piston
Compression Line	1/4 "
Working Regime	LBP (-23,3 ° C / + 54,4 ° C)
Frequency (Hz)	50-60
Suction Line	5/16 "
Cooling Capacity (Watts)	195
good kodu	51370117399RA
Compressor Model	EGAS80HLR
Piston Diameter (cm3/rev)	6.36
Tipi Motorcycle	1 FAZ - RSIR
Refrigerant Gas	R134a
Compressor Power(Hp)	1/4 +



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright: WWW.MBSM.PRO

# **Compressor, Embraco, EMX20CLC, High-quality, compressor Aspera, EMX20CLC, LBP R600a, 220-240V 50Hz, 3.97 cm<sup>3</sup>, 1/12HP**

written by Lilianne | 17 December 2021

GENERAL DATA

Application: LBP

Refrigerant: R600a

Evaporating Temperature Range: -35°C to -10°C

Compressor Cooling: Static

Type: Hermetic reciprocating

Technology Type: On-Off

Expansion Device: Capillary Tube

Packing Quantity: 100

Displacement: 3.97 cm<sup>3</sup>

Horse power: 1/12 hp

Approvals:

**MECHANICAL DATA**

Bore: 19 mm

Stroke: 14 mm

Oil Charge: 180ml

Oil Type Configuration: ALQUILB

Oil Type Viscosity: IS05

Weight: 7.88 kg

**ELECTRICAL DATA**

Motor Type: RSCR

Starting Torque: LST



Voltage working range at 50 Hz: 198-242 V

Voltage working range at 60 Hz: 198-242 V

Maximum Motor Temperature: 130 °C

Start Winding Resistance: 22.1 Ω (± 10%) at 25°C

Run Winding Resistance: 50.65 Ω (± 10%) at 25°C

<b>Model</b> <b>EMX20CLC</b>   <b>Code</b> 513309529...S		<b>embraco</b> POWER IN. CHANGE ON.
220V 60 1~		<b>GENERAL DATA</b> Application: LBP Refrigerant: R600a Evaporating Temperature Range: -35°C to -10°C Compressor Cooling: Static Type: Hermetic reciprocating Technology Type: On-Off Expansion Device: Capillary Tube Packing Quantity: 100 Displacement: 3.97 cm <sup>3</sup> Horse power: 1/12 hp Approvals:
<b>MECHANICAL DATA</b> Bore: 19 mm Stroke: 14 mm Oil Charge: 180ml Oil Type Configuration: ALQUILB Oil Type Viscosity: IS05 Weight: 7.88 kg		 <b>ELECTRICAL DATA</b> Motor Type: RSCR Starting Torque: LST Voltage working range at 50 Hz: 198-242 V Voltage working range at 60 Hz: 198-242 V Maximum Motor Temperature: 130 °C Start Winding Resistance: 22.1 Ω (± 10%) at 25°C Run Winding Resistance: 50.65 Ω (± 10%) at 25°C
Private Picture Copyright : WWW.MBSM.PRO		



Private Picture Copyright: WWW.MBSM.PRO

Mbsm\_dot\_pro\_private\_PDF\_EMX20CLC\_techTélécharger

# Bitzer, Compressor, S6F-30.2Y-40P, Compressor Selection, Semi-hermetic Reciprocating, 1450 min-1 , 101,1 (LP) , 30hp

written by Lilianne | 17 December 2021

BITZER is raising the bar in terms of technology and capacity for expanded low temperature applications with the 2nd generation of 2-stage compressors. This series is the result of extensive research on the basis of years of experience in the construction of highly efficient and solid reciprocating

compressors. The gas flow control and working valves are specially adapted for low temperature applications.

- Displacement at 1450 min<sup>-1</sup> : 101,1 (LP) 50,5 (HP)
- Number of cylinders : 6
- Oilcharge : 4,75 dm<sup>3</sup>

Displacement (1450 RPM 50Hz):101.10 / 50.50 m<sup>3</sup>/h Displacement  
(1750 RPM 60Hz):122.02 / 60.95 m<sup>3</sup>/h

The Bitzer Compressor is high quality!

Displacement (1450 RPM 50Hz):101.10 / 50.50 m<sup>3</sup>/h

Displacement (1750 RPM 60Hz):122.02 / 60.95 m<sup>3</sup>/h

No. of cylinder x bore LP/HP x stroke:6+6 x 82/ 82 mm x 55 mm

Max. pressure (LP/MP/HP):19 / 19 / 28 bar

Connection suction line:42 mm – 1 5/8 inch

Connection discharge line:35 mm – 1 3/8 inch

Oil type R404A/R507A:BSE32 (Standard)

Oil type R448A/R449A:BSE32 (Standard)

Oil type R22:B5.2 (Option) We can also provide the following models

4JTE-15K

GYD80485VAYB4

GED60235VLB332

GMD60137VBYR632

GED60485VBYR3-1

CSH7573-70Y-40P

GYD80182VLYB632

GYD60385VLYR2-2

GED80154VLR332

GYU80295VLR4-2

GSU60120VLB6-2

GED60137VAYB3-1

GUU60154VLR532

GUD80295VLR232

GSD80295VLR6-1

GTU60137VLYB3-1

GUD60137VBYR5-1

GYD80235VBYP332  
GYD60421VAYR332  
GMD60295VBR3 - 1  
GED80154VBYP6  
4NEH - 14 - 40S  
GMU60154VLY  
GYD60154VAB4 - 2  
GYD80182VAYR4 - 2  
GYD80421VBR5 - 1  
GYD60385VLYR4 - 1  
4TE - 9 . F3Y - 40S  
GMD60182VBYP3 - 2  
GMD80120VLR232  
GUD60120VBYP5 - 2  
GSD60154VAYR232  
GMD60154VBYP632  
44EES - 12 - 40S  
GMD60154VBB432  
GUD80421VWR4 - 2  
GYD80385VAYR2 - 2  
GTD60385VLB632  
GED60235VLB2  
GED60154VAYR4  
GSD80421VWR5 - 2  
GUD60421VBR5  
GYD80182VBYP5 - 1  
GED60295VBB5  
GED80421VAR4 - 1  
GED60385VLYB3  
GYU80421VLR2  
GSD80485VBB5 - 1  
GED60120VLB2  
GUD60421VBR332  
GTD60154VAB4 - 2  
GED60421VAYB6 - 1  
GMD60485VBB5 - 1  
GSD60485VAYR4

GED80295VLYR6-1  
 GSD60235VAYB232  
 GTD60385VBYR3-1  
 GUD60154VBB3-2  
 GUD80295VWB6-2  
 GED60421VAR5  
 GMD80421VBR4  
 GED80182VLR532  
 GSD60154VBYB6-1  
 GTD80421VBYR332  
 GSD60182VAYB4-1  
 GUD80485VWYR5-2  
 GSU80295VLYR6-1  
 GSD80182VLYR2-2  
 GSU80385VLB432  
 GED80295VAY  
 GED80295VAB3-2  
 GYD60120VAR4

### With liquid subcooling 50Hz (R404A/R507A)

Compressor type	Cond. temp. [°C]	Qo / Pe	Evaporating temperature °C											
				-40	-45	-50	-55	-60	-65	-70				
S6F-30.2Y	30	Qo	43400	37400	31750	26500	21700	17420	13690	10540	7920	5800		
Pe	2,53	0,65	8,78	16,94	15,15	13,42	11,77	10,20	8,74	7,40				
35	Qo	42500	36600	31050	25900	21200	17030	13420	10340	7780	5680			
Pe	3,85	1,86	9,89	7,94	6,04	4,21	12,45	10,78	9,23	7,80				
40	Qo	41500	35700	30300	25300	20700	16680	13170	10150	7590				
Pe	25,20	23,10	21,01	18,96	16,95	15,00	13,14	11,37	9,72					
45	Qo	40450	34800	29550	24700	20300	1660	12930	9920					
Pe	26,59	24,37	22,16	19,98	17,86	15,80	13,83	11,96						
50	Qo	39500	34000	28850	24100	19870	16060	12650						
Pe	28,07	25,69	23,33	21,01	18,75	6,57	14,49							
55	Qo	38800	33250	28200	23600	19490	15740							
Pe	29,64	27,06	24,51	22,03	19,63	17,32								

Qo – Cooling capacity [Watt], Pe – Power consumption [kW]



## Without liquid subcooling 50Hz (R404A/R507A)

Compressor type	Cond. temp. [°C]	Qo / Pe	Evaporating temperature °C										
				-25	-30	-35	-40	-45	-50	-55	-60	-65	-70
S6F-30.2Y	30	Qo	38050	31700	26050	21000	16620	12880	9790	7280	5300	3760	
Pe	1,26	18,81	16,61	14,64	12,90	11,37	10,02	8,86	7,85	7,00			
35	Qo	36000	29950	24500	19710	15570	12070	9180	6840	4980	3510		
Pe	22,11	19,66	17,41	15,37	13,53	11,88	10,42	9,13	8,02	5,72			
40	Qo	33800	28000	22900	18390	14530	11280	8590	6400	4620			
Pe	22,95	20,53	18,26	16,15	14,20	12,42	10,82	9,41	8,18				
45	Qo	31450	26050	21250	17080	13510	10500	8000	5920				
Pe	23,82	21,42	19,12	16,94	14,89	13,00	11,26	9,71					
50	Qo	28950	24000	19590	15770	12490	9710	7370					
Pe	24,72	22,31	19,98	17,74	15,61	13,61	11,76						
55	Qo	26400	21900	17890	14430	11440	8880						
Pe	25,67	23,19	20,80	18,52	16,34	14,27							

Qo – Cooling capacity [Watt], Pe – Power consumption [kW]









Type S6F-30.2Y-40P

S.No. 1600308267

BITZER KÜHLMASCHINENBAU GMBH  
Made in Germany



Nominal Voltage V 3Ph~	Frequ. Hz	Operat. C. A (max.)	Locked Rotor C.		Displacem. m³/h	Speed RPM
			A (Y)	A (YY)		
380-420	50	51	135	220	101,4	1450
440-480	60	51	135	220	122	1750

IP 54 LPI/HP max. 19 / 28 bar





Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_S6F-30.2Y-40PTélécharger  
Compressor type Displacement at 1450 min-1 Number of  
cylinders Oil charge Weight Pipe connections Motor Max. operating

currentMax. power consumptionStarting  
current(lockedrotor)LPHPDLSLdm3KgmpoucempouceAmpkW  
Y/YYS6F-30.2Y101,150,567.752343513/842  
5415/8  
21/8380 ..420YY/3/50  
440 ..480 YY/3/605131,9135/220

---

# Panasonic, DGH73C14RAX, R134a, D Series, Reciprocating, Fixed, Speed, LBP, 1/4Hp

written by Lilianne | 17 December 2021

[https://www.mbsm.pro/wp-content/uploads/2021/01/Mbsm\\_dot\\_pro\\_private\\_PDF\\_Qb77c16glx5.pdf](https://www.mbsm.pro/wp-content/uploads/2021/01/Mbsm_dot_pro_private_PDF_Qb77c16glx5.pdf)

Item	Performance characteristics
Refrigerant	R134a
Displacement (cm <sup>3</sup> )	7.3
Voltage (V)	220
Frequency (Hz)	50
Motor Type	RSCR
Capacity@ASHRAE	215
COP@ASHRAE	1.6
Capacity@CECOMAF	—
COP@CECOMAF	





DGH	DGH57C79RAU	5.7	115V 60Hz	RSCR	215	1.58	-	-
				RSIR	-	-	-	-
	DGH66C12RAR	6.6	110/127V 60Hz	RSCR	212	1.63	-	-
				RSIR	-	-	-	-
	DGH66C13GAX	6.6	220V 50Hz	RSCR	251 / 251	1.62 / 1.60	-	-
				RSIR	189	1.42	-	-
	DGH66C15RLP	6.6	220V 60Hz	RSCR	-	-	-	-
				RSIR	-	-	-	-
	DGH66C16RAP	6.6	220V 60Hz	RSCR	251	1.45	-	-
				RSIR	-	-	-	-
	DGH66C94RAU	6.6	115V 60Hz	RSCR	251	1.60	-	-
				RSIR	-	-	-	-
	DGH66C96RAW	6.6	220/240V 50Hz	RSCR	238	1.68	-	-
				RSIR	-	-	-	-
	DGH73C14RAE	7.3	220V 50/60Hz	RSCR	190 / 190	1.60 / 1.58	-	-
				RSIR	-	-	-	-
DGH73C15GAX	7.3	220V 50Hz	RSCR	215 / 270	1.55 / 1.60	-	-	
			RSIR	215	1.45	-	-	
DGH73C15RAX	7.3	220V 50Hz	RSCR	-	-	-	-	
			RSIR	-	-	-	-	
DGH73C12RAW	7.3	220/240V 50Hz	RSCR	215	1.60	-	-	
			RSIR	-	-	-	-	

Private Picture Copyright : WWW.MBSM.PRO

Mbsm\_dot\_pro\_private\_PDF\_panasonic-compressor-Serie-DTélécharger

**GP14TB, R-134a, 3/8HP++,  
230V, Haute Pression,  
CUBIGEL/HUAYI,  
Décalage: 14.17 cm<sup>3</sup>**

written by Lilianne | 17 December 2021

- CUBIGEL/HUAYI
- Original

## Données techniques

- Modèle: **GP14TB**
- Gaz: **R-134a**
- Température/Pression: **Haute Pression**

- Puissance: **3/8 HP**
- Type De Courant: **Monophasé**
- Fréquence: **50 Hz**
- Type De Compresseur: **Hermétique**
- Décalage: **14.17 cm<sup>3</sup>**
- Cons.Énergie -10°C: **366 W**
- Cons.Énergie -5°C: **406 W**
- Cons.Énergie 0°C: **448 W**
- Cons.Énergie +5°C: **491 W**
- Cons.Énergie +10°C: **536 W**
- T° De Condensation: **40 °C**
- Capacidad Frigorífica -15°C: **489 Kcal/h**
- Capacidad Frigorífica -10°C: **634 Kcal/h**
- Capacidad Frigorífica -5°C: **800 Kcal/h**
- Capacidad Frigorífica 0°C: **986 Kcal/h**
- Capacidad Frigorífica 5°C: **1193 Kcal/h**
- Capacidad Frigorífica 7.2°C: **1291 Kcal/h**
- Capacidad Frigorífica 10°C: **1421 Kcal/h**
- Tipo Test: **Ashare 46**



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)



3070051	alternative part number	605011	رقم القطعة
GP14TB	type	R134a	refrigerant
W 566	power input	HP 3/8	power
CSIR	motor system	cm <sup>3</sup> 14	cylinder capacity
mm 203.6	height	V 220-240	voltage
W 643	power at -5°C	W 497	power at -10°C
W 999	power at +5°C	W 810	power at 0°C
W 271	power at -20°C	W 191	power at -25°C
W 1209	power at +10°C	W 373	power at -15°C
HMBP	application	ASHRAE	test method
°C 43	.ambient temperature max	Hz 50	frequency
		kg 11.5	weight

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

# Cold room, Copeland, ZR scroll, compressor, ZR144KCE-TFD-550, 12HP Copeland Scroll Compressor, Hermetic Compressor Specifications

written by Lilianne | 17 December 2021

Type: Hermetic scroll compressors Producer: Copeland Series: ZR

Model: ZR144KCE-TFD

## Technical data

Displacement [m <sup>3</sup> /h]:	33,2
Sound power [dBA]:	75
Sound pressure level [dB]:	64
Net Weight [kg]:	61,2
Gross Weight [kg]:	72
Oil charge [dm <sup>3</sup> ]:	3,3
Maximum high pressure [bar]:	32
Maximum standstill pressure [bar]:	20
Minimal lowside temperature [°C]:	-35
Maximum lowside temperature [°C]:	52
PED category:	2

## Electrical data

Power supply [V/~/Hz]:	380-420/3/50Hz
Locked rotor current [A]:	118
Max. operating current [A]:	22,3
Winding resistance [ $\Omega$ ]:	1,2

## Connections

	inches
Suction connection with supplied sleeve:	1 3/8"
Discharge connection with supplied sleeve:	7/8"

Compressor Copeland Scroll ZR144KCE-TFD-425, R407C, 380-420V

Type of engine: TFD

Displacement: 33.2 m<sup>3</sup> / h (191,23 cm<sup>3</sup>)

Cooling capacity (0 ° C): 20.00 kW.

Oil quantity: 3.38 L.

Noise level: 61 dBA – 1 m.

Max. Noise level: 75 dBA.

Max. Operating current (FLA): 22.3 A.

LRA: 118.0 A.

Connectors: 1.3 / 8 "x 7/8".

Dimensions (LxWxH): 264x285x533 mm

Net Weight: 61.2 kg


<b>Shipping Class</b>	Standard
<b>Scope Of Application</b>	HBP
<b>Lieferzeit</b>	Ca. 10-14 Tage
<b>Type Of Construction</b>	Scroll
<b>Maker</b>	Copeland
<b>Manufacturer No.</b>	ZR144KCE-TFD-425
<b>Style</b>	1
<b>Refrigerants</b>	R407C
<b>Series</b>	ZR
<b>Condensing Units Compressors</b>	Compressors

<b>Suspense</b>	<b>380-420V</b>
<b>Weight In Kg</b>	<b>61</b>

Model	Horse Power (HP)	Cooling capacity(w)	InputPower(kw)	Current (A)	Bottom corner size(mm)	Weight(KG)
ZR144KC-TFD-550	12	34730	10.87	19.6	190	63



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO

**PETRA**



PETRA ENGINEERING INDUSTRIES CO.  
P.O. BOX 141351 Amman 11814 JORDAN

MODEL PASC 145

REF. No. 3

SERIAL NO. 6161/0201/01

NOMINAL POWER SUPPLY VOLT/Hz /Ph  
380/50/3

COMP. MOTOR A	QTY	VOLT	LRA	RLA	Max. Amp.	hp
	1	380	110	19.5	22.3	12

COMP. MOTOR B	QTY	VOLT	LRA	RLA	Max. Amp.	hp

COND. FAN MOTOR A	QTY	VOLT	Ph	kW	FLA
	2	380	3	0.43	1.1

COND. FAN MOTOR B	QTY	VOLT	Ph	kW	FLA

EVAP. FAN MOTOR	QTY	VOLT	Ph	kW	FLA
	1	380	3	4	8.4

ELECTRIC HEATER	QTY	VOLT	Ph	kW	FLA
	3	220	1	3	13.5

COIL TEST PRESSURE 450 Psig REFRIGERANT R-22

MINIMUM WATER LOOP VOLUME (GAL)

CHILLER MINIMUM WATER FLOW RATE (GPM)

Made in Jordan



Manufacturing Year

2009

# Donper, Refrigeration, Compressor, R134A, freezer, LU140CY1, CT6220CE, AK120CY1, 1/3Hp-

written by Lilianne | 17 December 2021  
Product Description

## Donper Refrigeration Compressor R134A

– Famous and Popular Compressors

– D series hermetic compressors for R134A mainly are designed for applications in water dispenser, small freezer. The main characteristics of D series are light weight, compact size, high reliability, low noise and low vibration.

– R134A S series hermetic compressor mainly are designed for applications in water dispenser, small refrigerator, small freezer. The main characteristics of S series are light weight and compact size, reliability, low noise and high low vibration. By the optimal design of the suspension system and the continuous curvature design of its housing, low operating vibration and sound levels have been achieved.

R600a Series											
Refrigerant	Application	Model	Series	Power	Cooling	Motor type	Power supply	Cooling capacity	COP W/W		
*ASHRAE -23.3	*CECOMAF -25	*ASHRAE -23.3	*CECOMAF -25								
R600a	LBP	W40CY	IN	1/14	S	hatch	220/50	55	43	0.9	0.75
R600a	LBP	S53CY	S	1/10	S	hatch	220/50	75	57	1.2	0.95
R600a	LBP	S65CY	S	1/8	S	hatch	220/50	95	72	1.2	0.95



R600a	LBP	S75CY	S	1/7	S	hatch	220/50	118	86	1.2	0.95
R600a	LBP	SK53CY	S	1/10	S	RSCR	220/50	75	57	1.3	1.03
R600a	LBP	L76CY	L	1/6	S	hatch	220/50	132	100	1.36	1.07
R600a	LBP	L88CY	L	1/5	S	hatch	220/50	153	116	1.36	1.07
R600a	LBP	QD60AY	NOT	1/7	S	hatch	100/60	125	95	1.35	1.07
R600a	LBP	QD76Y	NOT	1/6	S	hatch	220/50	132	100	1.36	1.07
R600a	LBP	QD88Y	NOT	1/5	S	hatch	220/50	153	116	1.36	1.07
R600a	LBP	QD100Y	NOT	1/5 +	S	hatch	220/50	170	129	1.38	1.09
R600a	LBP	QD123Y	NOT	1/4	S	hatch	220/50	187	142	1.38	1.09
R600a	LBP	LK88CY	L	1/5 +	S	RSCR	220/50	160	122	1.58	1.25
R600a	LBP	QD100YG	NOT	1/4 +	S	RSCR	220/50	180	137	1.58	1.25
R600a	LBP	QD135YG	NOT	1/4 +	S	RSCR	220/50	215	163	1.58	1.23
R600a	LBP	QD153YG	NOT	1/4 +	S	RSCR	220/50	246	184	1.58	1.23
R600a	LBP	LU68CY	L	1/7	S	RSCR	220/50	120	91	1.56	1.22
R600a	LBP	QD68YU	NOT	1/7	S	RSCR	220/50	120	91	1.56	1.22
R600a	LBP	QD76YU	NOT	1/6	S	RSCR	220/50	140	106	1.65	1.3
R600a	LBP	QD88YU	NOT	1/5	S	RSCR	220/50	160	122	1.68	1.33
R600a	LBP	QD100YU	NOT	1/4	S	RSCR	220/50	180	137	1.7	1.34
R600a	LBP	QD123YU	NOT	1/4	S	RSCR	220/50	196	150	1.68	1.3
R600a	LBP	QD135YU	NOT	1/4 +	S	RSCR	220/50	220	168	1.68	1.3
R600a	LBP	QD153YU	NOT	1/4 +	S	RSCR	220/50	248	189	1.65	1.28
R600a	LBP	QD68YZ	NOT	1/6	S	RSCR	220/50	120	91	1.8	1.42
R600a	LBP	QD76YZ	NOT	1/6	S	RSCR	220/50	140	106	1.8	1.42
R600a	LBP	QD88YZ	NOT	1/5 +	S	RSCR	220/50	165	125	1.8	1.42
R600a	LBP	QD100YZ	NOT	1/4 +	S	RSCR	220/50	185	141	1.8	1.42
R600a	LBP	QD135YZ	NOT	1 / 3-	S	RSCR	220/50	220	168	1.8	1.42
R600a	LBP	QD60YT	NOT	1/8	S	ESCR	220/50	106	81	1.88	1.48
R600a	LBP	QD68YT	NOT	1/7	S	ESCR	220/50	126	96	1.9	1.5
R600a	LBP	QD76YT	NOT	1/6	S	ESCR	220/50	146	111	1.94	1.53
R600a	LBP	LU68PY	L	1/7	S	BLDC	220/50	120	91	1.65	1.3
R600a	LBP	LU68PY	L	1/5	S	BLDC	220/50	160	122	1.65	1.3

<b>Model no</b>	<b>L140CY1</b>	<b>Refrigerant</b>	<b>R600a</b>
<b>Cooling capacity</b>	<b>230W</b>	<b>Input power</b>	<b>170W</b>
<b>Hose Power</b>	<b>1/3- HP</b>	<b>Temperature application</b>	<b>LBP</b>
<b>Displacement</b>	<b>14cm<sup>3</sup></b>	<b>Working Current</b>	<b>1.3A</b>
<b>Voltage</b>	<b>220V~240V/50Hz</b>	<b>COP</b>	<b>1.35W/W</b>

<b>Motor type</b>	RSIR	<b>Cylinder capacity</b>	14cm <sup>3</sup>
<b>Cooling type</b>	Need a fan motor	<b>Weight</b>	8.6±0.4kg



Private Picture Copyright : WWW.MBSM.PRO

#### Quick Details

Condition:	New	Applicable Industries:	Hotels, Restaurant, Home Use, Food Shop, Food & Beverage...
Showroom Location:	None	Video outgoing-inspection:	Not Available
Machinery Test Report:	Not Available	Marketing Type:	Ordinary Product
Brand Name:	Dongbei/OEM	Place of Origin:	Hubei, China
Application:	Refrigeration Parts	Type:	Refrigeration Compressor
Product name:	R600a 1/3 hp Refrigeration Commercial Freezer Compressor	Warranty:	1 year
Voltage:	220V~240V/50HZ	Refrigerant:	R600a
Cooling capacity:	230W	Horse Power:	1/3
Cylinder capacity:	14 Cubic Centimetre	Input power:	170W
Motor Type:	RSIR	Working current:	1.3A
After Warranty Service:	Online support	Weight:	8.6±0.4kg
Certification:	CCC/VDE	Local Service Location:	None
		After-sales Service Provided:	Online support



Private Picture Copyright : WWW.MBSM.PRO

COOLING CAPACITY	230W
REFRIGERANTS	R600a
INPUT POWER	170W
HORSE POWER	1/3-
DISPLACEMENT	14cm <sup>3</sup>



Model no	L140CY1	Refrigerant	R600a
Cooling capacity	230W	Input power	170W
Hose Power	1/3- HP	Temperature application	LBP
Displacement	14cm <sup>3</sup>	Working Current	1.3A
Voltage	220V~240V/50Hz	COP	1.35W/W
Motor type	RSIR	Cylinder capacity	14cm <sup>3</sup>
Cooling type	Need a fan motor	Weight	8.6±0.4kg

Private Picture Copyright : WWW.MBSM.PRO

PDF

# Réfrigerator, Freezer, GR-B562YLC, 420L, 20 Feet, Compressor, 1/3HP, R134A, 135G, LG GR-B562YLC, Bio Shield, Vitamin Plus, Carbon deodorizer

written by Lilianne | 17 December 2021

BRAND TYPE Rp (000) FEATURES

ELECTROLUX ERM-1500 Rp.1588 154lt, Semi Auto Defrost, Low Voltage

LG GC-051SA 1220 46 lt Portable refrigerator

LG GN-V191RL Rp.1551 190lt, Semi Auto Defrost, vertical handle

LG GN-V191RLK Rp.- 190lt, Semi Auto Defrost, XL freezer, Door

Lock

LG GN-V191SL Rp.1561 190lt, Semi Auto Defrost, horizontal handle

LG GN-V191SLT Rp.1531 190lt, Semi Auto Defrost, Direct Cooling, Magic Crisper

LG GN-V231RL Rp.1721 230lt, Semi Auto Defrost, vertical handle

LG GN-V231SL Rp.1671 230lt, Semi Auto Defrost, horizontal handle

PANASONIC NR-A172D-ST Rp.1539 155 Lt, Alowa +, Colour: Stainless

PANASONIC NR-A172M Rp.1429 155 Lt, Alowa +, Colour: Orange, Night Blue & Savanna

Green

PANASONIC NR-A172S Rp.1399 155 Lt, Alowa +, Colour: Moccachino, Black coffee

hairline

PANASONIC NR-A192D-ST Rp.1639 164 Lt, Alowa +, Colour: Stainless

PANASONIC NR-A192M Rp.1499 164 Lt, Alowa +, Colour: Orange, Night Blue & Savanna

Green

PANASONIC NR-A192S Rp.1499 164 Lt, Alowa +, Colour: Moccachino, Black coffee

hairline

SAMSUNG RA-19PTMU Rp.- 190Lt, Direct cooling, Anti Bacterial Gasket

SAMSUNG RA-19PTPG Rp.- 190Lt, Direct cooling, Anti Bacterial Gasket

SAMSUNG RA-19PTTS Rp.- 190Lt, Door Alarm: 2 min, Anti bacterial gasket

SAMSUNG RA-21PTTS Rp.- 210Lt, Direct cooling, Anti Bacterial Gasket

SANYO SR-D167SB Rp.1290 Semi Auto Defrost, Direct Cooling System

SANYO SR-D182SB Rp.1430 160 lt, Semi auto defrost, 505x510x1160, colour: batik red

SANYO SR-D187SB Rp.1339 Semi Auto Defrost, Direct Cooling System

SANYO SR-D188SB Rp.1490 160 lt, Semi auto defrost, 505x510x1160

SANYO SR-D216SB Rp.1490 Semi auto defrost, 505 x 510 x 1310

SANYO SR-D50 Rp.- 50 lt, 22w, Super silent compressor

SANYO SR-D75 Rp.- 75 lt, 24w, Super silent compressor

SHARP SJ-S170T-RD Rp.1627 SAMURAI series, 160 lt, Anti Bacteria, Semi Auto Defrost

SHARP SJ-S190T-RD Rp.1697 SAMURAI series, 170 lt, Anti Bacteria, Semi Auto Defrost

SHARP SJ-S200T-RD Rp.1747 SAMURAI series, 170 lt, Anti Bacteria, Semi Auto Defrost

SHARP SJ-D17T-SL Rp.1919 Knight series, 150 Lt, Semi Auto Defrost

SHARP SJ-17MKII Rp.1437 170lt, Low voltage, Gripless Handle

SHARP SJ-19MKII Rp.1527 170lt, Low voltage, Gripless Handle

SHARP SJ-22SE Rp.- 180lt, Extra Big Freezer, Semi Auto Defrost

SHARP SJ-G191T Rp.1627 170 Lt, Lemon Series Refrigerator, Low voltage

SHARP SJ-G200T Rp.- Lemon Series Refrigerator, Honeycomb Deodorizer

SHARP SJ-G220T Rp.- Lemon Series Refrigerator, Low voltage

SHARP SJ-K170T Rp.- Lemon Series Refrigerator, Anti Bacteria, Key

SHARP SJ-K190T Rp.- Lemon Series Refrigerator, Anti Bacteria, Key

SHARP SJ-K230T Rp.- Lemon Series Refrigerator, Anti Bacteria, Key

TOSHIBA GR-N9P Rp.1282 70 lt, Portable, Ultra Direct Cooling, Glacio XD7

TOSHIBA GR-N155BC Rp.1281 120 lt, 22 w, Glacio XD7

TOSHIBA GR-N175BC Rp.1422 150 lt, 25 w, Glacio XD7

TOSHIBA GR-N178JZ-T Rp.1422 Glacio Jazz series, Silver ion anti bacteria, Colour:

Titanium

TOSHIBA GR-N178JZ-W Rp.1422 Glacio Jazz series, Silver ion anti bacteria, Colour:

White

TOSHIBA GR-N185BCH Rp.1422 160 lt, 27 w, Glacio XD7

TOSHIBA GR-N188JZ-T Rp.1521 Glacio Jazz series, Silver ion anti bacteria, Colour:

Titanium

TOSHIBA GR-N188JZ-W Rp.1521 Glacio Jazz series, Silver ion anti bacteria, Colour:

White

TOSHIBA GR-N195C Rp.1477 165 lt, 27 w, Glacio XD7

TOSHIBA GR-N198 Rp.- 165 Lt, Glacio XD7, Silver Ion Anti Bacteria, 27W

TOSHIBA GR-N228 Rp.- 180 Lt, Glacio XD7, Silver Ion Anti Bacteria, 30W

TOSHIBA GR-N198W Rp.- 165 Lt, Dispenser, Glacio XD7, Silver Ion Anti Bacteria, 27W

TOSHIBA GR-N228W Rp.- 180 Lt, Dispenser, Glacio XD7, Silver Ion Anti Bacteria, 30W

= FREEZER =

BRAND TYPE Rp (000) FEATURES

SANYO HF-S4LL Rp.1929 120 lt, 4 rak

SANYO HF-S6L Rp.2229 180 lt, 6 rak

TOSHIBA GF-K149 Rp.1881 4 rak, kunci

TOSHIBA GF-K169 Rp.2021 5 rak, kunci

TOSHIBA GF-K189 Rp.2181 6 rak, kunci

= KULKAS 2 PINTU / 2 DOORS REFRIGERATOR =

BRAND TYPE Rp (000) FEATURES

ELECTROLUX ETB-1800PC Rp.2848 180 Lt, Jet Air Cooling System, Deodorizer, Door alarm

ELECTROLUX ETB-2300PC Rp.3488 230 Lt, Multi Airflow System,

Deo Fresh Active, Door

alarm

ELECTROLUX ETB-2600PC Rp.4388 260 Lt, Multi Airflow System,  
Deo Fresh Active, Door

alarm

ELECTROLUX ETB-3200PC Rp.4888 320 Lt, Multi Airflow System,  
Deo Fresh Active, Door

alarm

ELECTROLUX ETE-4407SD Rp.8088 440 Lt, Jet Air Curtain System,  
UV Platinum deodorizer

ELECTROLUX ETM-4407PD Rp.7289 440 Lt, Jet Air Curtain System,  
Active Deo, Colour:

Silver

ELECTROLUX ETM-4407SD Rp.7729 440 Lt, Jet Air Curtain System,  
Active Deo, Colour:

Stainless

ELECTROLUX ETM-5107SD Rp.8689 520 Lt, Active Hybrid  
Deodorizer, Colour: Stainless

ELECTROLUX ETE-5107SD Rp.8999 522 Lt, UV Platinum Deo, LED  
display, Colour: Stainless

LG GN-V212RL Rp.2283 210 lt, Vit + Ion, Multi Airflow Cooling  
System

LG GN-V212RP Rp.2589 210 Lt, Health+ system, Vitamin+

LG GN-V212SL Rp.2179 210 lt, Multi Airflow Cooling System

LG GN-V212SLT Rp.2179 210 lt, Multi Airflow Cooling System

LG GN-V222RLT Rp.2489 220 lt, Vit + Ion, Multi Airflow Cooling  
System

LG GN-V222RP Rp.2839 220 Lt, Health+ system, Vitamin+

LG GN-V222SLT Rp.2289 220 lt, Vit + Ion, Multi Airflow Cooling  
System

LG GN-V262RLC Rp.2849 234 lt, Multi Airflow, Moist Balance  
Crisper

LG GN-V262RLCT Rp.2849 234 lt, Vitamin Plus, Moist Balance

### Crisper

LG GN-V282RLC Rp.2979 253 lt, , Multi Airflow, Moist Balance  
Crisper

LG GN-V282RLCT Rp.2989 253 lt, Vitamin Plus, Moist Balance  
Crisper

LG GN-B352CLC Rp.3849 291lt Nett capacity, Vitamin Plus, Ion  
Carbon Deodorizer

LG GN-M352CLN Rp.4349 288 lt Nett capacity, Bio Shield,  
Vitamin Plus, LED display

LG GN-B392CLC Rp.4139 321lt Nett capacity, Vitamin Plus, Ion  
Carbon Deodorizer

LG GN-M352CPC Rp.4241 288 lt Nett capacity, Door Cooling, Vit  
Plus, Green Ion Deo,

### Flora finishing

LG GN-M352CPC-APG Rp.4229 288 lt Nett capacity, Door Cooling,  
Vit Plus, Green Ion Deo,

### Flora finishing

LG GN-M392CPC Rp.4459 318 lt Nett capacity, Door Cooling, Vit  
Plus, Green Ion Deo,

### Flora finishing

LG GN-M392CPC-APG Rp.4459 288 lt Nett capacity, Door Cooling,  
Vit Plus, Green Ion Deo,

### Flora finishing

LG GN-B492CLC Rp.- 393 lt Nett capacity, Vitamin Plus, Ion  
Carbon Deodorizer

LG GN-B492GLC Rp.4689 490Lt, Fresh OZone, Bigger Fruits &  
Veggie Box

LG GN-M492CLN Rp.5369 388 lt Nett capacity, Bio Shield,  
Vitamin Plus, LED display

LG GN-M492CPC Rp.- 388 lt Nett capacity, Door Cooling, Vit  
Plus, Green Ion Deo,

### Flora finishing

LG GN-M492CPC-APG Rp.5239 388 lt Nett capacity, Door Cooling,



Vit Plus, Green Ion Deo,

Flora finishing

LG GN-M492GLH Rp.5551 490Lt, Anti-Bacterial Health Guard, Ext Temperature Control

LG GN-M492GPC Rp.5459 490Lt, Green Ion Door Cooling, External Temperature Control

LG GN-B562GLC Rp.5159 560Lt, Fresh OZone, Bigger Fruits & Veggie Box

LG GN-M562GLH Rp.6081 560Lt, Anti-Bacterial Health Guard, Ext Temperature Control

LG GN-M562GPC Rp.5682 560Lt, Green Ion Door Cooling, External Temperature Control

LG GN-B602GLC Rp.5749 600Lt, Fresh OZone, Bigger Fruits & Veggie Box

LG GN-M602GPC Rp.6172 600Lt, Green Ion Door Cooling, External Temperature Control

LG GN-M602GLH Rp.6581 600Lt, Anti-Bacterial Health Guard, Ext Temperature Control

LG GN-B702GPC Rp.7229 700Lt, Green Ion Door Cooling, External Temperature Control

LG GN-M702GLH Rp.7881 700Lt, Anti-Bacterial Health Guard, Ext Temperature Control

LG GN-M702GPH Rp.8121 700Lt, Anti-Bacterial Health Guard, Ext Temperature Control

PANASONIC NR-B222M Rp.2399 210 Lt, Eco compressor (Energy saving up to 30%),

Colour: Coral Blue, Savanna Green, Sapphire Violet

PANASONIC NR-B222R Rp.2399 210 Lt, Eco compressor (Energy saving up to 30%),

Colour: Lily Starlight Silver, Lily Praline Brown

PANASONIC NR-B222S-H Rp.2399 210 Lt, Eco compressor (Energy saving up to 30%),

Colour: Iris Black Hairline

PANASONIC NR-B262M Rp.2582 223 Lt, Eco compressor (Energy

saving up to 30%),

Colour: Coral Blue, Savanna Green, Sapphire Violet

PANASONIC NR-B262R Rp.2659 223 Lt, Eco compressor (Energy saving up to 30%),

Colour: Lily Starlight Silver, Lily Praline Brown

PANASONIC NR-B262S-H Rp.2659 223 Lt, Eco compressor (Energy saving up to 30%),

Colour: Iris Black Hairline

SAMSUNG RT-2A SRTS1 Rp.- 196LT, Humidity adjustable for optimal freshness and nutrients

SAMSUNG RT-2B SLTS Rp.- 280 Lt, Silver Nano deodorizer, Coolever zone

SAMSUNG RT-2B SRIS Rp.- 280 Lt, Cool Pack, Silver Plus deo, Colour: inox silver

SAMSUNG RT-41TSGL Rp.5441 336 Lt, Cool Pack, Silver Plus deo, Colour: glass door

SAMSUNG RT-45USGL Rp.5781 450 Lt, Cool Pack, Silver Plus deo, Colour: glass door

SANYO SR-D225NSB Rp.2339 Nano Ferrite Filter, Carbon deodorizer

SANYO SR-D245NSB Rp.2649 Nano Ferrite Filter, Carbon deodorizer

SHARP SJ-F201C-HD Rp.2382 2337 BATIQUE Series, 173 Lt, Automatic Defrosting

SHARP SJ-F231C-HD Rp.2633 2547 BATIQUE Series, 180 Lt, Automatic Defrosting

SHARP SJ-F201S-RD Rp.2578 2387 SAMURAI series, 170 lt, Anti bacteria

SHARP SJ-F231S-RD Rp.2615 2582 SAMURAI series, 180 lt, Anti bacteria

SHARP SJ-F201G Rp.- Fresh Lemon Series Refrigerator, Low Voltage

SHARP SJ-F231G – Fresh Lemon Series Refrigerator, Low Voltage

SHARP SJ-F232G – 180 lt, Fresh Lemon Series, Low Voltage

SHARP SJ-F233G – 180 lt, Fresh Lemon Series, Low Voltage

SHARP SJ-F232K Rp.- 180 lt, Fresh Lemon Series, Low Voltage, Door key

SHARP SJ-F240G Rp.- 221 lt, Fresh Lemon Series, Low Voltage

SHARP SJ-D22LV-SL Rp.- 195 lt, Lemon Series Refrigerator, Low Voltage

SHARP SJ-D27LV-SL Rp.- 210 lt, Lemon Series Refrigerator, Low Voltage

SHARP SJ-D30LV-SL Rp.- 235 lt, Lemon Series Refrigerator, Low Voltage

SHARP SJ-291NLV-SL Rp.- 260 lt, Lemon Series Refrigerator, Low Voltage

SHARP SJ-351NLV-SL Rp.- 300 lt, Lemon Series Refrigerator, Low Voltage

SHARP SJ-F420G-SS Rp.3727 310 lt, King Samurai Series, No Frost, Deodorizer

SHARP SJ-F420G-PS Rp.3927 310 lt, King Samurai Series, No Frost, Deodorizer

SHARP SJ-431NLV-SL Rp.- 320 lt, Lemon Series Refrigerator, Low Voltage

SHARP SJ-P470NLV-SL Rp.5757 367 lt, Vetro Series, Plasmacluster Ion, Colour: Silver

SHARP SJ-P470NLV-B Rp.5887 367 lt, Vetro Series, Plasmacluster Ion, Colour: Black

SHARP SJ-P471NLV-GS Rp.6482 367 lt, Vetro Series, Plasmacluster Ion, Colour: Glass Silver

SHARP SJ-P471NLV-GB Rp.6682 367 lt, Vetro Series, Plasmacluster Ion, Colour: Glass Black

SHARP SJ-P570NLV-SL Rp.- 397 lt, Vetro Series, Plasmacluster Ion, Colour: Silver

SHARP SJ-P570NLV-B Rp.- 397 lt, Vetro Series, Plasmacluster Ion, Colour: Black

SHARP SJ-P571NLV-GS Rp.- 397 lt, Vetro Series, Plasmacluster Ion, Colour: Glass Silver

SHARP SJ-P571NLV-GB Rp.- 397 lt, Vetro Series, Plasmacluster Ion, Colour: Glass Black

SHARP SJ-461NLV Rp.- 367 lt, SALSA Series Refrigerator, Hybrid Cooling System

SHARP SJ-P461NLV Rp.- 443 lt, SALSA Series Refrigerator, Plasmacluster Ion System

SHARP SJ-561NLV Rp.- 397 lt, SALSA Series Refrigerator, Hybrid Cooling System

SHARP SJ-P561NLV Rp.- 478 lt, SALSA Series Refrigerator, Plasmacluster Ion System

SHARP SJ-P581NLV Rp.- 437 lt, SALSA Series Refrigerator, Hybrid Cooling System,

Plasmacluster, Advance LEC Control, Nano Deodorizer

SHARP SJ-P651NLV Rp.- 473 lt, SALSA Series Refrigerator, Hybrid Cooling System,

Plasmacluster, Advance LEC Control, Nano Deodorizer

SHARP SJ-P751NLV Rp.- 514 lt, SALSA Series Refrigerator, Hybrid Cooling System,

Plasmacluster, Advance LEC Control, Nano Deodorizer

SHARP SJ-P851NLV Rp.- 555 lt, SALSA Series Refrigerator, Hybrid Cooling System,

Plasmacluster, Advance LEC Control, Nano Deodorizer

SHARP SJ-WS400T Rp.9347 326 Lt, Dual Swing Door, Energy Saving with Inverter

TOSHIBA GR-M245E Rp.2141 180 lt, No Frost, Glacio XD7

TOSHIBA GR-M245D Rp.2391 180 lt, No Frost, Deodorizer, Glacio XD7

TOSHIBA GR-M265D Rp.2731 216 lt, No Frost, Deodorizer, Glacio XD7

TOSHIBA GR-M258 Rp.2291 216 lt Glacio Jazz, No Frost, Low Voltage

TOSHIBA GR-R21ET Rp.- Import, 180 lt, Health series, Platinum Deodorizer

TOSHIBA GR-R25ET Rp.3491 Import, 228 lt, Health series, Platinum Deodorizer

TOSHIBA GR-R35ED Rp.4551 Import, 280 lt, Hybrid Plasma Deo, AG+ Crisper

TOSHIBA GR-R42ED Rp.4921 Import, 320 lt, Hybrid Plasma Deo,

AG+ Crisper

TOSHIBA GR-R48ED Rp.- Import, 401 lt, Hybrid Plasma Deo

TOSHIBA GR-R51ED Rp.5621 Import, 401 lt, Hybrid Plasma Deo,  
AG+ Crisper

TOSHIBA GR-R58ED Rp.7381 6661 Import/Complete Built-up, 500  
lt, Hybrid Plasma Deo

TOSHIBA GR-R66ED Rp.8725 8261 Import/Complete Built-up, 590  
lt, Hybrid Plasma Deo

TOSHIBA GR-RG43ED Rp.- Import, 355 lt, Hybrid Plasma Deo,  
Glass door

TOSHIBA GR-RG46ED Rp.5621 Import, 410 lt, Hybrid Plasma Deo,  
AG+ Crisper, Glass door

TOSHIBA GR-RG48ED Rp.- Import, 410 lt, Hybrid Plasma Deo,  
Glass door

TOSHIBA GR-RG51ED Rp.- Import, 500 lt, Hybrid Plasma Deo, AG+  
Crisper, Glass door

TOSHIBA GR-RG58ED Rp.7851 Import, 500 lt, Hybrid Plasma Deo,  
Glass door

TOSHIBA GR-RG66ED Rp.8961 Import, 590 lt, Hybrid Plasma Deo,  
Glass door

= KULKAS 3 PINTU / 3 DOORS REFRIGERATOR =

BRAND TYPE Rp (000) FEATURES

ELECTROLUX ETB-2603PC Rp.4889 Deo Fresh Active, Multi Airflow  
System

TOSHIBA GR-R50EDV Rp.6129 Import/Complete Built-up, 3 doors

SIDE-BY-SIDE REFRIGERATOR

ELECTROLUX ESE-5608TA Rp.13828 555 lt, Crisper with Adjustable  
Humidity Control

LG GC-B207BLQ Rp.9222 581 lt, Icebeam Door Cooling System, LED  
Display

LG GC-B207CLC Rp.8151 581 lt, Bio Shield, Moist Balance™  
Crisper, Digital Sensor

LG GC-B207CPC Rp.8289 8222 581 lt, Green Health Plus, Moist  
Balance™ Crisper

LG GC-L207BLK Rp.12889 LED Lighting, Tall ice & water

dispenser

LG GR-B207BLQ Rp.8879 581 lt, LED Temperature Control, Bio Shield, Super Cool

LG GR-B217LGJ Rp.15382 581 lt, LED Temperature Control, Bio Shield Flower

Pattern

LG GR-L207BLK Rp.- 567 lt, Icebeam Door Cooling System, Water & Ice Dispenser

MODENA RF-2561 Rp.8333 618Lt, Humidity controller crisper, Multi air flow

MODENA RF-2565 Rp.14343 608Lt, LED Temperature control, Ice & water dispenser

MODENA RF-4862 Rp.16663 610Lt, 4 Doors, Fast Freeze, Active Vita Crisper

= SHOWCASE COOLER =

BRAND TYPE Rp (000) FEATURES

DOMO DS 1200 Rp.2453 200 Lt showcase display cooler, 0 °C-10 °C

DOMO DS 1250 Rp.2757 2543 250 Lt showcase display cooler, 0 °C-10 °C

DOMO DS 1300 Rp.2853 300 Lt showcase display cooler, 0 °C-10 °C

DOMO DS 1400 Rp.3354 400 Lt showcase display cooler, 0 °C-10 °C

GEA EXPO 50 Rp.1491 50 Lt, 2°C – 8°C, fan cooling system, 1shelf

GEA EXPO 90 Rp.1991 90 Lt, 2°C – 8°C, fan cooling system, 4 shelves

GEA EXPO 136 Rp.2221 136 Lt, 2°C – 8°C, fan cooling system, 3 shelves

GEA EXPO 218HS Rp.2951 210 Lt, 2°C – 8°C, fan cooling system, 4 shelves

GEA EXPO 268HS Rp.3076 260 Lt, 2°C – 8°C, fan cooling system, 5 shelves

GEA EXPO 280P Rp.3471 280 Lt, 2°C – 8°C, No Frost Premium

series, 4 shelves

GEA EXPO 368HS Rp.3481 360 Lt, 2°C – 8°C, fan cooling system, 5 shelves

GEA EXPO 450P Rp.5476 400 Lt, 2°C – 8°C, No Frost Premium series, 5 shelves

GEA EXPO 480 Rp.6332 6221 480 Lt, 2°C – 8°C, No Frost Premium, 6 shelves

GEA EXPO 200 Rp.- 200 Lt, 2°C – 8°C, fan cooling system, 3 shelves

GEA EXPO 250 Rp.- 250 Lt, 2°C – 8°C, fan cooling system, 5 shelves

GEA EXPO 350 Rp.- 350 Lt, 2°C – 8°C, fan cooling system, 5 shelves

GEA EXPO 420DD Rp.- 420 Lt, 2°C – 8°C, fan cooling system, 5 shelves

MODENA SC-1130 Rp.2048 130 Lt showcase display cooler, 0 °C-10 °C

MODENA SC-1150 Rp.2281 150 Lt showcase display cooler, 0 °C-10 °C

MODENA SC-1180 Rp.2423 180 Lt showcase display cooler, 0 °C-10 °C

MODENA SC-1200 Rp.- 200 Lt showcase display cooler, 0 °C-10 °C

MODENA SC-1260 Rp.3740- 2953 260 Lt showcase display cooler, 0 °C-10 °C

MODENA VM-1320 Rp.- 320 Lt showcase display cooler, 0 °C-10 °C

MODENA VM-1350 Rp.3583 350 Lt showcase display cooler, 0 °C-10 °C

MODENA VM-1380 Rp.- 380 Lt showcase display cooler, 0 °C-10 °C

MODENA VM-1410 4982 4084 410 Lt showcase display cooler, 0 °C-10 °C

POLYTRON SCP-122LE Rp.2328 Big capacity, Non CFC, Low energy consumption

POLYTRON SCP-123 Rp.2448 Big capacity, Non CFC, Low energy consumption, Bottle

opener

POLYTRON SCP-150 Rp.2528 180 Lt, Non CFC, Low energy

consumption, 540x660x1525mm

POLYTRON SCP-151 Rp.2559 Big capacity, Non CFC, Low energy consumption, Bottle

opener

POLYTRON SCP-156T Rp.2480 170Lt, IPM LED Timer, 3 Shelves

POLYTRON SCP-157T Rp.2580 170Lt, IPM LED Timer, 3 Shelves, Bottle opener,

Door handle

POLYTRON SCP-161 Rp.2728 180 Lt, 3 Shelves, Bottle opener, No Frost

POLYTRON SCP-1170 Rp.2687 230 Lt, Non CFC, Low energy consumption,

540x660x1785mm

POLYTRON SCP-1171 Rp.2788 Big capacity, Non CFC, Low energy consumption, Bottle

opener

POLYTRON SCP-1181 Rp.2968 230 Lt, 4 Shelves, Bottle opener, No Frost

SANSIO SAN-238SC Rp.3543 4 Shelves, 55 x 54 x 177 cm

SANSIO SAN-288SC Rp.3853 4 Shelves, 58 x 61 x 182 cm

SANSIO SAN-368SC Rp.4283 4 Shelves, 58 x 61 x 198 cm

SANSIO SAN-278SC Rp.4543 4 Shelves Premium series display showcase cooler

SANSIO SAN-378SC Rp.4993 5 Shelves Premium series display showcase cooler

SANSIO SAN-248 Rp.- 248 Lt, 4 Shelves, Premium series display showcase cooler

SANSIO SAN-338 Rp.- 338 Lt, 5 Shelves, Premium series display showcase cooler

SANSIO SAN-428SC Rp.5733 408 Lt, 5 Shelves, Premium series display showcase cooler

SANSIO SAN-888 Rp.8943 888 Lt, 2 Doors, 10 Shelves, 0° to +10°C

SANSIO SAN-1188 Rp.9953 1188 Lt, 2 Doors, 10 Shelves, 0° to



+10°C

SANSIO SAN-1488 Rp.1488 Lt, 2 Doors, 10 Shelves, 0° to +10°C

Back to top

= CHEST FREEZER =

BRAND TYPE Rp (000) FEATURES

DOMO DF 1100 Rp.1644 100 Lt chest freezer, - 18°C

DOMO DF 1155 Rp.1829 155 Lt chest freezer, - 18°C

DOMO DF 1205 Rp.2044 205 Lt chest freezer, - 25°C

DOMO DF 1300 Rp.2734 300 Lt chest freezer, - 25°C

GEA AB-108 Rp.1972 105 Lt, - 28°C, Lock

GEA AB-201TX Rp.2629 194 Lt, - 28°C, Lock

GEA AB-201TC Rp.3081 194 Lt, - 28°C, Lock, suhu bisa dirubah ke chiller +2°

s/d +8°C

GEA AB-271 Rp.3151 295 Lt, - 28°C, Lock

GEA AB-396T Rp.4121 386 Lt, - 28°C, Lock

GEA AB-506T Rp.4831 492 Lt, - 28°C, Lock

GEA AB-600T Rp.5341 607 Lt, - 28°C, Lock

GEA AB-600TC Rp.6521 607 Lt, - 28°C, Lock

GEA AB-750T Rp.5961 750 Lt, - 28°C, Lock

MODENA MD-10 Rp.2188 100 Lt chest freezer, - 25°C

MODENA MD-15 Rp.2383 155 Lt chest freezer, - 25°C

MODENA MD-20A Rp.2695 205 Lt chest freezer, - 25°C

MODENA MD-30 Rp.3883 300 Lt chest freezer, - 25°C

MODENA MD-45 Rp.5033 450 Lt chest freezer, - 25°C

MODENA MD-60 Rp.5433 600 Lt chest freezer, - 25°C

MODENA MD-75 Rp.6783 750 Lt chest freezer, - 25°C

MODENA MD-95 Rp.8983 950 Lt chest freezer, - 25°C

SANSIO SAN-148F Rp.2033 142 Lt, Temperatur range: -25° to -32°C

SANSIO SAN-218F Rp.2543 215 Lt, Temperatur range: -25° to -32°C

SANSIO SAN-318F Rp.3343 318 Lt, Temperatur range: -25° to -32°C

SANSIO SAN-418F Rp.4543 418 Lt, Temperatur range: -25° to

-32°C

SANSIO SAN-518F Rp.5653 518 Lt, Temperatur range: -25° to -32°C

SANSIO SAN-618F Rp.5399 618 Lt, Temperatur range: -25° to -32°C

SANSIO SAN-818F Rp.7273 818 Lt, Temperatur range: -25° to -32°C

SANSIO SAN-1288F Rp.- 1188 Lt, Temperatur range: -25° to -32°C

SANYO SF-C11KW Rp.1939 108 Lt, Key lock, Non CFC

SANYO SF-C15KW Rp.2039 150 Lt, Key lock, Non CFC

SANYO SF-C18KW Rp.2139 178 Lt, Key lock, Non CFC

SANYO SF-C21KW Rp.2439 208 Lt, Key lock, Non CFC

SANYO SF-C24KW Rp.2669 245 Lt, Key lock, Non CFC

SANYO SF-C30KW Rp.3249 298 Lt, Key lock, Non CFC

Back to top

= SLIDING GLASS FREEZER =

BRAND TYPE Rp (000) FEATURES

GEA SD-100 Rp.1871 Sliding flat glass,100 Lt, -18 to – 25°C

GEA SD-132P Rp.2191 Sliding flat glass,132 Lt, -18 to – 25°C

GEA SD-186 Rp.2371 Sliding flat glass,186 Lt, -18 to – 25°C

GEA SD-260BY Rp.3891 Sliding curve glass, 260 Lt, -15 to – 20°C

GEA SLD-200 Rp.3172 Sliding curve glass, 200 Lt, -18 to – 25°C

GEA SLD-258 Rp.- Sliding curve glass, 258 Lt, -18 to – 25°C

GEA SLD-308 Rp.4122 Sliding curve glass, 308 Lt, -18 to – 25°C

GEA SLD-388 Rp.4922 Sliding curve glass, 388 Lt, -18 to – 25°C

MODENA MC-23 Rp.4012 Sliding curve glass, 230 Lt freezer, – 25°C

MODENA MC-30 Rp.4627 Sliding curve glass, 300 Lt freezer, – 25°C

SANSIO SAN-268SF Rp.3683 Sliding curve glass, 268 Lt, -18° to -25°C

SANSIO SAN-308SF Rp.4383 Sliding curve glass, 308 Lt, -18° to -25°C

LG GN-V262RVC 260 lt, Vit + Ion, Multi Airflow Cooling System

LG GN-V282RLC 290 lt, , Multi Airflow, Moist Balance Crisper –  
LG GN-V282RLCT 253 lt, Vitamin Plus, Moist Balance Crisper  
LG GN-V282RVC 290 lt, Vit + Ion, Multi Airflow Cooling System  
–  
LG GN-V282RNB 290 lt, Vit + Ion, Multi Airflow Cooling System  
–  
LG GN-B352CLC 291lt Nett capacity, Vitamin Plus, Ion Carbon  
Deodoriser  
LG GN-B352YVC 350 lt, Bio Shield, Green Ion Door Cooling,  
Vitamin Plus  
LG GN-B392CLC 321lt Nett capacity, Vitamin Plus, Ion Carbon  
Deodoriser  
LG GN-B392YLC 380 lt, Bio Shield, Vitamin Plus, Green Ion  
deodorizer  
LG GN-B492CLC 393 lt Nett capacity, Vitamin Plus, Ion Carbon  
Deodoriser  
LG GN-M352CLN 288 lt Nett capacity, Bio Shield, Vitamin Plus,  
LED display  
LG GN-M352CPC 288 lt Nett capacity, Door Cooling, Vit Plus,  
Green Ion Deo, Flora finishing  
LG GN-M352YPC 315 lt, Bio Shield, Vitamin Plus, Green Ion  
deodorizer –  
LG GN-M392CPC 318 lt Nett capacity, Door Cooling, Vit Plus,  
Green Ion Deo, Flora finishing  
LG GN-M392YLQ 346 lt, Bio Shield, Vitamin Plus, Green Ion door  
cooling –  
LG GN-M392YPC 346 lt, Bio Shield, Vitamin Plus, Green Ion  
deodorizer –  
LG GN-M492CLN 388 lt Nett capacity, Bio Shield, Vitamin Plus,  
LED display  
LG GN-M492CPC 388 lt Nett capacity, Door Cooling, Vit Plus,  
Green Ion Deo, Flora finishing  
LG GN-M492YPC 422 lt, Bio Shield, Vitamin Plus, Green Ion  
deodorizer –  
LG GR-B352CLC 350 lt, Bio Shield, Vitamin Plus, Z-Deodoriser  
LG GR-B392YLC 339 lt, Green Ion Door Cooling, Vitamin Plus,  
Deo –

LG GR-B492CLC 470 lt, Bio Shield, Vitamin Plus, Z-Deodoriser  
LG GR-B492YLC 393 lt, Bio Shield, Vitamin Plus, Z-Deodorizer –  
LG GR-B562YLC 428 lt, Bio Shield, Vitamin Plus, Carbon  
deodorizer  
LG GR-B602YLC 660 lt, Bio Shield, Vitamin Plus, Carbon  
deodorizer  
LG GR-M562YSQ 423 Lt netto, Wide LED Temperature Control,  
Vitamin Plus, Green ion Deodorizer  
LG GR-M602YSQ 463 Lt netto, Wide LED Temperature Control,  
Vitamin Plus, Green ion Deodorizer  
LG GR-M652YSQ 566 Lt, Wide LED Temperature Control, Vitamin  
Plus, Green ion Deodorizer  
LG GR-M712YLA 710 Lt, Wide LED Temperature Control, Vitamin  
Plus, Green ion Deodorizer, Door Alarm –  
LG GR-M712YSQ 640 Lt, Wide LED Temperature Control, Vitamin  
Plus, Green ion Deodorizer  
PANASONIC NR-B21KX 200 lt, 99w, Organix Antibacteria Cassette,  
PANASONIC NR-B23CF-S 195 lt, 99w, DEON (Honey Comb Deodorizer  
& Ion)  
PANASONIC NR-B25BF-S 229 lt, 110w, DEON (Honey Comb Deodorizer  
& Ion)  
PANASONIC NR-B25GF-S 229 lt, 110w, DEON (Honey Comb Deodorizer  
& Ion)  
PANASONIC NR-B203G 204 lt, MagicTop, N- Bio Deodorizer  
PANASONIC NR-B243G 234 lt, MagicTop, N-Bio Deodorizer  
PANASONIC NR-B283G 279 lt, MagicTop, N-Bio Deodorizer  
PANASONIC NR-B363M 355 lt, Multi Hygienic System , MagicTop  
PANASONIC NR-B403V Import/Complete Built-up, 395lt, MagicTop,  
Inverter  
PANASONIC NR-B591 Import/Complete Built-up, 506 lt, MagicTop –  
PANASONIC NR-BW414VSWA 418 lt, Inverter – saving 40% energy,  
MagicTop  
PANASONIC NR-BW464VSWA 463 lt, Inverter – saving 40% energy,  
MagicTop  
PANASONIC NR-BY551XSWA 495 lt, Inverter – saving 40% energy,  
MagicTop  
PANASONIC NR-BW601XSWA 546 lt, Inverter – saving 40% energy,

## MagicTop

SAMSUNG RT-2A SDIS 230 Lt, Cool Pack, Silver Nano deodorizer  
SAMSUNG RT-2A SATS 230 Lt, Cool Pack, Silver plus deodorizer  
SAMSUNG RT-2A SDSS 230 Lt, Cool Pack, Silver Nano deodorizer  
SAMSUNG RT-2A SDTS 230 Lt, Cool Pack, Silver plus deodorizer  
SAMSUNG RT-2B SATS 280 Lt, Cool Pack, Silver Plus deodorizer,  
Coolever zone  
SAMSUNG RT-2B SDTS 280 Lt, Cool Pack, Silver Nano deodorizer,  
Coolever zone  
SAMSUNG RT-30SCTS 300 Lt, Big Plus, Cool Pack, Silver Plus  
deodorizer  
SAMSUNG RT-30SSIS 300 Lt, Evergreen Zone, Cool Pack, Silver  
Plus deodorizer  
SAMSUNG RT-30SSPN 300 Lt, Evergreen Zone, UV Chilled Room,  
Silver Plus deo  
SAMSUNG RT-37SCTS 370 Lt, Big Plus, Cool Pack, Silver Plus  
deodorizer  
SAMSUNG RT-37SSPN 370 Lt, Evergreen Zone, UV Chilled Room,  
Silver Plus deo  
SAMSUNG RT-41MAIS 410 Lt, i-Cool, Coolever Zone, Silver Nano  
deodorizer  
SAMSUNG RT-45MAIS 450 Lt, i-Cool, Coolever Zone, Silver Nano  
deodorizer  
SANYO SR-D225N 179 lt, Nano Ferrite Filter, Carbon deodorizer  
SANYO SR-D245N 216 lt, Nano Ferrite Filter, Carbon deodorizer  
SHARP SJ-F201S-RD SAMURAI series, 170 lt, Anti bacteria  
SHARP SJ-F231S-RD SAMURAI series, 180 lt, Anti bacteria  
SHARP SJ-F200G Fresh Lemon Series Refrigerator, Low Voltage –  
SHARP SJ-F200M Fresh Lemon Series Refrigerator, Low Voltage –  
SHARP SJ-F201G Fresh Lemon Series Refrigerator, Low Voltage –  
SHARP SJ-F201M Fresh Lemon Series Refrigerator, Low Voltage –  
SHARP SJ-F231G Fresh Lemon Series Refrigerator, Low Voltage –  
SHARP SJ-F231M Fresh Lemon Series Refrigerator, Low Voltage –  
SHARP SJ-D22LV-SL 195 lt, Lemon Series Refrigerator, Low  
Voltage  
SHARP SJ-D27LV-SL 210 lt, Lemon Series Refrigerator, Low  
Voltage

SHARP SJ-D30LV-SL 235 lt, Lemon Series Refrigerator, Low Voltage

SHARP SJ-291NLV-SL 260 lt, Lemon Series Refrigerator, Low Voltage –

SHARP SJ-351NLV-SL 300 lt, Lemon Series Refrigerator, Low Voltage

SHARP SJ-431NLV-SL 320 lt, Lemon Series Refrigerator, Low Voltage

SHARP SJ-460NLV 367 lt, SALSA Series Refrigerator, Nano Deodorizer –

SHARP SJ-461NLV 367 lt, SALSA Series Refrigerator, Hybrid Cooling System

SHARP SJ-P450NLV 370 lt, Plasmacluster Ion System

SHARP SJ-P461NLV 443 lt, SALSA Series Refrigerator, Plasmacluster Ion System

SHARP SJ-560NLV 367 lt, SALSA Series Refrigerator, Nano Deodorizer –

SHARP SJ-561NLV 397 lt, SALSA Series Refrigerator, Hybrid Cooling System

SHARP SJ-P510NLV 409 lt, Plasmacluster Ion System

SHARP SJ-P561NLV 478 lt, SALSA Series Refrigerator, Plasmacluster Ion System

SHARP SJ-580NLV 437 lt, SALSA Series Refrigerator, Hybrid Cooling System –

SHARP SJ-P580NLV 375 lt, Lemon Series no frost with plasma cluster

SHARP SJ-P581NLV 437 lt, SALSA Series Refrigerator, Hybrid Cooling System, Plasmacluster, Advance LEC Control, Nano Deodorizer

SHARP SJ-650NLV 473 lt, SALSA Series Refrigerator, Hybrid Cooling System –

SHARP SJ-P651NLV 473 lt, SALSA Series Refrigerator, Hybrid Cooling System, Plasmacluster, Advance LEC Control, Nano Deodorizer

SHARP SJ-750NLV 514 lt, SALSA Series Refrigerator, Hybrid Cooling System –

SHARP SJ-P750NLV 514 lt, SALSA Series Plasmacluster

Refrigerator –

SHARP SJ-P751NLV 514 lt, SALSA Series Refrigerator, Hybrid Cooling System, Plasmacluster, Advance LEC Control, Nano Deodorizer

SHARP SJ-P812NLV 524 lt, Plasmacluster Ion System –

SHARP SJ-850NLV 555 lt, SALSA Series Refrigerator, Hybrid Cooling System –

SHARP SJ-P851NLV 555 lt, SALSA Series Refrigerator, Hybrid Cooling System, Plasmacluster, Advance LEC Control, Nano Deodorizer

TOSHIBA GR-K242 180 lt, 75W

TOSHIBA GR-K242PD 180 lt, 75W, Platinum Deodorizer

TOSHIBA GR-K262 216 lt, 90W

TOSHIBA GR-K262PD 216 lt, 90W, Platinum Deodorizer

TOSHIBA GR-M245E 180 lt, No Frost

TOSHIBA GR-M245D 180 lt, No Frost, Deodorizer

TOSHIBA GR-M265D 216 lt, No Frost, Deodorizer

TOSHIBA GR-R21ET Import, 180 lt, Health series, Platinum Deodorizer

TOSHIBA GR-R25ET Import, 228 lt, Health series, Platinum Deodorizer

TOSHIBA GR-R34ED Import/Complete Built-up, 280 lt, Hybrid Plasma Deo

TOSHIBA GR-R39ED Import/Complete Built-up, 320 lt, Hybrid Plasma Deo

TOSHIBA GR-RG43ED Import, 355 lt, Hybrid Plasma Deo, Glass door

TOSHIBA GR-R48ED Import, 401 lt, Hybrid Plasma Deo

TOSHIBA GR-RG48ED Import, 410 lt, Hybrid Plasma Deo, Glass door

TOSHIBA GR-R58ED Import/Complete Built-up, 500 lt, Hybrid Plasma Deo

TOSHIBA GR-R66ED Import/Complete Built-up, 590 lt, Hybrid Plasma Deo

TOSHIBA GR-RG58ED Import, 500 lt, Hybrid Plasma Deo, Glass door

TOSHIBA GR-RG66ED Import, 590 lt, Hybrid Plasma Deo, Glass

door

KULKAS 3 PINTU / 3 DOORS REFRIGERATOR

ELECTROLUX ETB-2603PC Deo Fresh Active, Multi Airflow System

TOSHIBA GR-R47EDV Import/Complete Built-up, 3 doors, 470 lt

SIDE-BY-SIDE REFRIGERATOR

ELECTROLUX ERE-6100SX 580 lt, Fully Electronic Control with LCD Display, Wine rack

LG GR-A207WPJ 581 lt, Green LED, In-Door Ice Maker

LG GR-B207FLC 581 lt, Bio Shield, Moist Balance™ Crisper

LG GR-B207WLQ 581 lt, LED Temperature Control, Bio Shield

LG GR-B217LGJ 581 lt, LED Temperature Control, Bio Shield Flower Pattern

LG GR-L207WLK 567 lt, Tall Ice & Water Dispenser

LG GR-R207WTC 584 lt, Electric Control with 6 Sensor





Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_lg-gr-b562ylc-owner-s-manualTélécharger



**REFRIGERATOR-FREEZER**  
**MODEL No.: GR-B562YLC**

CLIMATE CLASS	T
RATING	
RATED CURRENT	220V ~ 50/60Hz
DEFROSTING INPUT	0.6A
RATED INPUT OF HEATER CORD	230W
RATED INPUT MAXIMUM OF LAMP	165W
FREEZER COMPARTMENT	
FRESH FOOD COMPARTMENT	20W
INSULATION BLOWING AGENT	30W
NET WEIGHT	Cyclopentane
REFRIGERANT	85kg
DIMENSIONS	R134a 135g
SERIAL No.: Refer to bar code label.	755(W)x707(D)x1777(H)mm

MADE IN INDONESIA

MEZ40001987

Private Picture Copyright : WWW.MBSM.PRO

Application Deep Freezer	MA88LAEP
Fridge Compressor – Capacity	410 – 450 liters
Displacement	8.8
Cooling Capacity	235 (kcal/h), 273W, 933 (Btu/h), 0.367HP
Input Power	227W
COP W/W	1.2
EER Btu/Wh	4.11
Motor type	CSIR-Relay

Starting Device (PTC)	QL2-5-55
Motor Protector (OLP)	4TM314TFB
(Capacitor) Starting/Surge Voltage	50 / 275
(OIL) Viscosity cst/ Qty(cc)	22/220
Cooling type	FC
Compressor Height	177mm
Net Weight	9.3 kg.

# Compressor, LG, GK113P, R410A, 220-240V, 50Hz, 9600 Btu / h, capacitor 35 uF, 1Piston

written by Lilianne | 17 December 2021

Refrigerant	Type	Frequency	Voltage	Series	Model	Cooling	Capacity	Input	EER	COP	Test Condition
Btu/hr	Watts	Watts	Btu/W.hr	W/W							
R410A	1piston	50Hz	1 $\phi$ , 220/240V	GA	GA066P	5,270	1,544	555	9.5	2.78	ASHRAE
GA080P	6,550	1,919	668	9.81	2.87	ASHRAE					
GA086P	7,050	2,066	735	9.59	2.81	ASHRAE					
GAB	GAB040P	3,130	917	340	9.2	2.7	ASHRAE				
GAB042P	3,410	999	355	9.6	2.81	ASHRAE					
GAB048P	3,985	1,168	403	9.9	2.9	ASHRAE					
GAB072P	5,950	1,744	590	10.08	2.95	ASHRAE					
GK	GK086P	6,900	2,022	726	9.5	2.79	ASHRAE				
GK094P	7,700	2,256	794	9.7	2.84	ASHRAE					
GK102P	8,250	2,418	841	9.81	2.87	ASHRAE					
GK113P	9,000	2,637	914	9.85	2.89	ASHRAE					
GK120P	9,700	2,842	1,010	9.6	2.81	ASHRAE					
GK141P	11,350	3,326	1,170	9.7	2.84	ASHRAE					
GK151P	12,200	3,575	1,245	9.8	2.87	ASHRAE					
GKS	GKS094P	7,700	2,256	755	10.2	2.99	ASHRAE				

GKS108P	8,700	2,549	838	10.38	3.04	ASHRAE	
GKS113P	8,750	2,564	920	9.51	2.79	ASHRAE	
GKS134P	10,900	3,194	1,100	9.91	2.9	ASHRAE	
GKS141P	11,500	3,370	1,116	10.3	3.02	ASHRAE	
GKS151P	12,230	3,584	1,245	9.82	2.88	ASHRAE	
GJ	GJ176P	14,400	4,220	1,485	9.7	2.84	ASHRAE
GJ196P	16,500	4,835	1,705	9.68	2.84	ASHRAE	
GJ208P	17,500	5,128	1,750	10	2.93	ASHRAE	
GJ222P	18,500	5,421	1,867	9.91	2.9	ASHRAE	
GJ230P	19,100	5,597	1,949	9.8	2.87	ASHRAE	



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_gk113pTélécharger