

MBSM.PRO , Compressor, Electrolux-Zem GL60AA R134A ,1/6 HP , 1PH , 220-240 V 50 Hz

written by Jamila | 1 October 2018

MBSM.PRO , Compressor, Electrolux-Zem GL60AA R134A ,1/6 HP ,
1PH , 220-240 V 50 Hz



PictureS Mbsm Dot Pro : www.mbsm.pro

- Puissance en cheval 1/6 CV
- Cylindrée 5.99 cm³
- 220-240 V 50 Hz
- Gaz R134a LBP
- Température d'utilisation max. 32°C
- Avec boîtier et système de démarrage

La photo montre l'aspect du compresseur, pas son étiquette réelle

Codes fabricants

- ACC - GL60AA
- ACC - GL60AB
- ACC - GL60AH
- CUBIGEL - GL60AA
- CUBIGEL - GL60AB
- CUBIGEL - GL60AH
- MONDIAL ELITE - 4106004
- MONDIAL ELITE - 1147031
- Embraco Aspera - B1112Z





PictureS Mbsm Dot Pro : www.mbsm.pro



PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm_dot_pro_private_PDF_GL60AATélécharger
Mbsm_dot_pro_private_PDF_-GL60AATélécharger



Type: Hermetic piston compressors **Producer:** ACC **Series:** HMBP
Model: GL60AA
General data

Refrigerant:	R134a
Discharge element:	C
Cooling:	S
Maximum ambient temperature [°C]:	43

Compressor's data

Cylinder capacity [cm ³]:	6
Displacement [m ³ /h]:	1
Weight [kg]:	9,1
Oil charge [cm ³]:	265
Oil type:	ISO VG 19 ESTER

Engine's data

Engine type:	RSIR
Power [KM]:	1/6
Starting element:	LST
Power supply:	220V 50Hz
Voltage range:	187-264
Locked rotor current [A]:	9,9
Running winding resistance (25°C) [Ω]:	15,6
Starting winding resistance (25°C) [Ω]:	21,31

Electrical data

Relays:	3003
Shielding element:	MRA38028, T0508, AF18FU
Starting capacitor volume [μF]:	

Connections

	millimeters	inches
Suction tube:	6,5	
Service tube:	6,5	

Discharge tube:	4,9		
-----------------	-----	--	--

Mbsm.pro , Qb73c15gax5 ,R134a , Refrigeration Compressor ,1/4 Hp, Panasonic compressor catalogue, QB series , 1Ph , 220V 50Hz


written by Jamila | 1 October 2018



PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm.pro , Qb73c15gax5 ,R134a , Refrigeration Compressor ,1/4 Hp, Panasonic compressor catalogue, QB series , 1Ph , 220V 50Hz

Rated voltage / Frequency	Model	ASHRAE								Voltage range
		50Hz				60Hz				
		Capacity		COP - W/W		Capacity		COP - W/W		
		W	kcal/hr	RSIR	RSCR	W	kcal/hr	RSIR	RSCR	
220V 50Hz/60Hz	QB51C99GAX0	128	110	1.14	-	157	135	1.17	-	170V-250V 50Hz 187V-242V 60Hz
	QB57C11GAX0	146	126	1.18	-	175	151	1.22	-	
	QB66C16GAX0	165	142	1.20	-	200	172	1.27	-	
	QB77C18GAX0	202	174	1.21	-	224	193	1.27	-	
	QB91C24GAX0	236	203	1.19	-	255	219	1.22	-	
220V 50Hz	QB66C13GAX5	165	142	1.19	-					170V-250V
	QB73C15GAX5	185	159	1.19	-					
	QB77C18GAX5	202	174	1.22	-					
	QB91C19GAX5	236	203	1.25	-					



Rated voltage / Frequency	Model	ASHRAE								Voltage range
		50Hz				60Hz				
		Capacity		COP - W/W		Capacity		COP - W/W		
		W	kcal/hr	CSIR	RSCR	W	kcal/hr	CSIR	RSCR	
220V 50z/60Hz	QB110C25CAX0	273	235	1.18	-	279	240	1.19	-	170V-250V 50Hz 198V-242V 60Hz

PictureS Mbsm Dot Pro : www.mbsm.pro



PictureS Mbsm Dot Pro : www.mbsm.pro



Mbsm_dot_pro_private_PDF_Panasonic-compressor-catalogue-QB-seriesTélécharger

**Mbsm.pro , Fn77q17g , 1/4Hp ,
Electrostar , R12
Refrigerator Compressors ,**

220V/50-60Hz , 1Ph , for Refrigerator/Freezer

written by Jamila | 1 October 2018



Mbsm.pro , Fn77q17g , 1/4Hp , Electrostar , R12 Refrigerator Compressors , 220V/50-60Hz , 1Ph ,for Refrigerator/Freezer



- 1)S060LKAA OR equivalent in 1/10 HP
- 2)FN43Q88G OR equivalent in 1/8 HP
- 3)FN51Q10G OR equivalent in 1/6 HP
- 4)FN57Q12G OR equivalent in 1/5 HP
- 5)FN66Q14G OR equivalent in 1/5 HP Powerful
- 6)FN77Q17G OR equivalent in 1/4 HP
- 7)FN91Q20G OR equivalent in 1/4 HP Powerful
- 8)FN110Q24G OR equivalent in 1/3 HP



Picture5 Mbsm Dot Pro : www.mbsm.pro



Mbsm.pro , Jx58lhs5-k , DAEW00 COMPRESSOR , FOR REFRIGERATOR , 1/5 Hp , 220/240 V , R134A

written by Jamila | 1 October 2018



Mbsm.pro , Jx58lhs5-k , DAEW00 COMPRESSOR , FOR REFRIGERATOR
, 1/5 Hp , 220/240 V , R134A



Description rapide

Point d'origine:
Gwangju, South Korea

Marque nom:
daewoo

Numéro de Type:
Jx58lhs5-k

Type:
Compresseur frigorifique

Application:
Pièces de réfrigération

Certification:
CE

alternatif:
compresseur

Capacité d'approvisionnement

Capacité d'approvisionnement:
30000 Piece/Pieces per Day

Emballage et livraison

Détails d'emballage
Palettisation

Port
Busan, Korea

Délai : :
4weeks

Specifications

DAEWOO COMPRESSOR FOR REFRIGERATOR

* R134a/lbp

-Origine: Corée

Nominale Tension [V-hz]	HP	Modèle	Moteur Type	Refroidissement Capacité [W]	Puissance Entrée [W]	COP [W/w]	Refroidissement Type
220/240-50	1/5	JX58LHS5-K	Rsir	163	145	1.12	ST
	1/4	HPL25YE-5-K	Rscr	203	171	1.19	ST
	1/3	HPL30YE-5-K	Rscr	257	207	1.24	ST

* Réduit la température du moteur

* Mise à jour pompe fiabilité

* Réduction de Bruit Niveau

* Amélioration de la capacité de protection

**Mbsm.pro, 1/5 HP, 170 w,
SL23YE-5, DAEWOO, HERMETIC
COMPRESSOR, Turkey
Refrigeration & Heat, R12**

written by Jamila | 1 October 2018

**Mbsm.pro, 1/5 HP ,170 w, SL23YE-5,
DAEW00, HERMETIC COMPRESSOR ,Turkey
Refrigeration & Heat , R12**



SL23YE-5
AC 20 240V 50Hz
LRA 7.74
THERMALLY PROTECTED
DAEWOO ELECTRONIC Co., Ltd.
MADE IN KOREA
9909021362



Picture5 Mbsm Dot Pro : www.mbsm.pro

Product Details

Company Profile

Inquiry Records(4)

Our Company is since 1969. All Refrigerant parts Trade. All refrigerants products import export. Air Condition Compressor, Other parts, Freezer Room parts, insulation, valve, all refrigerant, in Turkey...

Basic Information

Business Type: Trading Company, Distributor/Wholesaler
Product/Service (We Sell): Refrigerant Parts,Air COnditioner,Copper,Heat Exhancer,Refrigerator,Condensing Unit,Condenser,Compressor
Number of Employees: 11 - 50 People

Trade & Market

Main Markets: Eastern Europe,Southeast Asia,Africa,Mid East,Eastern Asia,Western Europe

Factory Information

Factory Location: Keresteci Recep Sk. No.10



Picture5 Mbsm Dot Pro : www.mbsm.pro

Product Details

Company Profile

Inquiry Records(4)

Item specifics

Place of Origin: Seoul South Korea

JX51LHS5: 1/6 - ST

Port: ISTANBUL

HSL21YE-5-C: 1/5 - OC

HGH25YE-5: 1/4 - ST

HGH23YE-5: 1/5 - ST

HSL25YE-5-C: 1/4 - OC

Certification: CE

DM99HHG5: 3/8 - ST

Type: Refrigeration Compressor

Application: Refrigeration Parts



PictureS Mbsm Dot Pro : www.mbsm.pro

0hter 134A



**Mbsm.pro , Compresseur
frigorifique, Embraco Aspera
,T2178GK , 1Hp ,PIÈCES FRIGO,
404A , 220-240 V 50 Hz**

written by Jamila | 1 October 2018



Mbsm.pro , Compresseur frigorifique, Embraco Aspera ,T2178GK ,
1Hp ,PIÈCES FRIGO, 404A , 220-240 V 50 Hz



Select text



GAS R-404A / R-404A GAS



- Compresor hermético / *Hermetic compressor*
 - Monofásico / *Single-phase*
 - Voltaje / *Voltage: 220V - 50 Hz*

- Serie J, equipados con
with case and valve


BAJA TEMPERATURA / *LOW TEMPERATURE*

Código <i>Code</i>	Modelos <i>Models</i>	HP <i>HP</i>	cm ³ <i>cm³</i>	Temperatura de evap	
				-25°C	
				W	
14341	NE2125GK	1/3	8.78	300	
20792	NE2134GK	3/8	12.12	420	
20793	T2155GK	1/2	14.50	520	
20796	T2168GK	5/8	17.40	680	
21086	T2178GK	1	20.40	830	
21082	NJ2192GK	3/4	26.20	1020	
20850	NJ2212GK	1 1/4	34.37	1330	

ALTA TEMPERATURA / *HIGH TEMPERATURE*

Código <i>Code</i>	Modelos <i>Models</i>	HP <i>HP</i>	cm ³ <i>cm³</i>	Temperatura de evaporac	
				-10°C	-5°C
				W	W
21069	NB6144GK	1/5	4.52	300	380
21070	NB6152GK	1/5	5.02	350	440
36596	NB6165GK	1/4	6.05	430	530
21075	NE9213GK	1/2	12.12	860	1080
20762	T6217GK	5/8	14.50	960	
36557	T6220GK	3/4	17.40	1160	
21076	NJ9226GK	1	21.70	1580	

Mbsm_dot_pro_private_PDF_compresseur-embraco-aspera-t2478gkTélécharger



Détails techniques

puissance 1 HP – cylindrée 20,40 cc

220/240V 50HZ

ASPERA

FRIULINOX

Friulinox Armoire réfrigérée AF12 -20, AF12 PA, AF12-14, AF12-14

VTR, AF12-14 VTRP, AF14, AF14 -22 SILVER VTR, AF6-1, AF6-7, AF6-7 VTR, AF7, AF7 -20 VTR, AF7 -22 SILVER VTR, AF7 ICE, AF7 VTR, AF7-14, AG60 GOLD, AG60 H2O, AG60 SILVER, AG60 SILVERP, AG60P, AL-EN SUPER, AL-EN1, AL-EN1 SUPER, AL-EN1P, AL-EN2, AL-EN2 SUPER, AL-ENP, AP12-14, AP14, AP6, AP6-12, AP6-7, AP7, AP7-14, AR12-14, AR12-14 VTR, AR14, AR6-12, AR6-12 VTR, AR6-7, AR6-7 VTR, AR7, AR7-14, AR7-14 VTR, AR-EN GOLD, AR-EN SILVER, AR-EN1, AR-EN1 GOLD, AR-EN1 VTR, AR-EN2, AR-ENP, ARF142, ARF212 VTR, ARP142, ARP-EN1, ARP-EN2, ARRF21 VTR, EN GOLD, EN P, EN SILVER, EN1, EN1 GOLD, EN1 H2O, EN1 H2O SILVER, EN1 SILVER, EN1 VTR, EN2, EN2 H2O

FriulinoxCellulede refroidissement ARP122

FriulinoxVitrineréfrigérée AFP122, AFP142, ARF122

ZANUSSI

ZanussiArmoireréfrigérée ALF110 (110071), ALNF220 (110073), ALF110 (110074), ALF120 (110075), ALNF220 (110079), ADN111 (110757), AKP110 (111000), AKS110 (111001), AKP120 (111002), AKN110 (111009), AKN120 (111010), AKP110UK (111121), AKN110UK (111123), AKNF220 (111127), AKF110UK (111129), AKF110 (111137), AKF120 (111138), ASF110 (112030), ASF110 (112032), AZP2203 (113228), AZP220360 (113229), ALN2203 (113231), AZP13430 (113234), AZF2203 (113236), AZF13430 (113237), MRF601/86 (726059), ETZ601 (726165), ETZ602 (726166), ESQC41F (726171), ESQC41FR (726172), ESQF41F (726173), ETE601 (726178), ETE602 (726179), ETE601L (726184), ETZ601L (726185), RS13RX2F (726321), RS13FX2F (726323), RS13DX2F (726335), RS13PX2F (726459), RS13PX2F6 (726461), RS13P42F (726462), RS13FX42F (726464), RS13DFX2F (726465), RS13R32F (726467), SB1300X2F (726468), RS13PW2F (726475), RS13FW2F (726476), MRF601/86 (726500), RS13FX2F6 (726688), EKZ601 (726890), EKZ602 (726891), EKE601 (726939), EKE602 (726940), EKE601L (726949), EKZ601L (726950), RS13RX2FG (726967), RS13FX2FG (726968), RS13P42F (727128), RS13FX42F (727129), RS13RX4H (727157), RS13FX4H (727158), KLP1300R (728059), KLP1300F (728060), RS13PX2FD (728063), E06C0M1V (728077), E06C1M1V

(728078), E06C0D1V (728081), C06FD1G (728173), FGD36 (728271), RH06RD1G (728408), C06FD1G (728415), RS05RD1G (728433), E05N0D1C (728457), E05C0D1C (728458), E06N0D1C (728465), E06N0D2C (728466), E06N0D1V (728467), E06C0D1C (728468), E06C0D2C (728469), E06C0D1V (728470), E06N0D1C (728522), E06C0D1C (728523), KLN1300R (728605), KLP1300R (728606), KEP1300R (728607), KLP1300R (728608), KLP1300F (728609), KEP1300F (728610), KLP1300F (728611), EMVN500 (730005), DVP500V11C (730677), DVP501V11C (730678), DVP600V11C (730683), DVP601V11C (730684), DVP602V11C (730685), DVP600V12C (730686), DVP601V12C (730687), DVP602V12C (730688), DVN600V11C (730701), DVN601V11C (730702), DVN602V11C (730703), DVN600V12C (730704), DVN601V12C (730705), DVN602V12C (730706), DVN500V11C (730721), DVN501V11C (730722), MVP600V11C (730725), MVP601V11C (730726), MVP602V11C (730727), MVP600V12C (730728), MVP601V12C (730729), MVN600V11C (730741), MVN601V11C (730742), MVN600V12C (730743), MVN601V12C (730744), DVP500V11C (730768), MVP501V11C (730769), MVP502V11C (730770), MVN500V11C (730780), MVN501V11C (730781), MLC601V11C (730938), MLC602V11C (730939), DVC500V11C (731242), DVC501V11C (731243), MVC502V11C (731244), DVC600 (731250), DVC601 (731251), MVC602 (731252), DVC600 (731255), DVC601 (731256), MVC600V11C (731282), MVC601V11C (731283), MVC600V12C (731284), MVC601V12C (731285), MVC500V11C (731294), MVC501V11C (731295), DVC602 (731302), DVC602 (731303), DVNN13022C (732073), DVNN13122C (732074), MVNN13022C (732079), MVNN13122C (732080), DVNC13022C (732095), EDVC13122C (732096), MVNC13022C (732103), MVNC13122C (732110), MLC600V11C (732251), MLC601V11C (732255), MLC602V11C (732257), DVP6VP12CC (734079), PDVN901V11C (737216), PDVN901V12C (737217), PDVN907V11C (737218), PDVN907V12C (737219), PDVC901V11C (737220), PDVN907V12C (737221), PDVC907V11C (737222), PDVC907V11C (737223), ILF120 (770508), RVPE061 (771100), RSPE061 (771101), RVPE062 (771102), RVNE061 (771108), RVNE062 (771109), KVPE662 (771115), RPPE061 (771155), ILF110 (771537), ZLNF220 (771539), RD13PX2F (790018), RD13FX2F (790019)

ZanussiCellulede refroidissement ESQC41F (691044), ESQC41FR

(691045), ESQF41F (691046), ESQF41FR (691047), ESQF41FR
(726144)

ZanussiCongélateurcoffre MRF4808660 (726042), MRF401/86
(726058), MRF240/86 (726060), MRF480/86 (726061)

ZanussiTableréfrigérée STRP1101 (113084), STRP1102 (113088),
STRP1601 (113092), TRN224C (113102), TRN224D (113103), TRN224E
(113104), STRP1602 (113105), STRP1603 (113106), STRP2201
(113107), STRP2202 (113108), STRP2203 (113109), STRP1101S
(113128), STRP1601S (113129), STRP2201S (113130), STRP1602R
(113131), TRN132A (113150), TRN132B (113151), TRN132C
(113152), TRNA132A (113153), TRNA132B (113154), TRNA132C
(113155), TRRN132A (113156), TRRN132B (113157), TRRN132C
(113158), TRN183A (113159), TRN183B (113160), TRN183C
(113161), TRN183D (113162), TRNA183A (113163), TRNA183B
(113164), TRNA183C (113165), TRNA183D (113166), TRRN183A
(113167), TRRN183B (113168), TRRN183C (113169), TRRN183D
(113170), TRN224A (113171), TRN224B (113172), TRNA224A
(113173), TRNA224B (113174), TRRN224A (113175), TRRN224B
(113176), TRF132A (113177), TRFA132A (113178), TRRF132A
(113179), TRF183A (113180), TRFA183A (113181), TRRF183A
(113182), TRN132AE (113183), TRN183AE (113184), TRN224AE
(113185), TRF132AE (113186), TRF183AE (113187), STRP1603R
(113192), STRP2201R (113193), STRP2202R (113194), STRP2203R
(113195), STRP1101R (113196), STRP1102R (113197), STRP1601R
(113198), TCGS/1V7T (121856), TCGS/2V7T (121857), TCGS/1VC27
(121858), TCGS/2V2C7 (121859), TCGRS/1V7T (121866), TCGRS/2V7T
(121867), TCGRS/1VC2 (121868), TCGRS/2V2 (121869), TCGS2VC27T
(121905), RCSN2M2 (726139), RCSN2M12 (726140), RCSN3M3
(726141), RCSN3M22 (726145), RCSN3M14 (726146), RCSN4M4
(726147), RCSN4M32 (726148), RCSN4M24 (726170), RCSN2M2U
(726182), RCSN3M3U (726188), RCSN4M4U (726197), RCDR4M24
(726199), RCDR4M16 (726200), RCDR4M08 (726201), RCSN2M2R
(726202), RCSN2M12R (726203), RCSN3M3R (726210), RCSN3M22R
(726211), RCSN3M14R (726212), RCSN4M4R (726213), RCSN4M32R
(726220), RCSN4M24R (726221), RCDR2M20 (726408), RCDR2M12

(726409), RCDR2M20U (726410), RCDR2M12U (726411), RCDR2M04R
(726412), RCDR3M22 (726413), RCDR3M0U (726414), RCDR3M22U
(726415), RCDE4M40 (726416), RCDR4M32 (726417), RCDR4M40U
(726418), RCDR4M32U (726419), RCDFM20UX (726421), RCDF3M30U
(726422), RCER2M2 (726423), RCER3M3 (726424), RCER4M4
(726425), RCEF2M2X (726426), RCEF3M3 (726427), RCDR2M20
(726550), RCDR2M12 (726551), RCDR2M04 (726552), RCDR2M20U
(726553), RCDR2M12U (726554), RCDR2M04U (726555), RCDR2M20R
(726556), RCDR2M12R (726557), RCDR2M04R (726558), RCDR3M30
(726559), RCDR3M22 (726560), RCDR3M14 (726561), RCDR3M06
(726562), RCDR3M0U (726563), RCDR3M22U (726564), RCDR3M14U
(726565), RCDR3M06U (726566), RCDR3M30R (726567), RCDR3M22R
(726568), RCDR3M14R (726569), RCDR3M06R (726570), RCDR4M40
(726571), RCDR4M32 (726572), RCDR4M40U (726573), RCDR4M32U
(726574), RCDR4M40R (726575), RCDR4M32R (726576), RCDF2M20
(726577), RCDFM20U (726578), RCDF2M20R (726579), RCDF3M30
(726580), RCDF3M30U (726581), RCDF3M30R (726582), RCSER2M2
(726583), RCSER3M3 (726584), RCSER4M4 (726585), RCEF2M2
(726586), RCEF3M3 (726587), RCSN2M2T (726668), RCSN3M3T
(726669), RCSN4M4T (726670), RCSER2M2U (726682), RCSER3M3U
(726683), RCER4M4U (726684), RCEF2M2U (726685), RCEF3M3U
(726686), RCSF2M24 (727009), RCSF3M34 (727010), HB2PNTR
(727108), HB3PNTR (727109), HB4PNTR (727110), HB2P (728086),
HB1P2C12 (728139), HB1P3C (728157), HB4C (728158), HB3P
(728207), HB2P2C (728235), EDON590124 (728238), EDON590116
(728239), EDON590108 (728240), HB1P4C (728241), HB6C (728242),
HB4P (728243), HB3P2C (728244), HB2P4C (728245), HB8C
(728246), HB2PR (728247), HB1P2CR (728248), HB1P3CR (728254),
HB4CR (728259), HB3PR (728264), HB2P2CR (728294), HB1P4CR
(728295), HB6CR (728296), HB4PR (728297), HB3P2CR (728298),
HB2P4CR (728299), HB8CR (728300), HB1P2C (728302), RCHBF1P2C
(728304), RCHBF2P2C (728305), S02P200I (728352), S02P120I
(728353), S04P300I (728354), S04P220I (728361), S04P140I
(728362), S05P400I (728363), S05P320I (728364), E29N200I
(728368), E29N120I (728369), E29N040I (728370), E29N200IA
(728371), E29N120IA (728372), E29N040IA (728373), E29N200R
(728374), E29N120R (728375), E29N040R (728376), E44N300I

(728377), E44N220I (728378), E44N140I (728379), E44N060I
(728380), E44N300IA (728381), E44N220IA (728382), E44N140IA
(728383), E44N060IA (728384), E44N300R (728385), E44N220R
(728386), E44N140R (728387), E44N060R (728388), E59N400I
(728389), E59N320I (728390), E59N400IA (728391), E59N320IA
(728392), E59N400R (728393), E59N310R (728394), E29C200I
(728395), E29C200IA (728396), E29C200R (728397), E44C300I
(728398), E44C300IA (728399), E44C300R (728400), S05P240I
(728401), EDON2912SE (728492), EDON4413SE (728493), EDON5914SE
(728494), ED0C2912SE (728495), ED0C4413SE (728496), HB2PU
(728509), HB3PU (728510), HB4PU (728511), RCSF2M2 (728512),
RCSF3M3 (728517), RCSF2M12 (728518), RCSF3M22 (728519),
S04P220R (728536), S04P140R (728537), S05P400R (728538),
S05P320R (728539), S05P240R (728540), HB1P2CRN (728552),
HB1P3CRN (728554), HB4CRN (728556), HB2P2CRN (728558),
HB1P4CRN (728560), HB6CRN (728562), HB3P2CRN (728564),
HB2P4CRN (728566), HB8CRN (728568), HBF2PN (728569), HBF1P2CN
(728570), HBF3PN (728571), RCHBF2P2CN (728573), S02P200IA
(728585), S04P300IA (728586), S05P400IA (728587), S02P200R
(728588), S02P120R (728589), S04P300R (728590), RCHBF2P
(728635), RCHBF3P (728636)

...et d'autres dispositifs

– ALPENINOX

T2178GK – ASPERA

01AS0970 – ATEL – ELECTROLUX PROFESSIONAL

T2178GK – EMBRACO – FRIULINOX – INDESIT – UNIVERBAR –
WHIRLPOOL – ZANUSSI

...numéros de fabricant supplémentaires possibles

Mbsm.pro, The risk of extending the electric hoses under the reinforcing steel for ceilings

written by Jamila | 1 October 2018



Mbsm.pro, The risk of extending the electric hoses under the reinforcing steel for ceilings

**Mbsm.pro, COMPRESOR DANFOSS
, FR7.5B , 1/5 Hp , R-12**

, freezer , capillary 260 cm , 0.31

written by Jamila | 1 October 2018

Mbsm.pro, COMPRESOR DANFOSS ,FR7.5B ,1/5 Hp , R-12 ,freezer
,capillary 260 cm , 0.31

Mbsm.pro , COMPRESSEUR , SC18CLX.2 ,DANFOSS SECOP, R404A/R507, 5/8HP ,1PH ,Deep Freeze Comptoire, Alimentation 220-240 V 50 Hz

written by Jamila | 1 October 2018



PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm.pro , COMPRESSEUR , SC18CLX.2 ,DANFOSS SECOP, R404A/R507,
5/8HP ,1PH ,Deep Freeze Comptoire, Alimentation 220-240 V 50
Hz

نصائح لمتعلمي القيادة حول التوقف والوقوف وأضواء السيارة

written by Jamila | 1 October 2018



نصائح لمتعلمي القيادة حول التوقف والوقوف وأضواء السيارة