

# R134a, Hitachi, Compressor, (R012-Series), FL06s34-tab, FL0739-SQ, FL0847-SD, FL1152-SB, FL1257-SR, FL14S62-TAD, FL1568-SQ, FL20S88-TAC, FL1888-SE, CL0545-SZ, CL1297-SA, CL1310-SA, CL1588-DZ, CL1610-DL

written by Lilianne | 15 December 2020

R134a, Hitachi, Compressor, (R012-Series), FL06s34-tab, FL0739-SQ, FL0847-SD, FL1152-SB, FL1257-SR, FL14S62-TAD, FL1568-SQ, FL20S88-TAC, FL1888-SE, CL0545-SZ, CL1297-SA, CL1310-SA, CL1588-DZ, CL1610-DL

Code No.	Model	HP	Capacity (W)	Current (A)	Efficiency COP (w/w)	Voltage / Frequency
<b>R134a Models</b>						
R012001	FL 06S34-TAB	1/12	85	0.70	0.93	220V – 240V / 50Hz
R012002	FL 0739-SQ	1/10	114	0.72	1.20	
R012003	FL 0847-SD	1/8	130	0.83	1.19	
R012005	FL 1152-SB	1/6	143	0.82	1.27	
R012006	FL 1257-SR	1/5	160	0.90	1.25	
R012007	FL 14S62-TAD	1/5	175	0.95	1.30	
R012008	FL 1568-SQ	1/4	200	1.11	1.30	
R012009	FL 20S88-TAC	1/3	255	1.50	1.25	
R012010	FL1888-SE	1/3	245	1.51	1.25	
<b>R600a Models</b>						
	CL 0545-SZ	1/12	62	0.70	1.12	220V – 240V / 50Hz
	CL 1297-SA	1/5	156	0.90	1.46	
	CL 1310-SA	1/5+	163	0.95	1.48	
<b>R600a Models (Inverter)</b>						
	CL 1588-DZ	1/6	134	0.83	1.62	220V – 240V / 50Hz
	CL 1610-DL	1/5	160	0.90	1.65	

**FLO6S34**

**85 Watts**

**R134a**

**220V**

**HITACHI**  
Compressor

**LBP**

**FREEZING**

**COOLING**

**RECIPROCATING COMPRESSOR**

CE RoHS

**1/12HP 220V**

SATISFACTION 100% GUARANTEE

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

The advertisement features a central image of a black Hitachi reciprocating compressor. The background is a collage of images related to refrigeration, including a refrigerator, a milk carton, and various fruits. The text is arranged in a clean, modern layout with red and blue accents.

---

# PRISE INDUSTRIELLE, Prise Triphasé, IP44, 3Pôles+Neutre+Terre, 5 Pôles

written by Lilianne | 15 December 2020

PRISE INDUSTRIELLE, Prise Triphasé, IP44, 3Pôles+Neutre+Terre, 5 Pôles

---

# **Minisplit Climatiseur , Mirage, Galanz , Carte Mère CE-KFR48G**

written by Lilianne | 15 December 2020

Minisplit Climatiseur , Mirage, Galanz , Carte Mère CE-KFR48G

---

# **Kulthorn , R134A, High Temperature ,Compressor, C-BZ SERIE ,220-240 v 50/60Hz**

written by Lilianne | 15 December 2020

Kulthorn , R134A, High Temperature ,Compressor, C-BZ SERIE  
,220-240 v 50/60Hz

---

# **HuaJun ,QD30 ,Compressor, 90W , R12 , 0.82 LRA , 220V 50Hz , 1/8HP**

written by Lilianne | 15 December 2020

HuaJun ,QD30 ,Compressor, 90W , R12 , 0.82 LRA , 220V 50H ,  
1/8HP

---

# **Em40Hnp, Embraco Compressor, Aspera ,R134A 240V 50hz , 1/8 Hp , 1 Phase**

written by Lilianne | 15 December 2020

Em40Hnp, Embraco Compressor, Aspera ,R134A 240V 50hz , 1/8 Hp  
, 1 Phase

---

# **REFRIGERATION APPLICATION CHART (R12 AND R22)**

written by Lilianne | 15 December 2020

REFRIGERATION APPLICATION CHART (R12 AND R22)

## REFRIGERATION APPLICATION CHART (R-12 AND R-22)\*

H.P.	REF.	NOTE	NORMAL EVAPORATING TEMPERATURE DEGREES F							
			-10 to +5		+5 to +20		+20 to +35		+35 to +50	
1/20	R12	S-F	16 Ft.	TC-26	10 Ft.	TC-26				
1/12	R12	S-F	12 Ft.	TC-26	12 Ft.	TC-31				
1/9	R12	S	12 Ft.	TC-26	12 Ft.	TC-31				
1/9	R12	S	10 Ft.	TC-26	10 Ft.	TC-31				
1/8	R12	S-F	10 Ft.	TC-26	10 Ft.	TC-31				
1/6	R12	S	12 Ft.	TC-31	12 Ft.	TC-36	8 Ft.	TC-36	10 Ft.	TC-42
1/6	R12	F	10 Ft.	TC-31	10 Ft.	TC-36				
1/5	R12	S	10 Ft.	TC-31	10 Ft.	TC-36	7-1/2 Ft.	TC-42	7-1/2 Ft.	TC-49
1/5	R12	F	8 Ft.	TC-31	8 Ft.	TC-36	10 Ft.	TC-42	6 Ft.	TC-42
1/4	R22	S-F	12 Ft.	TC-36	6 Ft.	TC-36	8-1/2 Ft.	TC-42	6 Ft.	TC-49
1/4	R12	F	10 Ft.	TC-36	6 Ft.	TC-36	8 Ft.	TC-42	6 Ft.	TC-49
1/3	R22	F	10 Ft.	TC-36	6 Ft.	TC-36	11 Ft.	TC-49		
1/3	R12	F	12 Ft.	TC-42	6 Ft.	TC-42	9 Ft.	TC-49	6 Ft.	TC-54
1/2	R22	F	6 Ft.	TC-36	9 Ft.	TC-42	7-1/2 Ft.	TC-54	10 Ft.	TC-64
1/2	R12	F	11 Ft.	TC-54	9 Ft.	TC-49				
3/4	R22	F	11 Ft.	TC-54	9 Ft.	TC-54				
3/4	R12	F	7-1/2 Ft.	TC-54	12 Ft.	TC-70	1 Ft.	TC-80		
1	R22	F	10 Ft.	TC-64	12 Ft.	TC-70				
1	R12	F	10 Ft.	TC-70	11 Ft.	TC-54	7-1/2 Ft.	TC-54 (2 pcs)		
1-1/2	R22	F	7-1/2 Ft.	TC-54 (2 pcs)	7-1/2 Ft.	TC-54 (2 pcs)	8 Ft.	TC-64 (2 pcs)		
1-1/2	R12	F			9 Ft.	TC-64 (2 pcs)	10 Ft.	TC-80 (2 pcs)		
2	R22	F			10 Ft.	TC-70 (2 pcs)	9 Ft.	TC-75 (2 pcs)		
2	R12	F	10 Ft.	TC-70 (2 pcs)	9 Ft.	TC-75 (2 pcs)	10 Ft.	TC-85 (2 pcs)		
3	R22	F			10 Ft.	TC-70 (3 pcs)	9 Ft.	TC-75 (3 pcs)		
3	R12	F	10 Ft.	TC-70 (2 pcs)	8 Ft.	TC-64 (4 pcs)	10 Ft.	TC-80 (4 pcs)		
4	R22	F			10 Ft.	TC-70 (4 pcs)	9 Ft.	TC-75 (4 pcs)		
4	R12	F			10 Ft.	TC-70 (5 pcs)	9 Ft.	TC-75 (5 pcs)		
5	R12	F			10 Ft.	TC-80 (5 pcs)	9 Ft.	TC-85 (5 pcs)		

NOTE: Condenser Type: S = Static, F = FAN

\*R-134a - It is suggested to add 10% to length.

Private Picture Copyright : WWW.MBSM.PRO

**KCE444HAG , 3/8 Hp , 230V ,  
50Hz , 1Phase , High / Medium  
temperature (HBP / CBP) ,  
R-134a**

written by Lilianne | 15 December 2020

KCE444HAG , 3/8 Hp , 230V , 50Hz , 1Phase , High / Medium  
temperature (HBP / CBP) , R-134a

---

**Compresseur, hermétique  
Daewoo ,HSL19JE-5, RLA 5.5  
,R134a LBP 220-240V / 50Hz ,  
144/155 W , 1/5 HP, 516 Btu  
,RSIR**

written by Lilianne | 15 December 2020

Compresseur, hermétique Daewoo ,HSL19JE-5, RLA 5.5 ,R134a LBP  
220-240V / 50Hz , 133/144 W , 1/6HP, 516 Btu ,RSIR

---

**Compressor ,Embraco Aspera  
,NJ2212GK, LBP – R404A, R507,  
220-240V/1/50Hz, 1.5 HP,  
34.38 cm<sup>3</sup>, LRA 36.0 A, CSR,  
lubricant charge 750ml POE  
22, 1547 W ,at -23.3 / +54.4  
°**

written by Lilianne | 15 December 2020



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Compressor ,Embraco Aspera ,NJ2212GK, LBP – R404A, R507, 220-240V/1/50Hz, 1.5 HP, 34.38 cm<sup>3</sup>, LRA 36.0 A, CSR, lubricant charge 750ml POE 22, 1547 W ,at -23.3 / +54.4 °