

# CR47KQ, CR47KQ-TFD-970-COPW, CR47KQ-TFD, 3.5 hp, 3 ph, r22, 400v, 47000 btu

written by Lilianne | 17 April 2023



Mbsm.pro, Copeland, Hermetic, CR47KQ, Compressor, Series: CR,  
47000 BTU/hr, 10.034 cfm, 460 VAC, 6.9 amp, 4 ton Tonnage, 60  
Hz, 3 PH, 3500 rpm, 4 hp, 4540 watt, R-22, R-404A, R-407C

---

# Mbsm.pro, Compressor, Copeland, CI20KQ-PFV, 240v/ 230/PH1/60hz , 1.5 hp, R-22 , 18,300, A/C

written by Lilianne | 17 April 2023




Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Copeland, CI20KQ-PFV, 240v/  
230/PH1/60hz , 1.5 hp, R-22 , 18,300, A/C

---

# Mbsm.pro, Air conditioner, Compressor, 24000 btu, 3RV416H2AAF, R-22, 220-240V, Sanyo

written by Lilianne | 17 April 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Air conditioner, Compressor, 24000 btu, 3RV416H2AAF,  
R-22, 220-240V, Sanyo

---

**Mbsm.pro, Copeland,  
Reciprocating, Hermetic,  
Compressors, CRNQ-0500-TFD, 5  
hp, R22, HCFC, R-22, 50 Hz, 3  
– Phase, 380/420 V , CR QR  
Series**

written by Lilianne | 17 April 2023



Mbsm.pro, Copeland, Reciprocating, Hermetic, Compressors,  
CRNQ-0500-TFD, 5 hp, R22, HCFC, R-22, 50 Hz, 3 – Phase,  
380/420 V , CR QR Series

---

**Mbsm.pro, Compressor,  
Tecumseh, AW704ET-094-A4,  
AWG5522EXN, 2 HP,  
RECIPROCATING Compressor,  
200-208-220-230/60-50/1,  
R-22, 28000 btu/h**

written by Lilianne | 17 April 2023





Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Tecumseh, AW704ET-094-A4, AWG5522EXN, 2 HP, RECIPROCATING Compressor, 200-208-220-230/60-50/1, R-22, 28000 btu/h

---

**Mbsm.pro, Compressor,  
Copeland, 1 1/4 Ton, 2 hp,  
Scroll, ZR16KC-PFV-230,  
ZR16KA-PFV-830, ZR16K4-**

# PFV-130, 15500 btu, R-22, 230 v, 1 ph

written by Lilianne | 17 April 2023



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Copeland, 1 1/4 Ton, 2 hp, Scroll, ZR16KC-PFV-230, ZR16KA-PFV-830, ZR16K4-PFV-130, 15500 btu, R-22, 230 v, 1 ph

**Mbsm.pro,**

**COPLAND,**

# Compressor, KCJ511HAE, KCJ511HAE-BXXX , HBP, 1-3/8 hp big ++, R-22 , 230 V, 50 Hz, 1PH , FAN, 350 ft<sup>3</sup> / m

written by Lilianne | 17 April 2023

Technical Specification	
Cooling Capacity (Btu/hr)	11275
Cooling Capacity (w)	3302
HP	1-3/8
LRA	54

## COMPRESSOR MECHANICAL AND PHYSICAL DATA

Number of cylinders 2

Displacement @ 50 Hz, cu.m/h 3.2

Bore/Stroke, mm 3.5/1.9

Length/Width, mm 235/179

Height, mm 264

Net Weight, kg 21.5

Stub Suction, inch 5/16

Stub Discharge, inch 5/16

Oil Quantity, l 0.9

Base mounting (hole dia), mm NA (0.0)

Sound Pressure @ 1m (HT), dBA 57

Sound Power (HT), dBA 68

## COMPRESSOR ELECTRICAL DATA (220/240V – 1~ – 50Hz)

Locked Rotor Current, A 25

Default Enclosure Class IP 21 (IEC 34)

### ACCESSORIES OPTIONAL

Mounting Grommets Standard

Single Phase Equipment Relay, Start and Run Capacitor





Horse Power

50HZ

Brand

COPLAND

Compressor Technology

HERMETIC

Model Name/Number

KCJ511HAE

Power

220V



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm\_dot\_pro\_private\_PDF\_KCJ511HAETélécharger

Mbsm\_dot\_pro\_private\_PDF\_KCJ511HAE-1Télécharger