

**QD43 , 1/6 Hp , 220V 50/60HZ ,
R12 , RRIR**

written by Lilianne | 21 May 2020

QD43 , 1/6 Hp , 220V 50/60HZ , R12 , RRIR

**HuaJun , QD30 , Compressor, 90W
, R12 , 0.82 LRA , 220V 50Hz
, 1/8HP**

written by Lilianne | 21 May 2020

HuaJun , QD30 , Compressor, 90W , R12 , 0.82 LRA , 220V 50H ,
1/8HP

**JX51LCS5-K , Compresseur,
hermétique Daewoo , 5.12 cc ,
R12 , 220-240V 60Hz , RSIR ,
1/6 Hp , 1Phase , L B P ,
134w**

written by Lilianne | 21 May 2020

JX51LCS5-K , Compresseur, hermétique Daewoo , 5.12 cc , R12 ,

220-240V 60Hz , RSIR , 1/6 Hp , 1Phase , L B P , 134w

Tecumseh , Compressor Az1355D, 1/6Hp , R12 , réfrigérateur

written by Lilianne | 21 May 2020

Tecumseh , Compressor Az1355D, 1/6Hp , R12 , réfrigérateur

NSA43LAEG , P220MC , 4TM166RFB , 102 Watts , 1/8HP , R12 , 1 Phase

written by Lilianne | 21 May 2020

NSA43LAEG , P220MC , 4TM166RFB , 102 Watts , 1/8HP , R12 , 1 Phase

AES45D , huayi compressor co.ltd , 1/8+Hp (Big , Hbp , Pression) , R12

written by Lilianne | 21 May 2020

AES45D , huayi compressor co.ltd , 1/8+Hp (Big , Hbp , Pression)

,R12

**LG ,NR52AEG ,1/5Hp , R12 ,
220v 50Hz , 1 Phase**

written by Lilianne | 21 May 2020

LG ,NR52AEG ,1/5Hp , R12 , 220v 50Hz , 1 Phase

REFRIGERATION APPLICATION CHART (R12 AND R22)

written by Lilianne | 21 May 2020

REFRIGERATION APPLICATION CHART (R12 AND R22)

REFRIGERATION APPLICATION CHART (R-12 AND R-22)*

H.P.	REF.	NOTE	NORMAL EVAPORATING TEMPERATURE DEGREES F							
			-10 to +5		+5 to +20		+20 to +35		+35 to +50	
1/20	R12	S-F	16 Ft.	TC-26	10 Ft.	TC-26				
1/12	R12	S-F	12 Ft.	TC-26	12 Ft.	TC-31				
1/9	R12	S	12 Ft.	TC-26	12 Ft.	TC-31				
1/9	R12	S	10 Ft.	TC-26	10 Ft.	TC-31				
1/8	R12	S-F	10 Ft.	TC-26	10 Ft.	TC-31				
1/6	R12	S	12 Ft.	TC-31	12 Ft.	TC-36	8 Ft.	TC-36	10 Ft.	TC-42
1/6	R12	F	10 Ft.	TC-31	10 Ft.	TC-36				
1/5	R12	S	10 Ft.	TC-31	10 Ft.	TC-36	7-1/2 Ft.	TC-42	7-1/2 Ft.	TC-49
1/5	R12	F	8 Ft.	TC-31	8 Ft.	TC-36	10 Ft.	TC-42	6 Ft.	TC-42
1/4	R22	S-F	12 Ft.	TC-36	6 Ft.	TC-36	8-1/2 Ft.	TC-42	6 Ft.	TC-49
1/4	R12	F	10 Ft.	TC-36	6 Ft.	TC-36	8 Ft.	TC-42	6 Ft.	TC-49
1/3	R22	F	10 Ft.	TC-36	6 Ft.	TC-36	11 Ft.	TC-49		
1/3	R12	F	12 Ft.	TC-42	6 Ft.	TC-42	9 Ft.	TC-49	6 Ft.	TC-54
1/2	R22	F	6 Ft.	TC-36	9 Ft.	TC-42	7-1/2 Ft.	TC-54	10 Ft.	TC-64
1/2	R12	F	11 Ft.	TC-54	9 Ft.	TC-49				
3/4	R22	F	11 Ft.	TC-54	9 Ft.	TC-54				
3/4	R12	F	7-1/2 Ft.	TC-54	12 Ft.	TC-70	1 Ft.	TC-80		
1	R22	F	10 Ft.	TC-64	12 Ft.	TC-70				
1	R12	F	10 Ft.	TC-70	11 Ft.	TC-54	7-1/2 Ft.	TC-54 (2 pcs)		
1-1/2	R22	F	7-1/2 Ft.	TC-54 (2 pcs)	7-1/2 Ft.	TC-54 (2 pcs)	8 Ft.	TC-64 (2 pcs)		
1-1/2	R12	F			9 Ft.	TC-64 (2 pcs)	10 Ft.	TC-80 (2 pcs)		
2	R22	F			10 Ft.	TC-70 (2 pcs)	9 Ft.	TC-75 (2 pcs)		
2	R12	F	10 Ft.	TC-70 (2 pcs)	9 Ft.	TC-75 (2 pcs)	10 Ft.	TC-85 (2 pcs)		
3	R22	F			10 Ft.	TC-70 (3 pcs)	9 Ft.	TC-75 (3 pcs)		
3	R12	F	10 Ft.	TC-70 (2 pcs)	8 Ft.	TC-64 (4 pcs)	10 Ft.	TC-80 (4 pcs)		
4	R22	F			10 Ft.	TC-70 (4 pcs)	9 Ft.	TC-75 (4 pcs)		
4	R12	F			10 Ft.	TC-70 (5 pcs)	9 Ft.	TC-75 (5 pcs)		
5	R12	F			10 Ft.	TC-80 (5 pcs)	9 Ft.	TC-85 (5 pcs)		

NOTE: Condenser Type: S = Static, F = FAN

*R-134a - It is suggested to add 10% to length.

Private Picture Copyright : WWW.MBSM.PRO

Refrigerant High & Low Pressure Temperature Chart ,R22 R410A ,R12 ,R134A ,R401A ,R409A ,R502 ,R404A ,R507A ,R408A ,R402A ,R600A

written by Lilianne | 21 May 2020

Refrigerant High & Low Pressure Temperature Chart ,R22 R410A

,R12 ,R134A ,R401A ,R409A ,R502 ,R404A ,R507A ,R408A ,R402A
,R600A

Tecumseh , CAJ4511A ,Compressor , 1 HP, 208-230V, 1 PHASE, R12, Hermetic ,Reciprocating Compressor Replacement

written by Lilianne | 21 May 2020

Tecumseh , CAJ4511A ,Compressor , 1 HP, 208-230V, 1 PHASE,
R12, Hermetic ,Reciprocating Compressor Replacement