

# Compressor Mk183g-l2u

written by Lilianne | 15 April 2023



Mbsm.pro, Compressor, Samsung, mk183g-l2u, series MK, 1/3 hp, 236 w, Lbp, 203 KCL, 806 BTU, r134a, 3.8 cc, 220-240V ~ 50Hz, Low Back Pressure, compressor static without fan, PTC-RSCR (Optional RSIR)

---

**Mbsm.pro, Compressor, Qd52,  
1/6 hp, Mini, R134a,**

# 220-240/50, 128 w, 437 btu

written by Lilianne | 15 April 2023



Mbsm.pro, Compressor, Qd52, 1/6 hp , Mini, R134a, 220-240/50, 128 w, 437 btu

---

**Mbsm.pro, Tecumseh, AZ1330Y,  
Compressor, 1/10 hp, 1bp,  
R134a, 90w**

written by Lilianne | 15 April 2023



Mbsm.pro, Tecumseh, AZ1330Y, Compressor, 1/10 hp, lbp, R134a, 90w

---

**Mbsm.pro, compressor,  
102g4615, 1/5 hp++, 1/4 hp-,  
TLES5.7FT.3, Danfoss, r134a,  
102G4615, Danfoss 102G4615**

written by Lilianne | 15 April 2023



OPPO Reno5  
Badawy | ١٣:٤٥ ٢٠٢٣.٠٣.٢٥

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, 102g4615, 1/5 hp++, 1/4 hp-,  
TLES5.7FT.3, Danfoss, r134a, 102G4615, Danfoss 102G4615

---

**Mbsm.pro, compressor,  
d57c13rax5, 1/6 hp, r134a,  
Panasonic, Reciprocating,  
DxxCxxRAW5 series,**

written by Lilianne | 15 April 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, compressor, d57c13rax5, 1/6 hp, r134a, Panasonic, Reciprocating, DxxCxxRAW5 series,

---

# Mbsm.pro, Compressor, SECOP, NL8F, R134A, 1/4 hp++, 1/3 hp-, 105g 6822, 105g6822

written by Lilianne | 15 April 2023



Mbsm.pro, Compressor, SECOP, NL8F, R134A, 1/4 hp++, 1/3 hp-, 105g 6822, 105g6822

---

**Mbsm.pro, Compressor, Zanussi  
,ZEL, 0F1033A, 1/5 hp, 1bp,  
220-240V, 50HZ, R134A**

written by rober us | 15 April 2023



C 8665853

**Electrolux**  
COMPRESSORS

OF1033C 0225  
200--220V~50Hz

**R134a**

8 054  
0916710 2



Mbsm.pro, Compressor,Zanussi ,ZEL, 0F1033A, 1/5 hp, 1bp,  
220-240V, 50HZ, R134A

- Voltage frequency  
220-240V/50Hz
- Refrigerant / Réfrigérant  
R134a
- Nominal horsepower / Horse Power  
1/5CV
- Application condition/ Application  
PSL
- Cooling capacity (w) Capacité de refroidissement  
50-70
- Type of engine  
RSIR
- La temperature d'évaporation (W)  
-23.3°C



◎ R134a LBP 220-240V/50Hz

系列 规格系列	型号	排气 温度	排气 流量	排气 速度	制冷量 (W) 蒸发温度 (°C) / Cooling Capacity ASHRAE											R4 功率	R4 容量	R4 高度		
					W/°C															
					-30	-25	-23.3	-20	-15	-10	-5	0	5	7.2	10					
T系列 LBP	CF605	3.4	1/11	RSR	45	59	76	95	119	149	185	228						70	0.98	163
	CF790	3.8	1/6-	RSR	55	72	94	118	147	184	229	292						85	1.21	163
	CF789	4.4	1/6	RSR	65	85	110	138	172	218	268	330						102	1.28	174
	DF133A	5.7	1/5-	RSR	83	109	141	176	220	276	344	423						118	1.18	174
	DF135A	7.5	1/4-	RSR	105	137	178	223	278	349	434	534						138	1.13	163
	GVY3AA	3.5	1/11	RSRRSGCR	47	62	80	100	125	157	195	240						99	1.16	163
T系列 LBP	GVY4AA	4.2	1/7	RSRRSGCR	59	77	100	125	158	198	244	300						83	1.20	174
	GVY4AA	4.4	1/6	RSRRSGCR	70	91	118	145	184	231	288	354						94	1.25	174
	GVY3AA	5.3	1/6-	RSRRSGCR	82	107	139	174	217	272	339	417						105	1.33	174
	GVY3AA	5.7	1/5-	RSRRSGCR	89	116	150	188	234	294	366	450						113	1.33	174
	GVY6AA	6.6	1/5+	RSRRSGCR	107	140	182	228	284	357	444	540						133	1.37	174
	GVY7AA	7.5	1/5+	RSRRSGCR	118	154	200	250	312	382	465	560						149	1.34	174
	GTW6AA	6.6	1/4	RSRRSGCR	136	177	230	286	350	421	501	590						161	1.43	174
	GTW6AA	8.3	1/4	RSRRSGCR	163	208	267	325	408	510	634	760						182	1.43	184
	GTW3AA	8.3	1/4	RSR	156	208	278	338	421	520	630	810						220	1.58	184
	GTW1AA	10.0	1/3	CSR	177	231	306	375	468	588	730	900						222	1.58	184
GTW2AA	12.0	1/3	CSR	199	264	338	413	518	647	800	980						243	1.57	184	

Private Picture Copyright : WWW.MBSM.PRO

◎ R134a LBP 220-240V/50Hz

系列 规格系列	型号	排气 温度	排气 流量	排气 速度	制冷量 (W) 蒸发温度 (°C) / Cooling Capacity ASHRAE											R4 功率	R4 容量	R4 高度		
					W/°C															
					-30	-25	-23.3	-20	-15	-10	-5	0	5	7.2	10					
Lambda 系列LBP	GL20A	3.4	1/12	RSR	40	52	68	85	105	133	166	204						87	1.20	163
	GL11A	4.1	1/8	RSR	46	60	78	96	118	147	184	229						90	1.25	163
	GL14A	4.9	1/6	RSR	53	69	90	109	133	164	200	242						108	1.30	163
	GL140A	4.9	1/6	RSRRSGCR	83	108	140	175	218	274	340	420						108	1.40	174
	GL180A	5.7	1/5	RSRRSGCR	99	129	168	210	262	329	410	504						125	1.30	163
	GL18A	6.6	1/5	RSRRSGCR	111	144	187	234	290	367	456	561						141	1.30	164
中国 规格 MHP	GL200A	7.0	1/5	RSRRSGCR	118	154	200	250	312	382	465	560						152	1.32	164
	GL190A	8.7	1/7	RSR	104	136	176	220	275	343	420	528						1	1.64	184
	GL200A	7.0	1/5	RSR	126	164	213	266	332	417	520	638						1	1.64	184

◎ R134a MHPB 220-240V/50Hz

系列 规格系列	型号	排气 温度	排气 流量	排气 速度	制冷量 (W) 蒸发温度 (°C) / Cooling Capacity ASHRAE											R4 功率	R4 容量	R4 高度
					W/°C													
					-30	-25	-23.3	-20	-15	-10	-5	0	5	7.2	10			
中国 规格 MHPB	GL80G	5.3	1/3	CSR				172	213	260	320	410	503	540	605	340	2.25	174
	GL80E	7.5	1/2	CSR				204	252	308	380	480	595	640	717	352	2.44	184
	GL80F	7.5	1/2	CSR				239	296	361	456	570	698	750	840	321	2.32	184
	GL10E	8.3	1/2	CSR				248	307	378	476	593	725	780	874	342	2.28	184
	GL10F	8.3	1/2	CSR				281	347	423	537	669	819	880	995	479	2.05	184
	GHP13AA	13.0	1	CSR				351	433	529	671	836	1020	1100	1230	350	2.00	215
	GHP15AA	15.0	1	CSR				415	512	625	783	988	1200	1300	1456	350	2.00	215
	GHP18AA	18.0	1	CSR				510	630	770	976	1216	1488	1600	1780	330	2.20	215
	GHP21AA	21.0	1	CSR				605	749	914	1158	1444	1767	1900	2128	300	2.10	215

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, embraco, aspera, egas80h1r, 1/4 hp++, 1/3 hp-, R134A, 195W

written by rober us | 15 April 2023



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Compresseur hermétique Embraco EGAS80HLR – HMBP – R134a  
220-240/1/50 – CSIR Volume balayé : 6.36 cm<sup>3</sup>  
Mbsm\_dot\_pro\_private\_PDF\_\_\_egas80h1r  
Mbsm\_dot\_pro\_private\_PDF\_\_egas80h1r  
Mbsm\_dot\_pro\_private\_PDF\_\_egas80h1r



Mbsm\_dot\_pro\_private\_PDF\_egas80h1r

---

**Mbsm . pro ,                      Compressor ,**  
**aza2370y ,                      1/6      hp ,      r134a ,**  
**Kulthorn**

written by rober us | 15 April 2023

 **KULTHORN** Thermally Protected  
**AZ A2370Y** **S88**  
220 - 240 V ~ 50Hz R134a CE  
RLA 0.9 LRA 5  
  
S8824C18000340 RoHS  
 KULTHORN KIRBY  
MADE IN THAILAND

**คำเตือน WARNING 注意事项**

1. ตัดวงจรไฟฟ้าทุกครั้งก่อนเปิดฝา  
DISCONNECT POWER BEFORE REMOVING COVER  
开盖之前必须关闭电源
2. การทดสอบแรงดันภายในตัวคอมเพรสเซอร์ต้องไม่เกิน 1000 kPa (150 psig)  
TEST PRESSURE MUST NOT EXCEED 1000 kPa (150 psig)  
气压试验不得超过 1000 kPa (150 psig)
3. คอมเพรสเซอร์ต้องต่อสายดิน  
THIS COMPRESSOR MUST BE GROUNDED  
压缩机应连接地下线

--- การละเลยอาจเป็นอันตรายถึงชีวิต ---  
NEGLIGENCE MAY RESULT IN SERIOUS INJURY OR DEATH  
否则有生命危险

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, aza2370y, 1/6 hp, r134a, Kulthorn



# freezer Kiriazi, E336, E335

written by Lilianne | 15 April 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, freezer Kiriazi, 336 L, e336, Compressor, 1/5 hp, r134a, 200 g