


**Mbsm.pro, AIR CONDITIONER,  
Fresh Smart, SFW36H, IP-  
SEW36H/0, Cooling & Heating  
Split Air Conditioner, 5 hp,  
36000 Btu/h, 3 Ton , r22,  
2700 g, 3322 w**

written by Lilianne | 15 April 2022

<b>FRESH</b>		
Model	SFW36H/O	
Cooling Capacity	36000Btu/h	
	3322W	
Heating Capacity	37800Btu/h	
	3050W	
Refrigerant	R22/2.7Kg	
Max Operating Pressure for the Discharge / suction Side	3.0Mpa	
	1.5Mpa	
Weight	82Kg	
Rated Voltage	220-240V~	
Rated Frequency	50Hz	
Rated Current	Cooling	20.8A
	Heating	20.8A
Rated Input	Cooling	4700W
	Heating	4700W
Max Current	24A	
Isolation	I	
Climate Type	T3	
Sound Pressure Level	60dB(A)	
Moisture Protection	IP24	
SPLIT AIR CONDITIONER OUTDOOR UNIT (Made In Egypt)		
 63229943455		

Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, AIR CONDITIONER, Fresh Smart, SFW36H, IP-SEW36H/O, Cooling & Heating Split Air Conditioner, 5 hp, 36000 Btu/h, 3 Ton , r22, 2700 g, 3322 w

---

**Mbsm.pro, COMPRESSEUR,  
CUBIGEL, L45TN, R22, HMBP,  
1/5HP, 220/240V 50HZ, ORIGINE  
4.56CM3**

written by Lilianne | 15 April 2022



Mbsm.pro, COMPRESSEUR, CUBIGEL, L45TN, R22, HMBP, 1/5HP,  
220/240V 50HZ, ORIGINE 4.56CM3

---

**Mbsm.pro, Compressor, C-  
R191H5C, Sanyo, 24000BTU, air  
conditioner compressor, r22,  
2 ton**

written by Lilianne | 15 April 2022

**SANYO**



MODEL C-R191H5C

CODE 80649745

QC PASSED



CHINA RESOURCES SANYO (SHENYANG) COMPRESSOR CO., LTD.  
沈阳华润三洋压缩机有限公司

**WARNING-SERVICEMAN**

1. FIELD SERVICE LEAK TEST PRESSURE MUST NOT EXCEED 10.5KG FCM/G.
2. THIS COMPRESSOR MUST BE GROUNDED.
3. DO NOT OPERATE WITHOUT PROTECTIVE COVER OVER TERMINALS;  
DISCONNECT ALL POWER BEFORE REMOVING THE PROTECTIVE COVER.

**CAUTION**

COMPRESSOR HOUSING MAY REACH 150°C WITH THERMAL PROTECTOR  
APPROVED BY SANYO AND TESTED IN ACCORDANCE WITH DIN TUV.

Mbsm.pro, Compressor, C-R191H5C, Sanyo, 24000BTU, air conditioner compressor, r22, 2 ton

---

**Mbsm.pro,asw-12a4/fm, Air  
conditioner, 12000 btu/h,  
r22, 590g, 8.5 a, Cooling  
only , T1**

written by Lilianne | 15 April 2022

# AUX

Split Air Conditioner (Outdoor Unit)


CE

Product Type	ASW-12A4/FM
Outdoor Unit Type	ASW-12A4/FM
Power Supply	220-240V~/50Hz

Rated Cooling Input	1.25kW
Max. Input Current	8.5A

Refrigerant	R22
Refrigerant Quantity	0.59kg
Water-proof Class	IPX4
Outdoor Unit Net Weight	23.5kg

Date	2019.12.11
No.	A19539770910W00363



Made in China

Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro,asw-12a4/fm, Air conditioner, 12000 btu/h, r22, 590g, 8.5 a, Cooling only , T1

---

**Mbsm.pro, Compressor,  
PH440G2CS-4KUS1, 26000 Btu, 3  
Hp, GMCC, Toshiba, 220/240v  
50hz, T3, 2490 W, r22**

written by Lilianne | 15 April 2022





Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, PH440G2CS-4KUS1, 26000 Btu, 3 Hp, GMCC, toshiba, 220/240v 50hz, T3, 2490 W, r22

---

**Mbsm.pro, Copeland, Scroll  
Compressor, ZR series,  
ZR72KCE-TFD-522, 6 hp, r22,  
R-407, v380-420V / 50Hz / 3ph**

written by Lilianne | 15 April 2022



Mbsm.pro, Copeland, Scroll Compressor, ZR series, ZR72KCE-  
TFD-522, 6 hp, r22, R-407, v380-420V / 50Hz / 3ph

---

**Mbsm.pro, Compressor,  
Ph310M2A-4FTS2, T3, R22,  
Toshiba, Gmcc, Rotary  
Compressor, for Air  
Conditioner, 1765 w, 19000  
btu/h, 50HZ-220/240V, 2.3 hp**

written by Lilianne | 15 April 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, Ph310M2A-4FTS2, T3, R22, Toshiba, Gmcc, Rotary Compressor, for Air Conditioner, 1765 w, 19000 btu/h, 50HZ-220/240V

---


**Mbsm.info, File, PDF, Air  
conditioner, GNF-M30000, GNF  
M30000, SH General, 30000  
Btu, 2.5 Ton, 29.4 bar, 15 A,  
220v 1 PH, 3360 W,  
environment T, R22, 2.5 Kg  
(GAZ)**

written by Lilianne | 15 April 2022

# SPLIT TYPE AIR CONDITIONER



MODEL	GNF-M30000 COMMERCIAL		
INDOOR MODEL	GNF-M30000 COMMERCIAL		
OUTDOOR MODEL	GNF-M30000 COMMERCIAL		
COOLING CAPACITY	30000Btu/h		
HEATING CAPACITY	30000Btu/h		
EXCESSIVE OPERATING PRESSURE	DISCHARGE	2.94MPa	
	SUCTION	1.0MPa	
WEIGHT(INDOOR)	33kg		
POWER SOURCE	220-240V~ 50Hz, 1Ph		
STANDARD RATING CONDITIONS	COOLING	CURRENT	15.0A
		INPUT	3360W
	HEATING	CURRENT	13.5A
		INPUT	3000W
RATED CURRENT	20.0A		
RATED INPUT	4100W		
T			
MADE IN CHINA			
<b>SH GENERAL</b>			



202089820213621160203

Mbsm.info, Air conditioner, GNF-M30000, GNF M30000, SH  
General, 30000 Btu, 2.5 Ton, 29.4 bar, 15 A, 220v 1 PH, 3360  
W, environment T, R22, 2.5 Kg (GAZ)

---

**Mbsm.pro, File, pdf,  
MSTM-12HR, Midea, 12500  
btu/h, r22, 830 g, 220 v, 1  
ph, T1, 1 ton, 1.5 HP**

written by Lilianne | 15 April 2022





Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, File, pdf, MSTM-12HR, Midea, 12500 btu/h, r22, 830 g, 220 v, 1 ph, T1, 1 ton, 1.5 HP

**Mbsm.pro, File, pdf, air  
conditioner, raq015b5cr,  
Unionaire, 14500 btu, R22,  
0.850 g, 4.25 KW, 3854  
Kcal/h, 220 v, 1 PH , 1.8 Hp,  
1.2 Ton**

written by Lilianne | 15 April 2022



Mbsm.pro, air conditioner, raq015b5cr, Unionaire, 14500 btu,  
R22, 0.850 g, 4.25 KW, 3854 Kcal/h, 220 v, 1 PH , 1.8 Hp, 1.2  
Ton