

Mbsm.pro, Fridge, TEKA NFE-900 X, 610 L, Compressor, Inverter, Variable speed, 1/3 Hp, R600A, 68 G, 220 – 240 V, PTC Starter, QP3-12AJ1 JX

written by Lilianne | 9 February 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Fridge, TEKA NFE-900 X, 610 L, Compressor, Inverter,
Variable speed, 1/3 Hp, R600A, 68 G, 220 – 240 V, PTC Starter,
QP3-12AJ1 JX

Mbsm.pro, Compressor, R600a, GMCC, Refrigerant, PZ90H1Y, SXF-562JA, 1/5hp, 167 W

written by Lilianne | 9 February 2022



Mbsm.pro, Compressor, R600a, GMCC, Refrigerant, PZ90H1Y, SXF-562JA, 1/5hp, 167 W

Mbsm.pro, Compressor, R600a, PZ59E1C, 1/8 Hp, 95 W, Lbp

written by Lilianne | 9 February 2022



Mbsm.pro, Compressor, R600a, PZ59E1C, 1/8 Hp, 95 W, Lbp

Mbsm.pro, Compressor,

**Efl120E13DGH, 1/3 hp, r600a,
70g, 317w, 220v, 57–240hz,
EFI120E13DGH(80RPS),
Reciprocating Compressors
(Variable Speed), Dc
compressor Panasonic
(inverter), Refrigerator-
Freezer Panasonic, NR-B53V1,
615 L**

written by Lilianne | 9 February 2022

Mbsm.pro, Compressor, Efl120E13DGH, 1/3 hp, r600a, 70g, 317w,
220v, 57–240hz, EFI120E13DGH(80RPS), Reciprocating Compressors
(Variable Speed), Dc compressor Panasonic (inverter),
Refrigerator-Freezer Panasonic, NR-B53V1, 615 L

**Mbsm.pro, Compressor,
Embraco, Aspera, EMY26CLC,
LBP, R600a, 220 –
240V/1/50Hz, 1/12 HP, RSIR,**

LRA 7.8 A, 83 Wat

written by Lilianne | 9 February 2022



Compressor, Embraco, Aspera, EMY26CLC, LBP, R600a, 220 – 240V/1/50Hz, 1/12 HP, RSIR, LRA 7.8 A, 83 Wat

**Mbsm.pro, COMPRESSOR, ZEL,
Zanussi, refrigerator,
CUBIGEL/ ACC , HML140A,**

**HDL140A, LBP, R600A,
220-240V, 1 /8hp, 140w**

written by Lilianne | 9 February 2022



Mbsm.pro, COMPRESSOR, ZEL, Zanussi, refrigerator, CUBIGEL/ ACC
, HML140A, HDL140A, LBP, R600A, 220-240V, 1 /8hp, 140w

**Mbsm.pro, Compressor,
cubigel, huayi, ACC,
Electrolux, HPY14AA, LBP,
R600a, 1/5HP,
220-240V/1/50Hz, 166 W**

written by Lilianne | 9 February 2022

Compressors/Compressors ACC – Electrolux HP14AH, LBP – R600a,

Power consumption 1/5HP, 220-240V/1/50Hz, Motor type RSIR, Injection: Capillary operation, Displacement 14.32 cm³, Oil type ISO VG10 Mineral oil, Oil quantity 300 cm³, Power 147 W at -25 / +55 °C, Power consumption 166 W, Power 0.0 W, Cooling capacity

-10 °C	-15 °C	-20 °C	-25 °C	-30 °C	-35 °C
344	276	216	166	124	92
Shipping Class			Standard		
Scope Of Application			LBP		
Lieferzeit			2-3 Wochen		
Type Of Construction			Piston		
Condensation Temperature			55°C		
Maker			ACC		
Manufacturer No.			HPY14AA		
Displacement In Cm3			14.32		
Measuring Requirements			Ashrae		
Refrigerants			R600a		
Series			HPY		
Condensing Units Compressors			Compressors		
Suspense			220-240V		
Weight In Kg			13		

Compressor ACC Cubigel Huayi Electrolux ZEM HPY14AA, LBP - R600a, 220- 240V/1/50Hz, 1/5 HP, discharge 14.32 cm³, motor type RSIR, oil type ISO VG10 mineral, oil charge 300 cm³, 166 W at -25 / +55 °, input power, current 147 W, 0.96 A, expansion device: capillar, cooling: static, weight 11 kg , the statutory warranty period shall apply (24 months), Delivery time Info: with "immediately available" and "scarce stock", usually delivery within 2 days. For "currently not available" delivery time usually 2 weeks or delivery time in urgent cases contact us.

Refrigerant:	R600a
Power range(W):	101 – 200 W
Performance range (C):	-35 C to -10 C
Connecting size:	6,5 mm
Suction:	8,1 mm
Working area:	LBP
Design type:	Hermetic
Model series:	HPY
Use with:	Capillary
Power range(HP):	0-2
Power supply:	230 V
Oil type:	ISO VG 10 Mineral
Engine type:	RSIR
Article condition:	New
Info:	Oil filled
Shipping weight:	13,00 Kg
Dimensions (length × width × height):	20,40 × 16,20 × 19,60 cm
customs tariff number:	84143081
Cooling capacity condition:	T0 -25 C, Tk +55 C
Manufacturer:	ACC Cubigel Huayi Electrolux ZEM
Model:	HPY14AA
Modelname:	HP14AH
Stroke volume (cm3):	14,32
Cooling capacity (W):	147
Power (HP):	0,25
Max. Starting current (A):	11,5

Max. Operating current (A):	0,96
Engine type:	RSIR
Note:	Static cooling
Oil quantity (l):	0,3
Compressor type:	Piston
Power range:	-35 C to -10 C
Alternative:	NBM1118Y , EMX70CLC , NBM1116Y
Pressure line (mm):	6,5
Suction line (mm):	8,1





Private Picture Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_HPYY14AA-1Télécharger
Mbsm_dot_pro_private_PDF_HPYY14AATélécharger

Compressor, r600a, 1/5HP, LBP, 149W, htk12aa, Electrolux, Brandt, 220-240V 50Hz, Run Capacitor: 4.0 μF (5.0 μF as alternative) , Motor type RSCR/RSIR

written by Lilianne | 9 February 2022

compressor/compressor ACC – Electrolux HTK12AA, LBP – R600a, Power consumption 1/5HP++, 220-240V/1/50Hz, Motor type RSIR, Injection: Capillary operation, Displacement 11.1 cm³, Oil type mineral oil, Oil quantity 170 cm³, Power 116 W at -25 / +55°C, Power consumption 149 W, Current 0.77, Weight 8.6Cooling capacity

-10 °C	-15 °C	-20 °C	-25 °C	-30 °C	-35 °C
300	240	188	144	107	78
Shipping Class				Standard	
Scope Of Application				LBP	
Lieferzeit				2-3 Wochen	
Type Of Construction				Piston	
Condensation Temperature				55°C	
Maker				ACC	
Manufacturer No.				HPY12AA	
Displacement In Cm3				11.1	
Measuring Requirements				Ashrae	
Refrigerants				R600a	
Series				HPY	

Condensing Units Compressors	Compressors
Suspense	220-240V
Weight In Kg	12.7

1. Be the first to review this product

Mbsm_dot_pro_private_PDF_HTK12AA-1-1Télécharger

Mbsm_dot_pro_private_PDF_HTK12aa-1Télécharger



Verdichter - Cubigel

R-600a, LBP

Hermetische Verdichter für Kapillarrohrbetrieb.
Hochleistungs-Verdichter mit Betriebskondensatoren.
LBP Temperaturbereich -30 °C bis -10 °C.
Netzspannung 220 - 240 V / 50 Hz.



Artikelnr.	Typ	Leistung (PS)	Kälteleistung [W] T ₀ -25 °C, T _k +45 °C	
			-25	
47-32 HQY45AA	HQY 45 AA	1/12		52
47-32 HQY55AA	HQY 55 AA	1/9		62
47-32 HQY70AA	HQY 70 AA	1/8		80
47-32 HQY80AA	HQY 80 AA	1/7		99
47-32 HQY90AA	HQY 90 AA	1/7		109
47-32 HQY99AA	HQY 99 AA	1/6		119
47-32 HPY12AA	HPY 12 AA	1/5		144
47-32 HPY14AA	HPY 14 AA	1/5		166
47-32 HPY16AA	HPY 16 AA	1/4		181

Gesamtkatalog jetzt anfordern unter info@kaeltepartner.net!

 **Hinweis: Bilder Können vom Produkt abweichen**

Private Picture Copyright : WWW.MBSM.PRO

**LG, CSB075NJEG, 1/6HP, R600A,
alu wire, refrigerator,
compressor, refrigerator,**

BBS130, BBD230, BBC208S

written by Lilianne | 9 February 2022

-+ CSB057NJEG 1 / 10HP

-+ CSB069NJEG 1 / 8HP

-+ CSB075NJEG 1 / 6HP



BUD-DC1AE186	19	CC128-BB	25	CPP330	280	DCPL166-2BD-ETP	33	DCTCE146	15	DR
BUD-DC1AE167	19	CC125-BP	25	CPP470	280	DCPL166-2BD	33	DCTCE147	15	DR
BUD-DC1AE186	19	CC128-BB	25	CPP650	280	DCPL166-2BD-ETP	33	DCTCE148	15	DR
BUD-DC1AE187	19	CC128-BP	25	CPP11000	280	DCPL166-2BD-ETP	33	DCTCE149	15	DR
BUD-DC1AE206	19	CC155-BB	25	CPP12000	280	DCPL166-2BD	33	DCTCE150	15	DR
BUD-DC1AE207	19	CC155-BP	25	CPP13000	280	DCPL166-2BD-ETP	33	DCTCE151	15	DR
BUD-DCTCE66	19	CC156-BB	25	CPP14000	280	DCPL166-2BD	33	DCTCE152	15	DR
BUD-DCTCE77	19	CC156-BP	25	CPP16000	280	DCPL166-2BD-ETP	33	DCTCE153	15	DR
BUD-DCTCE106	19	CC186-BB	25	CPP19000	280	DCPL167-2BD	33	DCTCE154	15	DR
BUD-DCTCE107	19	CC186-BP	25	CRP5A	337	DCPL167-2BD-ETP	33	DCTCE155	15	DR
BUD-DCTCE128	19	CCA	337	CRP20	337	DCPL167-2BD	33	DCTCE156	15	DR
BUD-DCTCE127	19	CDD1/1	171	CS6/10	151	DCPL167-2BD-ETP	33	DCTCE157	15	DR
BUD-DCTCE146	19	CDD1/2	171	CS10	151	DCPL167-2BD	33	DCTCE158	15	DR
BUD-DCTCE147	19	CDD1/3	171	CS70	235	DCPL167-2BD-ETP	33	DCTCE159	15	DR
BUD-DCTCE157	19	CDD1/4	171	CSB075NJEG	235	DCPL186-2BD	33	DCTCE160	15	DR
BUD-DCTCE166	19	CDD1/6	171	CSR16	48	DCPL186-2BD-ETP	33	DECEP14-PM	44	DR
BUD-DCTCE167	19	CDD2/1	171	CSR18	48	DCPL186-2BD	33	DECEP-PM	44	DR
BUD-DCTCE186	19	CDD2/3	171	CSR/20	48	DCPL186-2BD-ETP	33	DEF	44	DR
BUD-DCTCE187	19	CD-GH-818	137	CT 1758TD	113	DCPL187-2BD	33	DEL-0500	343	DR
BUD-DCTCE206	19	CDR-1	90, 229	CT 1760TD	113	DCPL187-2BD-ETP	33	DESSUS-TH168	361	DR
BUD-DCTCE207	19	CDR-2	90, 229	CTR11000	175	DCPL187-2BD	33	DESSUS-TH207	361	DR
BUD-ETPL83	63	CF4-78ET	338	CTR12000	175	DCPL187-2BD-ETP	33	DEV-FIC	21, 305	DR
BUD-ETPL84	63	CF4-78GP	338	CTR13000	175	DCPL206-2BD	33	DIFP90BI	88	DR
BUD-ETPL103	63	CF0380-37	388	CTR14000	175	DCPL206-2BD-ETP	33	DIFP90BL	88	DR
BUD-ETPL104	63	CF0380-50	388	CTR16000	175	DCPL206-2BD	33	DIFP90R	88	DR
BUD-ETPL123	63	CH11000	171	CTR19000	175	DCPL206-2BD-ETP	33	DIFP90VE	88	DR
BUD-ETPL124	63	CH12000	171	CTR21000	175	DCPL207-2BD	33	DIFP90YE	88	DR
BUD-ETPL143	63	CH13000	171	CTRE11000	175	DCPL207-2BD-ETP	33	DIPA	163	DR
BUD-ETPL144	63	CH14000	171	CTRE12000	175	DCPL207-2BD	33	DIPA600	163	DR
BUD-ETTU104	63	CH16000	171	CTRE13000	175	DCPL207-2BD-ETP	33	DIST91	94	DR
BUD-ETTU124	63	CH21000	171			DCPLV128-1BD	37	DIST91A	94	DR

Private Picture Copyright : WWW.MBSM.PRO

Pièces détachées

▼ PIÈCES DÉTACHÉES POUR ARRIÈRES DE BAR

DÉSIGNATION	RÉF.	€	DÉSIGNATION	RÉF.	€
Compresseurs			Joint de porte		
Compresseur LG modèle CMA098NHEM (R600A) pour BBT350, BBC330S	CMA098NHEM	266	Joint de porte pour BBD230, BBT350	BBT350L.28	8,80
Compresseur LG modèle CSB075NJEG (R600A) pour BBS130, BBD230, BBC208S	CSB075NJEG	153	Joint de porte pour BBS130	BBS130L.25	14,00
Condenseurs			Portes vitrées		
Condenseur pour BBC208S, BBD230	BBD230L.08	59	Porte vitrée battante droite pour BBD230, BBT350	BBD230L.25.1	222
Condenseur pour BBC330S, BBT350	BBT350L.09	53	Porte vitrée battante gauche pour BBD230, BBT350	BBD230L.25	222
Condenseur pour BBS130	BBS130L.07	59	Porte vitrée battante pour BBS130	BBS130L.24	222
Évaporateurs			Porte vitrée coulissante pour BBC208S	BBD230S.26	205
Évaporateur pour BBC208S	BBD230S.47	117	Porte vitrée coulissante avec serrure pour BBC208S	BBD230S.26.1	205
Évaporateur pour BBC330S, BBT350	BBT350L.53	141	Porte vitrée coulissante gauche pour BBC330S	BBT350S.26.1	222
Évaporateur pour BBS130	BBS130L.47	117	Porte vitrée coulissante droite pour BBC330S	BBT350S.26.3	222
			Porte vitrée coulissante milieu pour BBC330S	BBT350S.26.2	222
			Roulette pour porte coulissante pour BBC208S, BBC330S	BBD230S.26.01	1,70
			Thermostat DIXELL XR02CX pour BBS130, BBD230, BBT350, BBC208S, BBC330S	XR02CX	158

Private Picture Copyright : WWW.MBSM.PRO

Compressor, TEE, TURK ELEKTRIK , R600a, MTS200MT, MTS170MT, MTS185MT

written by Lilianne | 9 February 2022



Compressor, TEE, TURK ELEKTRIK , R600a, MTS200MT, MTS170MT,

MTS185MT