

# Mbsm.pro, Compressor, R600a, GMCC, Refrigerant, PZ90H1Y, SXF-562JA, 1/5hp, 167 W

Category: compressor

written by Lilianne | 8 February 2022



Mbsm.pro, Compressor, R600a, GMCC, Refrigerant, PZ90H1Y, SXF-562JA, 1/5hp, 167 W

---

# Mbsm.pro, Compressor, R600a, PZ59E1C, 1/8 Hp, 95 W, Lbp

Category: compressor

written by Lilianne | 8 February 2022



Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Compressor, R600a, PZ59E1C, 1/8 Hp, 95 W, Lbp

Mbsm.pro, Compressor, Efl120E13DGH,  
1/3 hp, r600a, 70g, 317w, 220v,  
57-240hz, EFI120E13DGH(80RPS),  
Reciprocating Compressors (Variable  
Speed), Dc compressor Panasonic  
(inverter), Refrigerator-Freezer  
Panasonic, NR-B53V1, 615 L

Category: compressor

written by Lilianne | 8 February 2022

Mbsm.pro, Compressor, Efl120E13DGH, 1/3 hp, r600a, 70g, 317w, 220v, 57-240hz,  
EFI120E13DGH(80RPS), Reciprocating Compressors (Variable Speed), Dc compressor  
Panasonic (inverter), Refrigerator-Freezer Panasonic, NR-B53V1, 615 L

---

# Mbsm.pro, Compressor, Embraco, Aspera, EMY26CLC, LBP, R600a, 220 – 240V/1/50Hz, 1/12 HP, RSIR, LRA 7.8 A, 83 Wat

Category: compressor

written by Lilianne | 8 February 2022



Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Compressor, Embraco, Aspera, EMY26CLC, LBP, R600a, 220 – 240V/1/50Hz, 1/12 HP, RSIR, LRA 7.8 A, 83 Wat

---

# Mbsm.pro, COMPRESSOR, ZEL, Zanussi, refrigerator, CUBIGEL/ ACC , HML140A, HDL140A, LBP, R600A, 220-240V, 1 /8hp, 140w

Category: compressor

written by Lilianne | 8 February 2022



孔安西电气机械天津压缩机有限公司  
中国天津滨海新区(空港保税物流园)3号  
电话 +86 22 84881086  
传真 +86 22 84881087  
邮箱 sales@hml.com

ZANUSSI ELETTROMECCANICA COMPRESSOR TIANJIN CO., LTD  
ADDRESS: NO.3 BAOJING ROAD, TIANJIN FREE TRADE ZONE  
(AIRPORT INDUSTRIAL PARK), TIANJIN CITY, P.R. CHINA  
ZIP CODE: 300300  
PHONE: +86 22 84881086  
FAX: +86 22 84881087

## GENERAL CATALOGUE ZEL ACC COMPRESSORS

R600a - R134a  
All solutions inside.



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, COMPRESSOR, ZEL, Zanussi, refrigerator, CUBIGEL/ ACC , HML140A, HDL140A, LBP, R600A, 220-240V, 1 /8hp, 140w

# Mbsm.pro, Compressor, cubigel, huayi, ACC, Electrolux, HPY14AA, LBP, R600a, 1/5HP, 220-240V/1/50Hz, 166 W

Category: compressor

written by Lilianne | 8 February 2022

Compressors/Compressors ACC – Electrolux HP14AH, LBP – R600a, Power consumption 1/5HP, 220-240V/1/50Hz, Motor type RSIR, Injection: Capillary operation, Displacement 14.32 cm<sup>3</sup>, Oil type ISO VG10 Mineral oil, Oil quantity 300 cm<sup>3</sup>, Power 147 W at -25 / +55 °C, Power consumption 166 W, Power 0.0 W, Cooling capacity

-10 °C -15 °C -20 °C -25 °C -30 °C -35 °C

344 276 216 166 124 92

**Shipping Class**

Standard

**Scope Of Application**

LBP

**Lieferzeit**

2-3 Wochen

**Type Of Construction**

Piston

**Condensation Temperature**

55°C

**Maker**

ACC

**Manufacturer No.**

HPY14AA

**Displacement In Cm<sup>3</sup>**

14.32

**Measuring Requirements**

Ashrae

**Refrigerants**

R600a

**Series**

HPY

**Condensing Units Compressors Compressors**

<b>Suspense</b>	220-240V
<b>Weight In Kg</b>	13

Compressor ACC Cubigel Huayi Electrolux ZEM HPY14AA, LBP -R600a, 220-240V/1/50Hz, 1/5 HP, discharge 14.32 cm<sup>3</sup>, motor type RSIR, oil type ISO VG10 mineral, oil charge 300 cm<sup>3</sup>, 166 W at -25 / +55 °, input power, current 147 W, 0.96 A, expansion device: capillar, cooling: static, weight 11 kg , the statutory warranty period shall apply (24 months), Delivery time Info: with “immediately available” and “scarce stock”, usually delivery within 2 days. For “currently not available” delivery time usually 2 weeks or delivery time in urgent cases contact us.

---

Refrigerant:	R600a
Power range(W):	101 – 200 W
Performance range (C):	-35 C to -10 C
Connecting size:	6,5 mm
Suction:	8,1 mm
Working area:	LBP
Design type:	Hermetic
Model series:	HPY
Use with:	Capillary
Power range(HP):	0-2
Power supply:	230 V
Oil type:	ISO VG 10 Mineral
Engine type:	RSIR
Article condition:	New
Info:	Oil filled
Shipping weight:	13,00 Kg
Dimensions ( length × width × height ):	20,40 × 16,20 × 19,60 cm
customs tariff number:	84143081
Cooling capacity condition:	T0 -25 C, Tk +55 C
Manufacturer:	ACC Cubigel Huayi Electrolux ZEM
Model:	HPY14AA
Modelname:	HP14AH
Stroke volume (cm <sup>3</sup> ):	14,32
Cooling capacity (W):	147
Power (HP):	0,25
Max. Starting current (A):	11,5
Max. Operating current (A):	0,96
Engine type:	RSIR
Note:	Static cooling
Oil quantity (l):	0,3
Compressor type:	Piston
Power range:	-35 C to -10 C
Alternative:	NBM1118Y , EMX70CLC , NBM1116Y
Pressure line (mm):	6,5
Suction line (mm):	8,1







Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

[Mbsm\\_dot\\_pro\\_private\\_PDF\\_HPY14AA-1Télécharger](#)

[Mbsm\\_dot\\_pro\\_private\\_PDF\\_HPY14AATélécharger](#)

---

Compressor, r600a, 1/5HP, LBP, 149W, htk12aa, Electrolux, Brandt, 220-240V 50Hz, Run Capacitor: 4.0  $\mu$ F ( 5.0  $\mu$ F as alternative ) , Motor type

# RSCR/RSIR

Category: compressor  
written by Lilianne | 8 February 2022  
compressor/compressor ACC – Electrolux HTK12AA, LBP – R600a, Power consumption 1/5HP++, 220-240V/1/50Hz, Motor type RSIR, Injection: Capillary operation, Displacement 11.1 cm3, Oil type mineral oil, Oil quantity 170 cm3, Power 116 W at -25 / +55°C, Power consumption 149 W, Current 0.77, Weight 8.6Cooling capacity

-10 °C	-15 °C	-20 °C	-25 °C	-30 °C	-35 °C
300	240	188	144	107	78

Shipping Class	Standard
Scope Of Application	LBP
Lieferzeit	2-3 Wochen
Type Of Construction	Piston
Condensation Temperature	55°C
Maker	ACC
Manufacturer No.	HPY12AA
Displacement In Cm3	11.1
Measuring Requirements	Ashrae
Refrigerants	R600a
Series	HPY
Condensing Units Compressors	Compressors
Suspense	220-240V
Weight In Kg	12.7

1. Be the first to review this product
- Mbsm\_dot\_pro\_private\_PDF\_HTK12AA-1-1Télécharger
- Mbsm\_dot\_pro\_private\_PDF\_HTK12aa-1Télécharger





Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

## Verdichter - Cubigel

R-600a, LBP

Hermetische Verdichter für Kapillarrohrbetrieb.  
Hochleistungs-Verdichter mit Betriebskondensatoren.  
LBP Temperaturbereich -30 °C bis -10 °C.  
Netzspannung 220 - 240 V / 50 Hz.



Artikelnr.	Typ	Leistung (PS)	Kälteleistung [W] T <sub>s</sub> -25 °C, T <sub>k</sub> +45 °C
			-25
47-32 HQY45AA	HQY 45 AA	1/12	52
47-32 HQY55AA	HQY 55 AA	1/9	62
47-32 HQY70AA	HQY 70 AA	1/8	80
47-32 HQY80AA	HQY 80 AA	1/7	99
47-32 HQY90AA	HQY 90 AA	1/7	109
47-32 HQY99AA	HQY 99 AA	1/6	119
47-32 HPY12AA	HPY 12 AA	1/5	144
47-32 HPY14AA	HPY 14 AA	1/5	166
47-32 HPY16AA	HPY 16 AA	1/4	181

Gesamtkatalog jetzt anfordern unter [info@kaeltepartner.net](mailto:info@kaeltepartner.net)!

 **Hinweis: Bilder Können vom Produkt abweichen**

Private Picture Copyright: [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

LG, CSB075NJEG, 1/6HP, R600A, alu  
wire, refrigerator, compressor,  
refrigerator, BBS130, BBD230, BBC208S

Category: compressor

written by Lilianne | 8 February 2022

-+ CSB057NJEG 1 / 10HP

-+ CSB069NJEG 1 / 8HP

-+ CSB075NJEG 1 / 6HP



2021/4/8 18:32



BUD-DCTAE167	19	CC125-BP	25	CPP330	280	DCPL166-2BG-ETP	33	DCTCE146	15	DR
BUD-DCTAE186	19	CC128-BB	25	CPP470	280	DCPL166-2BG	33	DCTCE147	15	DR
BUD-DCTAE187	19	CC128-BP	25	CPP650	280	DCPL167-2BG-ETP	33	DCTCE148	15	DR
BUD-DCTAE206	19	CC155-BB	25	CPP11000	17	DCPL167-2BG	33	DCTCE149	15	DR
BUD-DCTAE207	19	CC155-BP	25	CPP12000	17	DCPL167-2BG-ETP	33	DCTCE150	15	DR
BUD-DCTCE66	19	CC156-BB	25	CPP13000	17	DCPL166-2BD	33	DCTCE151	15	DR
BUD-DCTCE77	19	CC156-BP	25	CPP14000	17	DCPL166-2BD-ETP	33	DCTCE152	15	DR
BUD-DCTCE106	19	CC186-BB	25	CPP16000	17	DCPL166-2BG-ETP	33	DCTCE153	15	DR
BUD-DCTCE107	19	CC186-BP	25	CPP19000	17	DCPL166-2BG	33	DCTCE154	15	DR
BUD-DCTCE128	19	CCA	337	CRP5A	17	DCPL167-2BD	33	DCTCE155	15	DR
BUD-DCTCE127	19	CDD1/1	171	CRP20A	17	DCPL167-2BG	33	DCTCE156	15	DR
BUD-DCTCE146	19	CDD1/2	171	CS6/10	15	DCPL167-2BG-ETP	33	DCTCE157	15	DR
BUD-DCTCE147	19	CDD1/3	171	CS/10	15	DCPL167-2BG	33	DCTCE158	15	DR
BUD-DCTCE157	19	CDD1/4	171	CS70	235	DCPL167-2BG-ETP	33	DCTCE159	15	DR
BUD-DCTCE166	19	CDD1/6	171	CSB075NJEG	235	DCPL166-2BD	33	DCTCE160	15	DR
BUD-DCTCE167	19	CDD2/1	171	CSR/16	48	DCPL186-2BG	33	DCTCE161	15	DR
BUD-DCTCE186	19	CDD2/3	171	CSR/18	48	DCPL186-2BG-ETP	33	DCTCE162	15	DR
BUD-DCTCE187	19	CD-GH-818	137	CSR/20	48	DCPL187-2BD	33	DCTCE163	15	DR
BUD-DCTCE206	19	CDR-1	90, 229	CT 1758TD	113	DCPL187-2BD-ETP	33	DCTCE164	15	DR
BUD-DCTCE207	19	CDR-2	90, 229	CT 1760TD	113	DCPL187-2BG	33	DCTCE165	15	DR
BUD-ETPL83	63	CF4-78ET	339	CTR11000	175	DCPL187-2BG-ETP	33	DCTCE166	15	DR
BUD-ETPL84	63	CF4-78GP	338	CTR12000	175	DCPL206-2BD	33	DCTCE167	15	DR
BUD-ETPL103	63	CF0380-37	388	CTR13000	175	DCPL206-2BD-ETP	33	DCTCE168	15	DR
BUD-ETPL104	63	CF0380-50	388	CTR14000	175	DCPL206-2BG	33	DCTCE169	15	DR
BUD-ETPL123	63	CH11000	171	CTR16000	175	DCPL206-2BG-ETP	33	DCTCE170	15	DR
BUD-ETPL124	63	CH12000	171	CTR19000	175	DCPL207-2BD	33	DCTCE171	15	DR
BUD-ETPL143	63	CH13000	171	CTR21000	175	DCPL207-2BD-ETP	33	DCTCE172	15	DR
BUD-ETPL144	63	CH14000	171	CTRE11000	175	DCPL207-2BG	33	DCTCE173	15	DR
BUD-ETTU104	63	CH16000	171	CTRE12000	175	DCPL207-2BG-ETP	33	DCTCE174	15	DR
BUD-ETTU124	63	CH21000	171	CTRE13000	175	DCPLV128-1BD	37	DCTCE175	15	DR

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

## Pièces détachées

### ▼ PIÈCES DÉTACHÉES POUR ARRIÈRES DE BAR

DÉSIGNATION	RÉF.	€	DÉSIGNATION	RÉF.	€
<b>Compresseurs</b>					
Compresseur LG modèle CMA098NHEM (R600A) pour BBT350, BBC330S	CMA098NHEM	266	Joint de porte pour BBD230, BBT350	BBT350L.28	8,80
Compresseur LG modèle CSB075NJEG (R600A) pour BBS130, BBD230, BBC208S	CSB075NJEG	153	Joint de porte pour BBS130	BBS130L.25	14,40
<b>Condenseurs</b>					
Condenseur pour BBC208S, BBD230	BBD230L.08	59	<b>Portes vitrées</b>		
Condenseur pour BBC330S, BBT350	BBT350L.09	53	Porte vitrée battante droite pour BBD230, BBT350	BBD230L.25.1	222
Condenseur pour BBS130	BBS130L.07	59	Porte vitrée battante gauche pour BBD230, BBT350	BBD230L.25	222
<b>Évaporateurs</b>					
Évaporateur pour BBC208S	BBD230S.47	117	Porte vitrée battante pour BBS130	BBS130L.24	222
Évaporateur pour BBC330S, BBT350	BBT350L.53	141	Porte vitrée coulissante pour BBC208S	BBD230S.26	205
Évaporateur pour BBS130	BBS130L.47	117	Porte vitrée coulissante avec serrure pour BBC208S	BBD230S.26.1	205
			Porte vitrée coulissante gauche pour BBC330S	BBT350S.26.1	222
			Porte vitrée coulissante droite pour BBC330S	BBT350S.26.3	222
			Porte vitrée coulissante milieu pour BBC330S	BBT350S.26.2	222
			<b>Roulette</b> pour porte coulissante pour BBC208S, BBC330S	BBD230S.26.01	1,70
			Thermostat DIXELL XR02CX pour BBS130, BBD230, BBT350, BBC208S, BBC330S	XR02CX	158

Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Compressor, TEE, TURK ELEKTRIK ,  
R600a, MTS200MT, MTS170MT, MTS185MT

Category: compressor

written by Lilianne | 8 February 2022



Compressor, TEE, TURK ELEKTRIK , R600a, MTS200MT, MTS170MT, MTS185MT

Mbsm.pro, Donper, Hermetic,  
Compressor , R600a, Lj126Cy,  
lu126cy1, 1/3 Hp, R600a

Category: compressor

written by Lilianne | 8 February 2022





Private Picture Copyright : [WWW.MBSM.PRO](http://WWW.MBSM.PRO)

Mbsm.pro, Donper, Hermetic, Compressor , R600a, Lj126Cy, lu126cy1, 1/3 Hp, R600a