

**Mbsm.pro, Samsung, inverter,
BlDC, Compressor, variable
speed, ENV4A5G-L2B, 1/5 Hp,
R600a, ENV4A5GL2J/ASH,
ENV4A5GL2J, ENV4A5G-L2J, 1/4
hp, LBP, From 1650 rpm to
3600 rpm, from 127 to 271
kcal/hr, from 78 w to 193 w,
from 504 to 1076 BTU**

written by Lilianne | 22 March 2024



Mbsm.pro, Samsung, inverter, Blcd, Compressor, variable speed, ENV4A5G-L2B, 1/5 Hp, R600a, ENV4A5GL2J/ASH, ENV4A5GL2J, ENV4A5G-L2J, 1/4 hp , lbp, From 1650 rpm to 3600 rpm, from 127 to 271 kcal/hr, from 78 w to 193 w, from, 504 to 1076 btu

**Mbsm.pro, R134A, 50Hz/ 60Hz,
Samsung, Refrigerator,
Compressor, SD152H, 1/6 hp,**

SD162H, 1/5 hp, 1bp

written by Lilianne | 22 March 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, R134A, 50Hz/ 60Hz, Samsung, Refrigerator, Compressor, SD152H, 1/6 hp, SD162H, 1/5 hp, 1bp

Mbsm.pro, Refrigerator, No

**frost, RT32K510058, SAMSUNG,
16 feet, 320L, MADE IN
THAILAND, Compressor, 1/5 hp,
1bp, R-600a, 50 g (1.76 oz.)**

written by Lilianne | 22 March 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Refrigerator, No frost, RT32K510058, SAMSUNG, 16 feet, 320L, MADE IN THAILAND, Compressor, 1/5 hp, 1bp, R-600a, 50 g (1.76 oz.)

Mbsm.pro, Samsung, SK183B-L2W, Compressor, 1/3 hp, Lbp, r134a, 236 W, 806 btu, 203 kcal/h, 220 v 50 hzt, lra 9.4 a

written by Lilianne | 22 March 2024



SAMSUNG

SK183B-L2W-DOT

220V-60Hz

9.4 LRA

1PH THERMALLY PROTECTED

R-134a



0696CCAN702882

MADE IN KOREA

Mbsm.pro, Samsung, SK183B-L2W, Compressor, 1/3 hp, Lbp, r134a, 236 W, 806 btu, 203 kcal/h, 220 v 50 hzt

Compressor, Samsung, MSA182Q-L2H, 1/3 hp, Lbp, 264 Kcal, 307 W, 1048 Btu, r134a, refrigerator, RT72SBPN, 1.3 A, 554 L, 2 Doors

written by Amina | 22 March 2024



Compressor, Samsung, MSA182Q-L2H, 1/3 hp, Lbp, 264 Kcal, 307 W, 1048 Btu, r134a, refrigerator, RT72SBPN, 1.3 A, 554 L, 2 Doors

Refrigeration, Compressor, 1/10 HP, R-134A, Samsung, CD130C-L1Z2

written by Amina | 22 March 2024



Private Picture Copyright : WWW.MBSM.PRO

Refrigeration, Compressor, 1/10 HP, R-134A, Samsung, CD130C-L1Z2

**Mbsm.pro, Compressor,
Samsung, Nc4av80a1r, 1/4 hp,
Displacement 8.08cc,
Inverter, type Nc, R600a,
Lbp, serie AV, Blcd Control 9
slot**

written by Lilianne | 22 March 2024



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, Samsung, Nc4av80alr, 1/4 hp, Displacement 8.08cc, Inverter, type Nc, R600a, Lbp, serie AV, Bldc Control 9 slot

Mbsm.pro, Compresor, Samsung, HK6A3C2W, R134a, 1/3 hp++, 690 w , hbp, SDxx-SKxx-HKxx Series

written by Lilianne | 22 March 2024

VOLTAGE	MODEL	TYPE	[V-Hz]	COOLING CAPACITY				EFF		EER		TYPE
				Kcal/Hr	Watt	BTU/Hr	W	Kcal/W/hr	W/W	BTU/W/hr		
AC 100V-50/60Hz	SD652E-S2W2	CSR	100-50	450	523	1,787	230	1.96	2.28	7.77	FC	
			100-60	550	640	2,184	262	2.10	2.44	8.33		
	HK690E2W	CSR	100-50	780	907	3,097	390	2.00	2.33	7.94	FC	
			100-60	950	1,105	3,772	445	2.13	2.48	8.48		
AC 115V-60Hz	HK6A3E2W	CSR	100-50	HK6A	1,221	4,169	577	1.82	2.12	7.22	FC	
			100-60	1,250	1,453	4,963	644	1.94	2.26	7.71		
	SD643C-H2U2	RSCR	115-60	450	523	1,787	220	2.05	2.38	8.12	FC	
			115-60	550	640	2,184	262	2.10	2.44	8.33		
SK670C-H2Y		RSIR	115-60	720	837	2,858	390	1.85	2.15	7.33	FC	
			115-60	830	965	3,295	460	1.80	2.10	7.16		
SK6A1C-H2Y		RSIR	115-60	1,080	1,256	4,288	630	1.71	1.99	6.81	FC	
			115-60	750	872	2,978	370	2.03	2.36	8.05		
HK680C2Z		RSIR	115-60	850	988	3,375	430	1.98	2.30	7.85	FC	
			115-60	950	1,105	3,772	490	1.94	2.25	7.70		
HK6A1C2U	RSCR	115-60	1,090	1,267	4,327	545	2.00	2.33	7.94	FC		
		115-60	1,250	1,453	HK6A	690	1.81	2.11	7.19			
AC 220V-60Hz	SD643B-H2U2	RSCR	220-60	450	523	1,787	220	2.05	2.38	8.12	FC	
			220-60	480	558	1,906	238	2.02	2.35	8.01		
	SD652B-S2W2	CSR	220-60	550	640	2,184	255	2.16	2.51	8.56	FC	
			220-60	570	663	2,263	270	2.11	2.45	8.38		
	SK670B-H2U	RSCR	220-60	720	837	2,858	330	2.18	2.54	8.66	FC	
			220-60	830	965	3,295	405	2.05	2.38	8.14		
	SK6A1B-S2W	CSR	220-60	1,080	1,256	4,288	560	1.93	2.24	7.66	FC	
			220-60	750	872	2,978	370	2.03	2.36	8.05		
	HK680B2Z	RSIR	220-60	850	988	3,375	430	1.98	2.30	7.85	FC	
			220-60	950	1,105	3,772	490	1.94	2.25	7.70		
	HK690B2Z	RSIR	220-60	950	1,105	3,772	490	1.94	2.25	7.70	FC	
			220-60	1,090	1,267	4,327	520	2.10	2.44	8.32		
	HK6A1B2W	CSR	220-60	1,090	1,267	4,327	520	2.10	2.44	8.32	FC	
			220-60	1,250	1,453	4,963	650	1.92	HK6A	7.63		
	AC 220-240V-50Hz	SD643Q-H2Z2	RSIR	230-50	370	430	1,469	197	1.88	2.18	7.46	FC
				230-50	450	523	1,787	220	2.05	2.38	8.12	
SK670Q-H2S		CSIR	230-50	600	698	2,382	310	1.94	2.25	7.68	FC	
			230-50	595	692	2,362	310	1.92	2.23	7.62		
SK682Q-H2Z		RSIR	230-50	700	814	2,779	365	1.92	2.23	7.61	FC	
			230-50	900	1,047	3,573	480	1.88	2.18	7.44		
SK6A1Q-S2S		CSIR	230-50	900	1,047	3,573	480	1.88	2.18	7.44	FC	
			220-50	610	709	2,422	305	2.00	2.33	7.94		
HK672Q2Z		RSIR	220-50	700	814	2,779	350	2.00	2.33	7.94	FC	
			220-50	780	907	3,097	380	2.05	2.39	8.15		
HK6A1Q2Z		RSIR	220-50	910	1,058	3,613	465	1.96	2.28	7.77	FC	
			220-50	1,050	1,221	4,169	535	1.96	2.28	7.79		

COOLING TYPE FC : Fan cooling OC : Oil cooling	MOTOR TYPE RSIR : Resistance Start Induction Run RSCR : Resistance Start Capacitor Run	ASHRAE CONDITIONS (HBP) Evaporating Temp. : 7.2°C (45°F) Condensing Temp. : 54.4°C (130°F)	UNIT CONVERSION TABLE 1 watt = 3.41 Btu/Hr 1 watt = 0.86 Kcal/Hr
---	---	---	---

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compresor, Samsung, HK6A3C2W, R134a, 1/3 hp++, 690 w , hbp, SDxx-SKxx-HKxx Series

Compressor Mk183g-l2u

written by Lilianne | 22 March 2024



Mbsm.pro, Compressor, Samsung, mk183g-l2u, series MK, 1/3 hp, 236 w, Lbp, 203 KCL, 806 BTU, r134a, 3.8 cc, 220-240V ~ 50Hz, Low Back Pressure, compressor static without fan, PTC-RSCR (Optional RSIR)

**Mbsm.pro, compressor,
MSV4A1A-L1B, inverter, Blcdc,**

1/5 hp, Samsung , 168 w

written by Lilianne | 22 March 2024



Mbsm.pro, compressor, MSV4A1A-L1B, inverter, Blcdc, 1/5 hp, Samsung , 168 w