

2KC-05.2Y	40	3850	3520	2920	2390	1940	1540	1200	900	650	435	255	1000
2JC-07.2Y	40	5180	4740	3950	3260	2660	2130	1680	1290	960	675	440	240
2HC-1.2Y	40				4090	3340	2700	2140	1650	1240	890	595	345
2HC-2.2Y	40	6620	6070	5060	4190	3430	2760	2190	1700	1270	915	610	
2GC-2.2Y	40	7540	6910	5780	4790	3930	3190	2450	1990	1520	1110	775	490
2FC-2.2Y	40				5950	4900	3980	3190	2500	1920	1420	1000	650
2FC-3.2Y	40	9450	8670	7250	6020	4950	4010	3210	2520	1930	1420	1000	
2EC-2.2Y	40				7270	5980	4860	3900	3060	2350	1750	1240	810
2EC-3.2Y	40	11620	10660	8930	7420	6100	4960	3970	3120	2390	1770	1250	
2DC-2.2Y	40				8490	6980	5670	4530	3560	2720	2020	1420	920
2DC-3.2Y	40	13510	12390	10380	8610	7080	5750	4600	3610	2760	2040	1430	
2CC-3.2Y	40				10510	8650	7040	5640	4440	3420	2550	1810	1200
2CC-4.2Y	40	16470	15110	12660	10520	8660	7050	5650	4450	3420	2540	1810	
4FC-3.2Y	40				11560	9520	7740	6200	4880	3750	2790	1980	1310
4FC-5.2Y	40	18240	16740	14026	11650	9580	7790	6240	4900	3760	2790	1970	
4EC-4.2Y	40				1440	11870	9650	7720	6070	4650	3450	2440	1590
4EC-6.2Y	40	23150	21250	17780	14750	12120	9840	7860	5160	4700	3470	2420	
4DC-5.2Y	40				17650	14520	11810	9460	7440	5720	4250	3010	1980
4DC-7.2Y	40	27500	25200	21100	14790	14350	11630	9270	7250	5510	4040	2800	
4CC-6.2Y	40				21100	17420	14200	11420	9030	6930	5240	3770	2540
4CC-9.2Y	40	32850	30150	25300	21100	17410	14210	11440	9050	7000	5250	3700	
4VCS-6.2Y	40				22750	18670	15140	12090	9470	7230	5320	3720	2380
4VCS-10.2Y	40	36100	33100	27600	22850	18680	15070	11950	9260	6960	5000	3350	
4TCS-8.2Y	40				27750	22800	18480	14760	11560	8830	3520	4580	2960
4TCS-12.2Y	40	43500	39580	33300	27550	22600	18260	14530	11320	8590	6270	4320	
4PCS-10.2Y	40				32300	26500	21500	17130	13400	10220	7520	5240	3350
4PCS-15.2Y	40	52200	47850	39950	33050	27050	21850	17360	13490	10190	7390	5020	
4NCS-12.2Y	40				37300	30600	24800	19810	15510	11840	8740	6120	3950
4NCS-20.2Y	40	60500	55400	46250	38200	31250	25200	20000	15530	11730	8510	5820	
4J-13.2Y	40				42800	35250	28700	23000	18150	14000	10470	7500	5020
4J-22.2Y	40	67100	61500	51500	42700	35100	25800	22800	17870	13670	10110	7120	
4H-15.2Y	40				49850	41150	33600	27100	21500	16730	12660	9420	6380
4H-25.2Y	40	77400	71000	59500	49400	409650	33000	26450	20800	19530	11800	8320	
4G-20.2Y	40				57200	47300	38700	31200	24800	19250	14540	10540	7160
4G-30.2Y	40	98100	81800	68600	57000	47000	38250	30700	24200	18610	13860	9850	
6J-22.2Y	40				63800	52600	42800	34350	27100	20900	15640	11210	7510
6J-33.2Y	40	101500	93000	77700	64300	52700	42600	33900	26400	20050	14640	10110	
6H-25.2Y	40				74000	61600	50200	40400	31900	24700	18590	13440	9130
6H-35.2Y	40	116300	1E+06	89300	74100	60900	49450	39600	31100	23800	17670	12480	
6G-30.2Y	40				84000	69300	56600	45500	36050	27900	21000	15130	10210
6G-40.2Y	40	133440	122400	102700	85400	70300	57300	46000	36300	28000	20900	14940	
6F-40.2Y	40				100900	83100	67600	54300	42800	32950	24600	17570	11680
6F-50.2Y	40	157900	145000	121700	101300	83600	68300	55000	43600	3850	25600	18620	
8GC-60.2Y	40	188400	173100	145400	121200	10000	81500	65400					

8FC-70.2Y	40	223000	204900	172100	143500	118400	96500	77400					
-----------	----	--------	--------	--------	--------	--------	-------	-------	--	--	--	--	--



Copyright : WWW.MBSM.PRO



Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Copyright : WWW.MBSM.PRO



Private Picture Copyright : WWW.MBSM.PRO



Copyright : WWW.MBSM.PRO

Mbsm_dot_pro_private_PDF_2DC-2.2Y-40S

Mbsm.pro, Compressor, semi-hermetic, piston, Q4-24.1Y, Q4-24.1y1000, 4 hp, lbp

written by Lilianne | 31 March 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, semi-hermetic, piston, Q4-24.1Y,
Q4-24.1y1000, 4 hp, lbp