

**Mbsm.pro, compressor,
cae2412y, Tecumseh, 1/3 hp,
306 w, 236 kcal/h, 1043
btu/h, Lbp, r134a**

written by Lilianne | 27 May 2022



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, compressor, cae2412y, Tecumseh, 1/3 hp, 306 w, 236 kcal/h, 1043 btu/h, Lbp, r134a

Mbsm.pro, Compressor, awa5520exd, Tecumseh, 2 HP, 208-230V, 1 PH, 18,800 BTU, R22, Hermetic (Reciprocating) Compressor Replacement

written by Lilianne | 27 May 2022



Mbsm.pro, Compressor, awa5520exd, Tecumseh, 2 HP, 208-230V, 1 PH, 18,800 BTU, R22, Hermetic (Reciprocating) Compressor Replacement

Mbsm.pro, Hermetic,

Compressor, Tecumseh, ACJ9480T, 5/8CV++ or 1/2 hp- , Medium/High Back Pressure, r22, capillarie 0.055, 1.5 m

written by Lilianne | 27 May 2022



Mbsm.pro, Hermetic, Compressor, Tecumseh, CAJ9480T, 5 / 8CV++
or 1/2 hp , Medium/High Back Pressure, r22, capillarie 0.044,

**Mbsm.pro, Compressor,
Tecumseh, AW704ET-094-A4,
AWG5522EXN, 2 HP,
RECIPROCATING Compressor,
200-208-220-230/60-50/1,
R-22, 28000 btu/h**

written by Lilianne | 27 May 2022



Mbsm.pro, Compressor, Tecumseh, AW704ET-094-A4, AWG5522EXN, 2
HP, RECIPROCATING Compressor, 200-208-220-230/60-50/1, R-22,
28000 btu/h

**Mbsm.pro, Compressor,
AJ220FT-206-J7, High
Temperature, 1 1/2 hp, 1.5**

hp, 19000 btu/h, r22, AJA5519EXD, TECUMSEH

written by Lilianne | 27 May 2022

R22 Compressor Reciprocating										
High/Commercial Temperature Rated @ 45°F										
AE4430E-DS1A	AE1320E-212-J7	115-127/60/1	1/3	CSIR	High	3200	5/16 ODF	1/4 ODF	22	
AE4440E-DS1A	AE1483E-209-J7	115-127/60/1	1/3	CSIR	High	4,000	5/16 ODF	1/4 ODF	24	
AE4450E-DS1B	AE1363E-209-J7	115-127/60/1	1/2	CSIR	High	5100	5/16 ODF	1/4 ODF	24	
AE4456E-DS1B	AE1364E-214-J7	115-127/60/1	1/2	CSIR	High	5800	3/8 ODF	1/4 ODF	25	
R22 Compressor Reciprocating (model begins with "A") and Rotary (model begins with "R")										
High Temperature and A/C Rated @ 45°F										
RG5460EXA	RG121AR-001-J7LN	115/60/1	1/2	PSC	Normal	6,000	3/8 ODF	5/16 ODF	25	
AKA5470EXA*	AK120AT-004-J7	115/60/1	1/2	PSC	Normal	7,000	3/8 ODF	1/4 ODF	37	
RG5480EXA	RG151AR-003-J7LN	115/60/1	3/4	PSC	Normal	8,000	3/8 ODF	5/16 ODF	26	
AKA5483EXA*	AK130AT-004-J7	115/60/1	3/4	PSC	Normal	8,300	3/8 ODF	1/4 ODF	36	
AKA5483EXD*	AK130ET-004-J7	208-230/60/1	3/4	PSC	Normal	8,300	3/8 ODF	1/4 ODF	37	
RKA5490EXD	RK124ET-020-J7	208-230/60/1	3/4	PSC	Normal	9,100	1/2 ODF	5/16 ODF	28	
RKA5490EXV	RK124JB-020-J7	265/60/1	3/4	PSC	Normal	9,100	1/2 ODF	5/16 ODF	28	
RKA5490EXA	RK124AT-020-J7	115/60/1	3/4	PSC	Normal	9,200	1/2 ODF	5/16 ODF	28	
RG5510EXA	RG181AR-006-J7LN	115/60/1	1	PSC	Normal	10,000	1/2 ODF	5/16 ODF	27	
AKA5510EXA*	AK100AT-004-J7	115/60/1	1	PSC	Normal	10,000	3/8 ODF	1/4 ODF	38	
AKA5510EXD*	AK100ET-004-J7	208-230/60/1	1	PSC	Normal	10,000	3/8 ODF	1/4 ODF	38	
AKA5510EXV*	AK100JB-004-J7	265/60/1	1	PSC	Normal	10,000	3/8 ODF	1/4 ODF	37	
AKA5511EXA*	AK110AT-004-J7	115/60/1	1	PSC	Normal	11,000	3/8 ODF	1/4 ODF	38	
RKA5512EXA	RK147AT-021-J7	115/60/1	1	PSC	Normal	11,700	1/2 ODF	5/16 ODF	33	
RKA5512EXD	RK147ET-021-J7	208-230/60/1	1	PSC	Normal	11,700	1/2 ODF	5/16 ODF	30	
RKA5512EXV	RK147JB-021-J7	265/60/1	1	PSC	Normal	11,750	1/2 ODF	5/16 ODF	30	
AKA5512EXA*	AK111AT-004-J7	115/60/1	1	PSC	Normal	12,000	3/8 ODF	1/4 ODF	38	
AKA5512EXD*	AK111ET-004-J7	208-230/60/1	1	PSC	Normal	12,000	3/8 ODF	1/4 ODF	37	
AKA5512EXV*	AK111JB-004-J7	265/60/1	1	PSC	Normal	12,000	3/8 ODF	1/4 ODF	39	
RKB5513EXA	RK160AT-024-J7	115/60/1	1	PSC	Normal	13,000	3/8 ODF	5/16 ODF	30	
RKA5513EXD	RK157ET-021-J7	208-230/60/1	1	PSC	Normal	13,200	1/2 ODF	5/16 ODF	28	
AJB5515EXD*	AJ600FT-205-J7	208-230/60/1	1 1/4	PSC	Normal	15,000	1/2 ODF	5/16 ODF	49	
AJB5515EXV*	AJ600JB-205-J7	265/60/1	1 1/4	PSC	Normal	15,000	1/2 ODF	5/16 ODF	48	
AWG5515EXN	AW700ET-111-J7	208-230/60/1	1 1/4	PSC	Normal	15,200	1 1/4 RL	7/16 ODF	63	
AWG5515EXN	AW700ET-129-J7	208-230/60/1	1 1/4	PSC	Normal	15,200	5/8 ODF	3/8 ODF	63	
AWG5515EXT	AW700RT-121-J7	200-230/60/3	1 1/4	3 PH	3 PH	15,500	7/8 ODF	3/8 ODF	61	
RKA5515EXD	RK222ET-022-J7	208-230/60/1	1 1/4	PSC	Normal	15,500	5/8 ODF	5/16 ODF	30	
RKA5515EXV	RK222JB-022-J7	265/60/1	1 1/4	PSC	Normal	15,500	5/8 ODF	5/16 ODF	30	
RKC5515EXA	RK225AT-026-J7	115/60/1	1 1/4	PSC	Normal	15,500	1/2 ODF	3/8 ODF	28	
AWF5516EXN	AW500ET-089-J7	208-230/60/1	1 1/2	PSC	Normal	16,300	3/4 ODF	3/8 ODF	64	
AJA5517EXD*	AJ210FT-206-J7	208-230/60/1	1 1/2	PSC	Normal	16,600	1/2 ODF	5/16 ODF	51	
RKA5518EXD	RK233ET-022-J7	208-230/60/1	1 1/2	PSC	Normal	17,700	5/8 ODF	5/16 ODF	33	
AJA5518EXV*	AJ200JB-206-J7	265/60/1	1 1/2	PSC	Normal	18,500	1/2 ODF	5/16 ODF	53	
AJA5519EXD*	AJ220FT-206-J7	208-230/60/1	1 1/2	PSC	Normal	19,300	1/2 ODF	5/16 ODF	50	

*These models are not heat pump approved, A/C only

RL = Roto Lock

Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, AJ220FT-206-J7, High Temperature, 1 1/2 hp, 1.5 hp, 19000 btu/h, r22, AJA5519EXD, TECUMSEH

Mbsm.pro, Compressor,
THK1365YGS, NL6FT, 550 Btu/h,
1/5 hp, Lbp, r134a, TECUMSEH,

168 w, TH865JF-010-BA4, MFSATH865CAA00

written by Lilianne | 27 May 2022



Mbsm.pro, Compressor, THK1365YGS, NL6FT, 540 Btu/h, 1/6 hp, Lbp, r134a, TECUMSEH, 128 w, TH865JF-010-BA4, MFSATH865CAA00

Mbsm.pro, Compressor, AE820et-900-a4, AEA2411ZXD, Tecumseh, 1/3 HP, 115V, 1600 BTU, R404A, Hermetic, AE2 Compressor, lbp

written by Lilianne | 27 May 2022



Mbsm.pro, Compressor, AE820et-900-a4, AEA2411ZXD, Tecumseh, 1/3 HP, 115V, 1600 BTU, R404A, Hermetic, AE2 Compressor, lbp

Mbsm.pro, Compressor,

**Tecumseh, TPG1390YMR, 805
btu/h, 236w, 1/3hp, LBP, Low
Back Pressure, R134a,
208-230V ~ 60Hz, 220-240V ~
50Hz, Reciprocating
Compressor, TP143-MR-232-B8**

written by Lilianne | 27 May 2022



Mbsm.pro, Compressor, Tecumseh, TPG1390YMR, 805 btu/h, 236w,
1/3hp, LBP, Low Back Pressure, R134a, 208-230V ~ 60Hz,
220-240V ~ 50Hz, Reciprocating Compressor, TP143-MR-232-B8

**Mbsm.pro, Compressor,
Tecumseh, AEZ4440Z, 1/3 hp
++, BIG++, HBP, R404A, 220 –
240V, 50 Hz, 1 phase,
discharge: 6.69 cm³, oil
type: POE, oil charge: 280
cm³, CSIR, 876 W, start**

capacitor: 125 uF/250V

written by Lilianne | 27 May 2022



Mbsm.pro, Compressor, Tecumseh, AEZ4440Z, 1/3 hp ++, BIG++, HBP, R404A, 220 – 240V, 50 Hz, 1 phase, discharge: 6.69 cm³, oil type: POE, oil charge: 280 cm³, CSIR, 876 W, start capacitor: 125 uF/250V

**Mbsm.pro, Compressor,
SE-409-12, Pn2881, SE409-12,
R12, 208-230/60/1, 896
BTtu/h, 1/4 Hp, LBp, 1.4 Fla,
8.6 Lra, tecumseh,
competitive, cross**

written by Lilianne | 27 May 2022



Private Picture Copyright: WWW.MBSM.PRO

Mbsm.pro, Compressor, SE-409-12, Pn2881, SE409-12, R12, 208-230/60/1, 896 BTtu/h, 1/4 Hp, LBp, 1.4 Fla, 8.6 Lra, tecumseh, competitive, cross