

**Compressor, NL7.3FT, SECOP,  
105G6726, DANFOSS, 6726,  
105G, 105 G 6726, 105G 6726,  
1/5 HP, 180W, LBP, Zanussi,  
Kiriazi Electric Company, TGV  
335L, NO FROST, TSV 320L, FC  
83L , R134A, 125G, 220-240V  
50Hz, CSIR**

written by Lilianne | 16 February 2021

R134a is a low pressure refrigerant, very efficient for high temperature applications.

This makes it ideal in air conditioning applications that may leak refrigerant like car air conditioning.

Now it is being phased out because of its high global warming potential and replaced by R134

R404a is a high pressure refrigerant ideal for applications in low and medium temperature.

You want low pressure refrigerants in household applications like refrigerators that may be inside kitchens with (possible) high ambient temperature, so you make sure nothing will blow up. For the same reason you want R134a in your car air conditioning.

R404a instead has pressures slightly above atmospheric in low temperature applications where R134a would have negative pressures and its heat transmission coefficients would be much lower.

<b>Type de gaz</b>	<b>App</b>	<b>HP</b>	<b>Watt</b>	<b>Modèle</b>	<b>TL</b>
<b>R134A</b>	<b>LBP</b>	<b>1/6</b>	<b>134</b>	<b>TLY5.1FK</b>	
<b>R134A</b>	<b>LBP</b>	<b>1/4</b>	<b>183</b>	<b>TLES7FT.4</b>	
<b>R134A</b>	<b>LBP</b>	<b>1/5</b>	<b>156</b>	<b>NL6FT.2</b>	<b>NL</b>
<b>R134A</b>	<b>LBP</b>	<b>1/5</b>	<b>185</b>	<b>NL7.3FT (RSIR)</b>	
<b>R134A</b>	<b>LBP</b>	<b>+ 1/4</b>	<b>219</b>	<b>NL9FT.2 (RSIR)</b>	
<b>R134A</b>	<b>LBP</b>	<b>1/4</b>	<b>185</b>	<b>NL7.3FT (CSIR)</b>	
<b>R134A</b>	<b>LBP</b>	<b>+ 1/4</b>	<b>219</b>	<b>NL9FT.2 (CSIR)</b>	
<b>R134A</b>	<b>LBP</b>	<b>1/3</b>	<b>284</b>	<b>NL10FT</b>	
<b>R134A</b>	<b>MBP</b>	<b>1/3</b>	<b>621</b>	<b>NL11MF</b>	
<b>R404A</b>	<b>LBP</b>	<b>1/3</b>	<b>433</b>	<b>NL7CLX</b>	
<b>R404A</b>	<b>LBP</b>	<b>1/3</b>	<b>471</b>	<b>NL8.4CLX</b>	
<b>R134A</b>	<b>LBP</b>	<b>1/4</b>	<b>187</b>	<b>NLY6F</b>	
<b>R134A</b>	<b>LBP</b>	<b>+ 4 / (1)</b>	<b>213</b>	<b>NLY7F</b>	
<b>R134A</b>	<b>LBP</b>	<b>1/3</b>	<b>237</b>	<b>NLY9FK</b>	
<b>R600A</b>	<b>LBP</b>	<b>+ 1/4</b>	<b>227</b>	<b>NLE13KTK.2</b>	
<b>R600A</b>	<b>LBP</b>	<b>1/3</b>	<b>253</b>	<b>NLE15KTK.2</b>	
<b>R600A</b>	<b>LBP</b>	<b>+ 1/4</b>	<b>225</b>	<b>NLX13KK.3</b>	
<b>R600A</b>	<b>LBP</b>	<b>1/3</b>	<b>254</b>	<b>NLX15KK.3</b>	

<b>R134A</b>	<b>LBP / MBP / HBP</b>	<b>1/3</b>	<b>264</b>	<b>SC12G</b>	<b>SC</b>
<b>R134A</b>	<b>LBP / MBP / HBP</b>	<b>1/2</b>	<b>392</b>	<b>SC18G</b>	
<b>R134A</b>	<b>LBP / MBP / HBP</b>	<b>3/4</b>	<b>456</b>	<b>SC21G</b>	
<b>R134A</b>	<b>MBP</b>	<b>3/4</b>	<b>1073</b>	<b>SC21MFX</b>	
<b>R134A</b>	<b>LBP</b>	<b>3/4</b>	<b>567</b>	<b>SC21FTX</b>	
<b>R404A</b>	<b>LBP</b>	<b>1</b>	<b>1033</b>	<b>ST21CL</b>	
<b>R404A</b>	<b>LBP</b>	<b>1</b>	<b>986</b>	<b>SC18CLX.2</b>	
<b>R404A</b>	<b>MBP</b>	<b>1/2</b>	<b>359/650</b>	<b>SC15MLX</b>	
<b>R404A</b>	<b>MBP</b>	<b>7/8</b>	<b>762/1584</b>	<b>SC18MLX</b>	

# KIRIAZI



# CE



ELECTRIC  
COMPANY

®

Product

No Frost Refrigerator

Class

T

Model

E 335N/3

Current / Amp.

1.1/~

Rated Voltage

220-240V/50HZ

Refrigerant

R 134a

125g

Rated input of lamp

1 x 25 W

Total Gross Volume

335 L

Ins : Basic

Type II

IPX4

Total Storge Volume

320 L

Freezing Capacity

4 kg/24hr

Freezer Capacity

83L

ES 6000 / 2008  
ES 3793 / 2006

Tow Door Ref.

Serial Number

Made in Egypt



REDMI NOTE 8  
AI QUAD CAMERA



● ○ REDMI NOTE 8  
∞ AI QUAD CAMERA





Mbsm\_dot\_pro\_private\_PDF\_NL7.3FTTélécharger  
Mbsm\_dot\_pro\_private\_PDF\_nl73ft\_105g6731\_r134a\_220v\_50hz\_11-20  
11\_desd406c102Télécharger

model	watt	HP	LBP /MBP	نوع كتر	توضيحات
SC12G	246	1/3	LBP/MBP	134	
SC18G	392	1/2	LBP/MBP	134	
SC21G	456	3/4	LBP/MBP	134	
SC21MFX	1073	3/4	MBP	134	جنيگزين SC21G
SC21FTX	567	3/4	LBP	134	جنيگزين SC21G
SC12CL	629		LBP	404	
SC15CL	782		LBP	404	
SC18CLX.2	986		LBP	404	
TLS5FT(PTC)	134	1/6	LBP	134	
TLES5.7FT(PTC)	163	1/5	LBP	134	
TLES6.5FT(PTC)	183	1/4	LBP	134	سفن NL7
NL6FT.2(PTC)*	156	1/5	LBP	134	
NL7FT.2(PTC)*	185	1/4	LBP	134	
NL9FT.2(PTC)*	219	1/4+	LBP	134	
NL10FT	284	1/3	LBP	134	جنيگزين SC12G (پارنه و سفلن)
NL11MF	621	1/3	MBP	134	جنيگزين SC12G (پارنه و سفلن)
NL7CLX	433		LBP	404	
NL8.4CLX	471		LBP	404	
NL7.3MF	393		MBP	134	
NL8.4MF	455		MBP	134	
NLY6F	187		LBP	134	سفن NL7 - High efficiency (٢٤٪)
NLY7F	213		LBP	134	سفن NL8 - High efficiency (٢٤٪)
NLY9FK	237		LBP	134	High efficiency (٢٤٪)
BD50F	72		LBP/MBP	134	
BD350GH	167		LBP/MBP	134	
GS21MLX	2200		MBP	404	
GS26CLX	1430		LBP	404	
GS34CLX	2072		LBP	404	
GS26MLX	2866		MBP	404	
GS34MLX	3726		MBP	404	

(LBP @ -33.3°C ASHRAE) زير سفلر  
(MBP @ -8.7°C ASHRAE) بالا سفلر