

MBSM.PRO , HYE69YL , Compressor (LBP) , China R134a , Huayi Compressor Co. , Ltd, 69 YL , 1/4 Hp , 168Kcal , 220V

written by Jamila | 6 October 2018

MBSM.PRO , HYE69YL , Compressor (LBP) , China R134a , Huayi
 Compressor Co. , Ltd, 69 YL , 1/4 Hp , 168Kcal , 220V

Test conditions	According to ASHRAE
Evaporating temperature	-23.3[°C]
Condensing temperature	54.4[°C]
Subcooling temperature	32.2[°C]
Suction temperature	32.2[°C]
Ambient temperature	32.2[°C]
Working condition limit:R134a	
Max ambient temperature	43[°C]
Evaporation temperature range	-35~-15[°C]
Working voltage range.	187~254/98~127[V]
Max discharge pressure	2.0[Mpa](gauge pressure)
Max allowable housing temperature	95[°C]
Max discharge temperature	125[°C]
Max pressure housing endured	2.7[Mpa](gauge pressure)

Low voltage start

0.4/0.4Mpa (gauge pressure) 187V/98V

Product model:HYE69YL

Cooling capacity:195W

COP[W/W]:1.15

Voltage[V]:220-240~

Frequency(Hz):50



Products

- R134a Compressor (LBP)
 - HYE Serie
 - HY Serie
 - HYB Serie
 - HYS Serie
 - R600a Compressor (LBP)
 - HYE Serie
 - HY Serie
 - HYB Serie
 - HYS Serie
 - R134a Compressor (MBP,HBP)
 - HY Serie
 - HYE Serie
- [Newest Catalog Download](#)



Product model:HYE69YL
 Cooling capacity:195W
 COP (W/W) :1.15
 Voltage (V) :220-240~
 Frequency(Hz):50

Test conditions	According to ASHRAE
Evaporating temperature	-23.3°C
Condensing temperature	54.4°C
Subcooling temperature	32.2°C
Suction temperature	32.2°C
Ambient temperature	32.2°C
Working condition limit:R134a	
Max ambient temperature	43[°C]
Evaporation temperature range	-35~-15[°C]
Working voltage range.	187~254/98~127[V]
Max discharge pressure	2.0[Mpa](gauge pressure)
Max allowable housing temperature	95[°C]
Max discharge temperature	125[°C]
Max pressure housing endured	2.7[Mpa](gauge pressure)
Low voltage start	0.4/0.4Mpa(gauge pressure)187V/98V



AE 1330 Y
1 / 12 HP



AE 1340 Y
1 / 6 HP



AE 1350 Y
1 / 6 HP



AE 1360 Y
1 / 5 HP



AE 1370 Y
1 / 4 HP



AE 1390 Y
1 / 4 HP





**Mbsm.pro , COMPRESSOR
TECUMSEH, CAJ4511Y, R134a,
HMBP (HBP – High Back
Pressure), 1 HP, 1PH, 220-240
VOLTS , High Start Torque
(HST) ,**

written by Jamila | 6 October 2018
Mbsm.pro , COMPRESSOR TECUMSEH,

L'unité hermetique Compressor


CAJ4511Y, R134a, HMBP(HBP – High Back Pressure), 1 HP, 1PH,
220-240 VOLTS , High Start Torque (HST)

Condensateur Perm./ Run capacitor : 15 µF / 400 V

Données techniques

- Modèle: **CAJ4511Y**
- Gaz: **R-134a**
- Température/Pression: **Haute Pression**
- Puissance: **1 HP**
- Voltage: **230 V**
- Type De Courant: **Monophasé**

- Fréquence: **50 Hz**
- Type De Compresseur: **Hermétique**
- Décalage: **32.7 cm³**
- Cons.Énergie -5°C: **920 W**
- Cons.Énergie 0°C: **1030 W**
- Cons.Énergie +5°C: **1140 W**
- Cons.Énergie +10°C: **1250 W**
- T° De Condensation: **55 °C**
- Capacidad Frigorífica -5°C: **1376 Kcal/h**
- Capacidad Frigorífica 0°C: **1737 Kcal/h**
- Capacidad Frigorífica 5°C: **2150 Kcal/h**
- Capacidad Frigorífica 7.2°C: **2347 Kcal/h**
- Capacidad Frigorífica 10°C: **2614 Kcal/h**
- Tipo Test: **EN.12900**



PictureS Mbsm Dot Pro : www.mbsm.pro



Mbsm.pro , VRV (Variable Réfrigérant Volume), الدليل الشامل في نظام التكييف ف-ر-ف

written by Jamila | 6 October 2018

Mbsm.pro , VRV (Variable Réfrigérant Volume), الدليل الشامل في نظام التكييف ف-ر-ف



Manuel complet dans le système VRV

Nous commençons avec une description du système VRV SYSTEM ..
et commençons la date et le chemin de ce système ..

Ce système a vu le jour au Japon après les découvertes et le développement de DAIKIN en 1982.

DAIKIN a été la première société à produire un compresseur à vis unique, à la base de ce système,
qui est un compresseur à vis, puis d'autres grandes entreprises ont commencé à imiter ce système.

Certains noms du système ont été modifiés, par exemple, certaines sociétés ont lancé ce
nouveau système VRF au lieu de VRV, car si certaines entreprises l'appellent VRF,
c'est parce qu'elles ne cherchent pas à faire croire au consommateur ou

au marché qu'il s'agit de la même production japonaise. Chaque lieu et la même technologie,
où que je sois, même si le nom était différent, comme nous l'avions dit.

Dans l'ensemble, ce système est très simple et ne diffère pas des méthodes ordinaires,
à l'exception de certains des ajouts qui le rendaient plus compliqué d'un peu plus facile,
plus efficace et plus efficace.

Je vais installer Dieu pour expliquer plus précisément et plus en détail ce système et
voici juste un bref historique du début de ce système.

La base de l'idée et de l'adoption de ce système

Le soi-disant BC CONTROLLER ..

BC CONTROLLER est une unité de contrôle composée de vannes à commande CC qui divisent le fréon et contrôlent l'acheminement du gaz


chaud aux unités internes en termes d'envoi de fréon froid ou de lanceur

à chaud à l'unité interne. C'est la différence entre ce système et les dispositifs.

Le BC CONTROLLER dispose de beaucoup de puissance de compression et vous pouvez envoyer le gaz chaud dans un lieu tout en envoyant le réfrigérant dans une autre pièce sans avoir

à inverser le cycle complet du gaz. Supposons qu'une personne dans la pièce A ait chaud.

Cette personne a son propre thermostat dans sa chambre contrôlée par le libre Voir seulement sa chambre ..



**Mbsm.pro , Compressor ACC
, Cubigel Huayi, Electrolux
ZEM, GP12TG, HMBP-R134a,
220-230V ,50/60Hz, 3.8 HP**

written by Jamila | 6 October 2018

Mbsm.pro , Compressor ACC ,Cubigel Huayi, Electrolux ZEM,
GP12TG, HMBP-R134a, 220-230V ,50/60Hz, 3.8 HP



**MBSM.PRO , Compressor,
Electrolux-Zem GL60AA R134A
,1/6 HP , 1PH , 220-240 V 50
Hz**

written by Jamila | 6 October 2018

MBSM.PRO , Compressor, Electrolux-Zem GL60AA R134A ,1/6 HP ,
1PH , 220-240 V 50 Hz



- Puissance en cheval 1/6 CV
- Cylindrée 5.99 cm³
- 220-240 V 50 Hz
- Gaz R134a LBP
- Température d'utilisation max. 32°C
- Avec boîtier et système de démarrage

La photo montre l'aspect du compresseur, pas son étiquette réelle

Codes fabricants

- ACC-GL60AA
- ACC-GL60AB
- ACC-GL60AH
- CUBIGEL-GL60AA
- CUBIGEL-GL60AB
- CUBIGEL-GL60AH
- MONDIAL ELITE-4106004
- MONDIAL ELITE-1147031
- Embraco Aspera- B1112Z



Mbsm_dot_pro_private_PDF_GL60AATélécharger
 Mbsm_dot_pro_private_PDF_-GL60AATélécharger



Type: Hermetic piston compressors**Producer: ACC****Series: HMBP**
Model: GL60AA

General data

Refrigerant:	R134a
Discharge element:	C
Cooling:	S
Maximum ambient temperature [°C]:	43

Compressor's data

Cylinder capacity [cm ³]:	6
Displacement [m ³ /h]:	1
Weight [kg]:	9,1
Oil charge [cm ³]:	265
Oil type:	ISO VG 19 ESTER

Engine's data

Engine type:	RSIR
Power [KM]:	1/6
Starting element:	LST
Power supply:	220V 50Hz
Voltage range:	187-264
Locked rotor current [A]:	9,9
Running winding resistance (25°C) [Ω]:	15,6
Starting winding resistance (25°C) [Ω]:	21,31

Electrical data

Relays:	3003
Shielding element:	MRA38028, T0508, AF18FU
Starting capacitor volume [μF]:	

Connections

	millimeters	inches
Suction tube:	6,5	
Service tube:	6,5	
Discharge tube:	4,9	

Mbsm.pro , Qb73c15gax5 ,R134a , Refrigeration Compressor ,1/4 Hp, Panasonic compressor catalogue, QB series , 1Ph , 220V 50Hz

written by Jamila | 6 October 2018



Mbsm.pro , Qb73c15gax5 ,R134a , Refrigeration Compressor ,1/4
Hp, Panasonic compressor catalogue, QB series , 1Ph , 220V
50Hz

Rated voltage / Frequency	Model	ASHRAE								Voltage range
		50Hz				60Hz				
		Capacity		COP - W/W		Capacity		COP - W/W		
		W	kcal/hr	RSIR	RSCR	W	kcal/hr	RSIR	RSCR	
220V 50Hz/60Hz	QB51C99GAX0	128	110	1.14	-	157	135	1.17	-	170V-250V 50Hz 187V-242V 60Hz
	QB57C11GAX0	146	126	1.18	-	175	151	1.22	-	
	QB66C16GAX0	165	142	1.20	-	200	172	1.27	-	
	QB77C18GAX0	202	174	1.21	-	224	193	1.27	-	
	QB91C24GAX0	236	203	1.19	-	255	219	1.22	-	
220V 50Hz	QB66C13GAX5	165	142	1.19	-					170V-250V
	QB73C15GAX5	185	159	1.19	-					
	QB77C18GAX5	202	174	1.22	-					
	QB91C19GAX5	236	203	1.25	-					



Rated voltage / Frequency	Model	ASHRAE								Voltage range
		50Hz				60Hz				
		Capacity		COP - W/W		Capacity		COP - W/W		
		W	kcal/hr	CSIR	RSCR	W	kcal/hr	CSIR	RSCR	
220V 50z/60Hz	QB110C25CAX0	273	235	1.18	-	279	240	1.19	-	170V-250V 50Hz 198V-242V 60Hz

PictureS Mbsm Dot Pro : www.mbsm.pro



PictureS Mbsm Dot Pro : www.mbsm.pro



Mbsm_dot_pro_private_PDF_Panasonic-compressor-catalogue-QB-seriesTélécharger

**Mbsm.pro , Fn77q17g , 1/4Hp ,
Electrostar , R12
Refrigerator Compressors ,**

220V/50-60Hz , 1Ph , for Refrigerator/Freezer

written by Jamila | 6 October 2018



Mbsm.pro , Fn77q17g , 1/4Hp , Electrostar , R12 Refrigerator Compressors , 220V/50-60Hz , 1Ph ,for Refrigerator/Freezer



- 1)S060LKAA OR equivalent in 1/10 HP
- 2)FN43Q88G OR equivalent in 1/8 HP
- 3)FN51Q10G OR equivalent in 1/6 HP
- 4)FN57Q12G OR equivalent in 1/5 HP
- 5)FN66Q14G OR equivalent in 1/5 HP Powerful
- 6)FN77Q17G OR equivalent in 1/4 HP
- 7)FN91Q20G OR equivalent in 1/4 HP Powerful
- 8)FN110Q24G OR equivalent in 1/3 HP



Mbsm.pro , Jx58lhs5-k , DAEWOO COMPRESSOR , FOR REFRIGERATOR , 1/5 Hp , 220/240 V , R134A

written by Jamila | 6 October 2018



Mbsm.pro , Jx58lhs5-k , DAEWOO COMPRESSOR , FOR REFRIGERATOR
, 1/5 Hp , 220/240 V , R134A



Description rapide

Point d'origine:

Gwangju, South Korea

Marque nom:

daewoo

Numéro de Type:

Jx58lhs5-k

Type:

Compresseur frigorifique

Application:

Pièces de réfrigération

Certification:

CE

alternatif:

compresseur

Capacité d'approvisionnement

Capacité d'approvisionnement:
30000 Piece/Pieces per Day

Emballage et livraison

Détails d'emballage
Palettisation

Port
Busan, Korea

Délai : :
4weeks

Specifications

DAEWOO COMPRESSOR FOR REFRIGERATOR

* **R134a/lbp**

-Origine: Corée

Nominale Tension [V-hz]	HP	Modèle	Moteur Type	Refroidissement Capacité [W]	Puissance Entrée [W]	COP [W/w]	Refroidissement Type
220/240-50	1/5	JX58LHS5-K	Rsir	163	145	1.12	ST
	1/4	HPL25YE-5-K	Rscr	203	171	1.19	ST
	1/3	HPL30YE-5-K	Rscr	257	207	1.24	ST

* Réduit la température du moteur

* Mise à jour pompe fiabilité

* Réduction de Bruit Niveau

* Amélioration de la capacité de protection

**Mbsm.pro, 1/5 HP ,170 w,
SL23YE-5, DAEW00, HERMETIC
COMPRESSOR ,Turkey
Refrigeration & Heat , R12**

written by Jamila | 6 October 2018

**Mbsm.pro, 1/5 HP ,170 w, SL23YE-5,
DAEW00, HERMETIC COMPRESSOR ,Turkey
Refrigeration & Heat , R12**



SL23YE-5
AC 20 240V 50Hz
LRA 7.74
THERMALLY PROTECTED
DAEWOO ELECTRONIC Co., Ltd.
MADE IN KOREA
9909021362



Picture5 Mbsm Dot Pro : www.mbsm.pro

Product Details

Company Profile

Inquiry Records(4)

Our Company is since 1969. All Refrigerant parts Trade. All refrigerants products import export. Air Condition Compressor, Other parts, Freezer Room parts, insulation, valve, all refrigerant, in Turkey...

Basic Information

Business Type: Trading Company, Distributor/Wholesaler
Product/Service (We Sell): Refrigerant Parts,Air COnditioner,Copper,Heat Exhancer,Refrigerator,Condensing Unit,Condenser,Compressor
Number of Employees: 11 - 50 People

Trade & Market

Main Markets: Eastern Europe,Southeast Asia,Africa,Mid East,Eastern Asia,Western Europe

Factory Information

Factory Location: Keresteci Recep Sk. No.10



Picture5 Mbsm Dot Pro : www.mbsm.pro

Item specifics

Place of Origin: Seoul South Korea

JX51LHS5: 1/6 - ST

Port: ISTANBUL

HSL21YE-5-C: 1/5 - OC

HGH25YE-5: 1/4 - ST

HGH23YE-5: 1/5 - ST

HSL25YE-5-C: 1/4 - OC

Certification: CE

DM99HHG5: 3/8 - ST

Type: Refrigeration Compressor

Application: Refrigeration Parts

PictureS Mbsm Dot Pro : www.mbsm.pro

Ohter 134A

FREON R134A GASES.

220V - 50~60HZ

LBP and HBP Application

MODEL	CC/REV	(W)	(Kcal)
JX51LHS5	5,1	129	111
HSL21YE-5-C	6,7	176	151
HSL25YE-5-C	7,7	198	170
HGH23YE-5	7,0	659	567
HGH25YE-5	7,7	803	691
DM99HHG5	9,9	1093	940

PictureS Mbsm Dot Pro : www.mbsm.pro

Mbsm.pro , Compresseur frigorifique, Embraco Aspera ,T2178GK , 1Hp ,PIÈCES FRIGO, 404A , 220-240 V 50 Hz

written by Jamila | 6 October 2018



Mbsm.pro , Compresseur frigorifique, Embraco Aspera ,T2178GK , 1Hp ,PIÈCES FRIGO, 404A , 220-240 V 50 Hz



Mbsm_dot_pro_private_PDF_compresseur-embraco-aspera-t2178gkTélécharger



Détails techniques

puissance 1 HP – cylindrée 20,40 cc

220/240V 50HZ

ASPERA

FRIULINOX

FriulinoxArmoireréfrigérée AF12 -20, AF12 PA, AF12-14, AF12-14 VTR, AF12-14 VTRP, AF14, AF14 -22 SILVER VTR, AF6-1, AF6-7, AF6-7 VTR, AF7, AF7 -20 VTR, AF7 -22 SILVER VTR, AF7 ICE, AF7 VTR, AF7-14, AG60 GOLD, AG60 H20, AG60 SILVER, AG60 SILVERP, AG60P, AL-EN SUPER, AL-EN1, AL-EN1 SUPER, AL-EN1P, AL-EN2, AL-EN2 SUPER, AL-ENP, AP12-14, AP14, AP6, AP6-12, AP6-7, AP7, AP7-14, AR12-14, AR12-14 VTR, AR14, AR6-12, AR6-12 VTR, AR6-7, AR6-7 VTR, AR7, AR7-14, AR7-14 VTR, AR-EN GOLD, AR-EN SILVER, AR-EN1, AR-EN1 GOLD, AR-EN1 VTR, AR-EN2, AR-ENP, ARF142, ARF212 VTR, ARP142, ARP-EN1, ARP-EN2, ARRF21 VTR, EN GOLD, EN P, EN SILVER, EN1, EN1 GOLD, EN1 H20, EN1 H20 SILVER, EN1 SILVER, EN1 VTR, EN2, EN2 H20

FriulinoxCellulede refroidissement ARP122

FriulinoxVitrineréfrigérée AFP122, AFP142, ARF122

ZANUSSI

ZanussiArmoireréfrigérée ALF110 (110071), ALNF220 (110073), ALF110 (110074), ALF120 (110075), ALNF220 (110079), ADN111 (110757), AKP110 (111000), AKS110 (111001), AKP120 (111002), AKN110 (111009), AKN120 (111010), AKP110UK (111121), AKN110UK (111123), AKNF220 (111127), AKF110UK (111129), AKF110 (111137), AKF120 (111138), ASF110 (112030), ASF110 (112032), AZP2203 (113228), AZP220360 (113229), ALN2203 (113231), AZP13430 (113234), AZF2203 (113236), AZF13430 (113237), MRF601/86 (726059), ETZ601 (726165), ETZ602 (726166), ESQC41F (726171), ESQC41FR (726172), ESQF41F (726173), ETE601 (726178), ETE602 (726179), ETE601L (726184), ETZ601L (726185), RS13RX2F (726321), RS13FX2F (726323), RS13DX2F (726335), RS13PX2F (726459), RS13PX2F6 (726461), RS13P42F (726462), RS13FX42F (726464), RS13DFX2F (726465), RS13R32F (726467),

SB1300X2F (726468), RS13PW2F (726475), RS13FW2F (726476),
MRF601/86 (726500), RS13FX2F6 (726688), EKZ601 (726890),
EKZ602 (726891), EKE601 (726939), EKE602 (726940), EKE601L
(726949), EKZ601L (726950), RS13RX2FG (726967), RS13FX2FG
(726968), RS13P42F (727128), RS13FX42F (727129), RS13RX4H
(727157), RS13FX4H (727158), KLP1300R (728059), KLP1300F
(728060), RS13PX2FD (728063), E06C0M1V (728077), E06C1M1V
(728078), E06C0D1V (728081), C06FD1G (728173), FGD36 (728271),
RH06RD1G (728408), C06FD1G (728415), RS05RD1G (728433),
E05N0D1C (728457), E05C0D1C (728458), E06N0D1C (728465),
E06N0D2C (728466), E06N0D1V (728467), E06C0D1C (728468),
E06C0D2C (728469), E06C0D1V (728470), E06N0D1C (728522),
E06C0D1C (728523), KLN1300R (728605), KLP1300R (728606),
KEP1300R (728607), KLP1300R (728608), KLP1300F (728609),
KEP1300F (728610), KLP1300F (728611), EMVN500 (730005),
DVP500V11C (730677), DVP501V11C (730678), DVP600V11C (730683),
DVP601V11C (730684), DVP602V11C (730685), DVP600V12C (730686),
DVP601V12C (730687), DVP602V12C (730688), DVN600V11C (730701),
DVN601V11C (730702), DVN602V11C (730703), DVN600V12C (730704),
DVN601V12C (730705), DVN602V12C (730706), DVN500V11C (730721),
DVN501V11C (730722), MVP600V11C (730725), MVP601V11C (730726),
MVP602V11C (730727), MVP600V12C (730728), MVP601V12C (730729),
MVN600V11C (730741), MVN601V11C (730742), MVN600V12C (730743),
MVN601V12C (730744), DVP500V11C (730768), MVP501V11C (730769),
MVP502V11C (730770), MVN500V11C (730780), MVN501V11C (730781),
MLC601V11C (730938), MLC602V11C (730939), DVC500V11C (731242),
DVC501V11C (731243), MVC502V11C (731244), DVC600 (731250),
DVC601 (731251), MVC602 (731252), DVC600 (731255), DVC601
(731256), MVC600V11C (731282), MVC601V11C (731283), MVC600V12C
(731284), MVC601V12C (731285), MVC500V11C (731294), MVC501V11C
(731295), DVC602 (731302), DVC602 (731303), DVNN13022C
(732073), DVNN13122C (732074), MVNN13022C (732079), MVNN13122C
(732080), DVNC13022C (732095), EDVC13122C (732096), MVNC13022C
(732103), MVNC13122C (732110), MLC600V11C (732251), MLC601V11C
(732255), MLC602V11C (732257), DVP6VP12CC (734079),
PDVN901V11C (737216), PDVN901V12C (737217), PDVN907V11C
(737218), PDVN907V12C (737219), PDVC901V11C (737220),

PDVN907V12C (737221), PDVC907V11C (737222), PDVC907V11C (737223), ILF120 (770508), RVPE061 (771100), RSPE061 (771101), RVPE062 (771102), RVNE061 (771108), RVNE062 (771109), KVPE662 (771115), RPPE061 (771155), ILF110 (771537), ZLNF220 (771539), RD13PX2F (790018), RD13FX2F (790019)

ZanussiCellulede refroidissement ESQC41F (691044), ESQC41FR (691045), ESQF41F (691046), ESQF41FR (691047), ESQF41FR (726144)

ZanussiCongélateurcoffre MRF4808660 (726042), MRF401/86 (726058), MRF240/86 (726060), MRF480/86 (726061)

ZanussiTableréfrigérée STRP1101 (113084), STRP1102 (113088), STRP1601 (113092), TRN224C (113102), TRN224D (113103), TRN224E (113104), STRP1602 (113105), STRP1603 (113106), STRP2201 (113107), STRP2202 (113108), STRP2203 (113109), STRP1101S (113128), STRP1601S (113129), STRP2201S (113130), STRP1602R (113131), TRN132A (113150), TRN132B (113151), TRN132C (113152), TRNA132A (113153), TRNA132B (113154), TRNA132C (113155), TRRN132A (113156), TRRN132B (113157), TRRN132C (113158), TRN183A (113159), TRN183B (113160), TRN183C (113161), TRN183D (113162), TRNA183A (113163), TRNA183B (113164), TRNA183C (113165), TRNA183D (113166), TRRN183A (113167), TRRN183B (113168), TRRN183C (113169), TRRN183D (113170), TRN224A (113171), TRN224B (113172), TRNA224A (113173), TRNA224B (113174), TRRN224A (113175), TRRN224B (113176), TRF132A (113177), TRFA132A (113178), TRRF132A (113179), TRF183A (113180), TRFA183A (113181), TRRF183A (113182), TRN132AE (113183), TRN183AE (113184), TRN224AE (113185), TRF132AE (113186), TRF183AE (113187), STRP1603R (113192), STRP2201R (113193), STRP2202R (113194), STRP2203R (113195), STRP1101R (113196), STRP1102R (113197), STRP1601R (113198), TCGS/1V7T (121856), TCGS/2V7T (121857), TCGS/1VC27 (121858), TCGS/2V2C7 (121859), TCGRS/1V7T (121866), TCGRS/2V7T (121867), TCGRS/1VC2 (121868), TCGRS/2V2 (121869), TCGS2VC27T (121905), RCSN2M2 (726139), RCSN2M12 (726140), RCSN3M3 (726141), RCSN3M22 (726145), RCSN3M14 (726146), RCSN4M4

(726147), RCSN4M32 (726148), RCSN4M24 (726170), RCSN2M2U
(726182), RCSN3M3U (726188), RCSN4M4U (726197), RCDR4M24
(726199), RCDR4M16 (726200), RCDR4M08 (726201), RCSN2M2R
(726202), RCSN2M12R (726203), RCSN3M3R (726210), RCSN3M22R
(726211), RCSN3M14R (726212), RCSN4M4R (726213), RCSN4M32R
(726220), RCSN4M24R (726221), RCDR2M20 (726408), RCDR2M12
(726409), RCDR2M20U (726410), RCDR2M12U (726411), RCDR2M04R
(726412), RCDR3M22 (726413), RCDR3M0U (726414), RCDR3M22U
(726415), RCDE4M40 (726416), RCDR4M32 (726417), RCDR4M40U
(726418), RCDR4M32U (726419), RCDFM20UX (726421), RCDF3M30U
(726422), RCER2M2 (726423), RCER3M3 (726424), RCER4M4
(726425), RCEF2M2X (726426), RCEF3M3 (726427), RCDR2M20
(726550), RCDR2M12 (726551), RCDR2M04 (726552), RCDR2M20U
(726553), RCDR2M12U (726554), RCDR2M04U (726555), RCDR2M20R
(726556), RCDR2M12R (726557), RCDR2M04R (726558), RCDR3M30
(726559), RCDR3M22 (726560), RCDR3M14 (726561), RCDR3M06
(726562), RCDR3M0U (726563), RCDR3M22U (726564), RCDR3M14U
(726565), RCDR3M06U (726566), RCDR3M30R (726567), RCDR3M22R
(726568), RCDR3M14R (726569), RCDR3M06R (726570), RCDR4M40
(726571), RCDR4M32 (726572), RCDR4M40U (726573), RCDR4M32U
(726574), RCDR4M40R (726575), RCDR4M32R (726576), RCDF2M20
(726577), RCDFM20U (726578), RCDF2M20R (726579), RCDF3M30
(726580), RCDF3M30U (726581), RCDF3M30R (726582), RCSER2M2
(726583), RCSER3M3 (726584), RCSER4M4 (726585), RCEF2M2
(726586), RCEF3M3 (726587), RCSN2M2T (726668), RCSN3M3T
(726669), RCSN4M4T (726670), RCSER2M2U (726682), RCSER3M3U
(726683), RCER4M4U (726684), RCEF2M2U (726685), RCEF3M3U
(726686), RCSF2M24 (727009), RCSF3M34 (727010), HB2PNTR
(727108), HB3PNTR (727109), HB4PNTR (727110), HB2P (728086),
HB1P2C12 (728139), HB1P3C (728157), HB4C (728158), HB3P
(728207), HB2P2C (728235), ED0N590124 (728238), ED0N590116
(728239), ED0N590108 (728240), HB1P4C (728241), HB6C (728242),
HB4P (728243), HB3P2C (728244), HB2P4C (728245), HB8C
(728246), HB2PR (728247), HB1P2CR (728248), HB1P3CR (728254),
HB4CR (728259), HB3PR (728264), HB2P2CR (728294), HB1P4CR
(728295), HB6CR (728296), HB4PR (728297), HB3P2CR (728298),
HB2P4CR (728299), HB8CR (728300), HB1P2C (728302), RCHBF1P2C

(728304), RCHBF2P2C (728305), S02P200I (728352), S02P120I
(728353), S04P300I (728354), S04P220I (728361), S04P140I
(728362), S05P400I (728363), S05P320I (728364), E29N200I
(728368), E29N120I (728369), E29N040I (728370), E29N200IA
(728371), E29N120IA (728372), E29N040IA (728373), E29N200R
(728374), E29N120R (728375), E29N040R (728376), E44N300I
(728377), E44N220I (728378), E44N140I (728379), E44N060I
(728380), E44N300IA (728381), E44N220IA (728382), E44N140IA
(728383), E44N060IA (728384), E44N300R (728385), E44N220R
(728386), E44N140R (728387), E44N060R (728388), E59N400I
(728389), E59N320I (728390), E59N400IA (728391), E59N320IA
(728392), E59N400R (728393), E59N310R (728394), E29C200I
(728395), E29C200IA (728396), E29C200R (728397), E44C300I
(728398), E44C300IA (728399), E44C300R (728400), S05P240I
(728401), ED0N2912SE (728492), ED0N4413SE (728493), ED0N5914SE
(728494), ED0C2912SE (728495), ED0C4413SE (728496), HB2PU
(728509), HB3PU (728510), HB4PU (728511), RCSF2M2 (728512),
RCSF3M3 (728517), RCSF2M12 (728518), RCSF3M22 (728519),
S04P220R (728536), S04P140R (728537), S05P400R (728538),
S05P320R (728539), S05P240R (728540), HB1P2CRN (728552),
HB1P3CRN (728554), HB4CRN (728556), HB2P2CRN (728558),
HB1P4CRN (728560), HB6CRN (728562), HB3P2CRN (728564),
HB2P4CRN (728566), HB8CRN (728568), HBF2PN (728569), HBF1P2CN
(728570), HBF3PN (728571), RCHBF2P2CN (728573), S02P200IA
(728585), S04P300IA (728586), S05P400IA (728587), S02P200R
(728588), S02P120R (728589), S04P300R (728590), RCHBF2P
(728635), RCHBF3P (728636)

...et d'autres dispositifs

– ALPENINOX

T2178GK – ASPERA

01AS0970 – ATEL – ELECTROLUX PROFESSIONAL

T2178GK – EMBRACO – FRIULINOX – INDESIT – UNIVERBAR –
WHIRLPOOL – ZANUSSI

...numéros de fabricant supplémentaires possibles