

# Mbsm.pro, Compressor, Gtm75aa, HERMETIC, Freezer, COMPRESSOR, ZEL, 1/5 hp, R134a, 220-240V/50HZ, Ariston no frost

written by Lilianne | 12 April 2022



Private Picture Copyright: WWW.MBSM.PRO

<https://www.mbsmgroup.tn/2433.htm>



Private Picture Copyright: WWW.MBSM.PRO

Mbsm\_dot\_pro\_private\_PDF\_GTM

75

AA

	a 134	LBP			68	232	58		2,8				GML 70 A
C R MF 2	a 134	LBP			92	314	79		3,4				GML 90 A
C R MF 2.5	a 134	LBP			113	386	97		4,1				GML 110 A
	a 134	LBP			120	409	103		4,1				GML 125 A
	a 134	LBP			140	478	120		4,9		1/6		GML 140 A
C R MF 5	a 134	LBP			140	478	120		4,9		1/6		GML 140 A/I
					160	546	138		5,7		1/6		GML 160 A
C R MF 5	a 134	LBP			180	614	155		6,5		1/5		GML 180 A
C R MF 5	a 134	LBP			200	682	172		7		1/5		GML 200 A
C R MF 6	a 134	LBP			210	716	181		7		1/5		GML 200 A/I
					65				2,6		1/9		GTM 26 AA
					200				7,5		1/5		GTM 75 AA
					280				10		1/3		GTM 93 AA
					300				10,6		1/3		GTM 10 AA
					320				12		1/3		GTM 12 AA
C R MF 4	a 134	LBP			167	570	144		5,7				GDL160 A
C R MF 5	a 134	LBP			165	563	142		6,5				GDL200 A
C R MF 4	a 134	LBP			106	362	91		4,1				GXL100 A
C R MF 5	a 134	LBP			123	420	106		4,3				GXL125 A
C R MF 5	a 134	LBP			138	471	119		4,6				GXL140 A
C R MF 4	a 134	LBP			160	546	138		5,7				GXL160 A
C R MF 5	a 134	LBP			195	665	168		7				GXL 200 A
C R MF 5	a 134	LBP			240	819	206		8,6				GXL 240 A

Private Picture Copyright : WWW.MBSM.PRO



model	motor	Exhaust volume	Motor power	Motor type	frequency	Cooling capacity	input power	Input power (RC)	Coefficient of performance	Performance coefficient (RC)	run capacitor	high	net weight
GTM12AA	With	12	1/3	CSIR	50	320	241	0	1.33	0	50	184	10
GTM10AA	With	10.6	1/3	CSIR	50	300	226	0	1.33	0	50	184	10
GTM93AA	With	10	1/3	hatch	50	280	207	0	1.35	0	0	184	9.5
GTM75AA	To the	7.5	1/5	CSIR	50	200	160	0	1.25	0	50	184	9
GTM26AA	Cu / AL	2.6	1/12	hatch	50	65	59	0	1.1	0	0	163	7.5
GL10TB	With	9.3	1/2	CSIR	50	880	429	0	2.05	0	50	184	10.2
GL90TB	To the	9.3	1/2	CSIR	50	860	420	0	2.05	0	50	184	10
GL80TB	With	7.5	1/2	CSIR	50	740	326	0	2.27	0	50	184	10
HKD12FSL		12		PPM	0	96	49~122	0	Upto1.97	0	0	184	8.5
HKD10FSK		10		PPM	0	83	44~122	0	Upto1.97	0	0	184	8
HKD86FSL		8.6		PPM	0	67	34~88	0	Upto1.97	0	0	184	8.6
GKD93AA	With	9.3	1/4	RSCR	50	270		163		1.66	6	184	10.4
GTT75AA	With	7.5	1/5	RSCR	50	210		134		1.57	4	184	10.1
GTT66AA	Cu / AL	6.6	1/6	RSCR	50	200		125		1.6	4	184	9.5
GTH93AA	Cu / AL	9.3	1/4	RSIR/RSCR	50	260	187	174	1.39	1.49	5	184	9.7
GTH86AA	Cu / AL	8.6	1/4	RSIR/RSCR	50	240	175	163	1.37	1.47	5	174	9
GVY75AA	Cu / AL	7.5	1/5	RSIR/RSCR	50	200	153	140	1.31	1.43	4	174	8.9



GVY66AA	Cu / Al	6.6	1/5	RSIR/RSCR	50	180	134	124	1.34	1.45	4	174	8.6
---------	------------	-----	-----	-----------	----	-----	-----	-----	------	------	---	-----	-----

Mbsm\_dot\_pro\_private\_picture\_GTM 75 AATélécharger

---

**Mbsm.pro, COMPRESSOR, ZEL,  
Zanussi, refrigerator,  
CUBIGEL/ ACC , HML140A,  
HDL140A, LBP, R600A,  
220-240V, 1 /8hp, 140w**

written by Lilianne | 12 April 2022



Mbsm.pro, COMPRESSOR, ZEL, Zanussi, refrigerator, CUBIGEL/ ACC  
, HML140A, HDL140A, LBP, R600A, 220-240V, 1 /8hp, 140w

---

**HERMETIC, Freezer,  
COMPRESSOR, ZEL, GTH86AA,  
R134A, 1/4 Hp, Lbp, 230W,  
8.6CC**

written by Lilianne | 12 April 2022

# COMPRESSOR ZEL GTH86AA

APPLICATION: LBP

FREON: R134A

DISPLACEMENT: 8.6CC

POWER SUPPLY: 220V

POWER: 1 / 4HP – 230W

APPLICATION: UNIVERSAL

## Specifications

### Description

#### Detailed Product Description

- 1.Low levels of noise and vibration
- 2.Standard,medium,high and very high levels of efficiency

R134a 220-240V/50HZ										
Model	Displ.(cm <sup>3</sup> )	Motor Type	Cooling capacity(w)	Input Power		COP		Run Capacltor	Start Capacltor	Height(mm)
				without RC(w)	with RC(w)	without RC(w/w)	with RC(w/w)			
Standard Efficiency Range										
OF789	4.4	RSIR	110	102		1.08				174
OF1033A	5.7	RSIR	141	118		1.19				174
OF1350A	7.5	RSIR	178	158		1.13				183
GTH86AA	8.6	RSIR/RSCR	230	161	153	1.43	1.50	5		174
GTH93AA	9.3	RSIR/RSCR	260	182	173	1.43	1.50	5		183
Medium Efficiency Range										
GTM40AT	4.0	RSIR	102	91		1.12				163
GTM57AT	5.7	RSIR	156	128		1.21				183
GTM60AT	6.0	RSIR	165	136		1.27				163
GVY75AT	7.5	RSIR/RSCR	200	149	139	1.34	1.44	5		183
GTM75AA	7.5	RSIR	200	166		1.20			50	183
GTM93AA	9.3	RSIR	270	220		1.35				183
GTM10AA	11.0	RSIR/RSCR	300	222		1.35			50	183
GTM12AA	12.0	RSIR/RSCR	330	241		1.37			50	183



---

# ZEL , Refrigeration , Compressor , Gml200a , 152w , 1/5 Hp , 220/240V/50Hz , R134a

written by Lilianne | 12 April 2022



ZEL , Refrigeration , Compressor , Gml200a , 152w , 1/5 Hp  
, 220/240V/50Hz , R134a

---

# COMPRESSEUR ZEL , 200w , HDL200A, R600a, LBP , 1/4 hp

written by Lilianne | 12 April 2022



**GML70G,  
GML90G,  
GML125G,  
HMM70A,**

**HMM90A,  
HML125AT,  
GML140AT  
GML200AT,  
GTH88AA,  
HML140AT,  
HML200A,  
HKD14AA,  
GML125G,  
GTH88AA,**

**GDL145D,  
GDL175D,  
GML140A,  
GML160A,  
GML180A,  
GML200A,  
GML145D,  
GML175D,  
GPL175D\*,  
GXL175D,  
GXL200D,**



Mbsm\_dot\_pro\_private\_PDF\_catalog\_zelTélécharger  
COMPRESSEUR ZEL HML170A AU R600A LBP 1/6HP 9.5CM3



**www.mbsm.pro , ZEL  
, COMPRESSEUR , R134a , 1/4 HP  
, GUY75AA**

written by Lilianne | 12 April 2022

Compresseur frigorifique

Puissance en cheval 1/4 CV

Alimentation 220-240 V 50 Hz

Gaz R134a