

Mbsm.pro, Compressor, zmc, hl105at, 1/6 hp, lbp

written by Lilianne | 24 August 2023

ECOMAF	ASHRAE	CECOMAF	ASHRAE	CECOMAF	ASHRAE	Voltage	Temp C					
25°C-	23.3°C-	25°C-	23.3°C-	25°C-	23.3°C-							
W/W	W/W	W/W	W/W	W	kcal/h							
		1.06	1.37	89	104	A	43	1/7	LBP::R600a	HL80AH	<input type="checkbox"/>	
		1.08	1.38	99	115	A	43	1/7	LBP::R600a	HL90AH	<input type="checkbox"/>	
		1.03	1.34	103	120	A	43	1/6	LBP::R600a	HL99AH	<input type="checkbox"/>	

Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compressor, zmc, hl105at, 1/6 hp, lbp

Mbsm.pro, Compresor, ZMC, 1/5 hp++, 1/4 hp-, High-Medium Back Pressure, GL80TB, GL80AA, cooling and freezing

written by Lilianne | 24 August 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Compresor, ZMC, 1/5 hp++, 1/4 hp-, High-Medium Back Pressure, GL80TB, GL80AA, cooling and freezing

Mbsm.pro, compressor, EGM60AF, zmc, Manufacturing Compressor Misr , 1/6 hp, LBP, RSIR / RSCR

written by Lilianne | 24 August 2023



Mbsm.pro, compressor, EGM60AF, zmc, Manufacturing Compressor Misr , 1/6 hp, LBP, RSIR / RSCR

Mbsm.pro, Kiriazi, E280/2, Refrigerator, 2 Doors, 10

Feet, ZMC, EGL60AF, compressor, r134a, 140g, 1/6 hp, LBP

written by Lilianne | 24 August 2023



Private Picture Copyright : WWW.MBSM.PRO

Mbsm.pro, Kiriazi, E280/2, Refrigerator, 2 Doors, 10 Feet,
ZMC, EGL60AF, compressor, r134a, 140g, 1/6 hp, LBP

Mbsm.pro, PDF, Compressor, EGM35AF, 1/10 HP, ZMC, R134A, LNB

written by Lilianne | 24 August 2023



Mbsm.pro, PDF, Compressor, EGM35AF, 1/10 HP, ZMC, R134A, LNB

ZMC, zanussi, Made in Egypt, Compressors

written by Lilianne | 24 August 2023



Mbsm_dot_pro_private_PDF_catalogo_cubigel_R134aTélécharger



ZMC, zanussi, Made in Egypt, Compressor, Frost Free Freezer, GM90AZ, EGM90AZ, 155W, 1/5Hp, 134A, 150G, Electrostar Freezer, 260L CRoss, 235L Storage , 220v-50H, 1.2A, Class T

written by Lilianne | 24 August 2023

COMPRESSOR TECHNICAL DATA

General Data

Refrigerant:	R134a
Application:	LBP
Evaporating Temperature Range:	-30°C to -10°C
Voltage/Frequency:	220/240V/50 HZ
Compressor Cooling:	Static
Expansion Device:	Capillary Tube
Packaging Quantity:	Multi – 96:120 pcs
Approvals:	CE-VDE-GOST

Mechanical Data

Oil Charge:	300 cm3
--------------------	---------

Oil Type Configuration:	ester
Oil Type Viscosity:	19 cSt
Weight:	10 kg

Electrical Data

Motor Type:	RSIR / RSCR*
Voltage working range at 50 Hz:	187-264V
Maximum Motor Temperature:	130°C
Locked Rotor Current:	14.46 / 9.86 A
Start Winding Resistance:	23.40Ω at 25°C
Run Winding Resistance:	8.08 Ω at 25°C
Phase:	1 ph

External Characteristics

Internal Diameter	(mm)
Suction Connector	6.5
Discharge Connector	4.9
Process Connector	6.5
Material	Copper

Electrical Components

Starting Device:	PTC 14Ω
Motor Protection:	T0490/xx



Mbsm_dot_pro_private_PDF_EGM90AZTélécharger

Mbsm.pro, PDF, Compressor, ZMC, 1/4 HP, LBP, RSIR / RSCR, GM 80 AF, GM80AF, R-134

written by Lilianne | 24 August 2023



Mbsm_dot_pro_private_PDF_EGM80AFTélécharger

Compressor, ZMC, EGM99AZ, 1/4 Hp, 1PH, R134a, LBP, 220-240V 50Hz

written by Lilianne | 24 August 2023



Mbsm_dot_pro_private_PDF_EGM99AZTélécharger