

R 134 a	LBP			145	495	125	5.1		50		1/7	DG51C89RAW5
R 134 a	LBP			154	525	132	5.1		50			DGH51C90RAX
R 134 a	LBP			168	573	144	5.7		50		1/6	DG57C90GCW5
R 134 a	LBP			168	573	144	5.7		50		1/6	DG57C96RAW5
R 134 a	LBP			187	638	161	6.6		50		1/5	DG66C11RAW5
R 134 a	LBP			187	638	161	6.6		50		1/5	DG66C13GAX5
R 134 a	LBP			212	723	182	7.3		50		1/5	DG73C12RAW5
R 134 a	LBP			225	768	193	7.7		50		1/5+	DG77C14RAW5
R 134 a	LBP			225	768	193	7.7		50		1/5+	DG77C16GAX5
R 134 a	LBP			259	884	223	9.1		50		1/4	DG91C18RAW5
R 134 a	LBP			259	884	223	9.1		50		1/4	DG91C21RAX5

220 / 240 / 50 HZ													
ملاحظات	الفريون	التطبيق	COOLING CAPACITY					الإزاحة Displ.CC	الأمبير RLA	Freq HZ	القدرة المسحوبة		MODEL
			W 7.2+	W -5	W -23	B T U	k CAL/HR				W	H P	
R 134 a	LBP				189	645	163	6.6	50		1/5	DGH66C13GAX	
R 134 a	LBP				190	648	163	6.6	50		1/5	DGH66C96RAW	
R 134 a	LBP				215	734	185	7.3	50		1/5	DGH73C14RAE	
R 134 a	LBP				215	734	185	7.3	50		1/5	DGH73C14RAX	
R 134 a	LBP				215	734	185	7.3	50		1/5	DGH73C15GAX	
R 134 a	LBP				215	734	185	7.3	50		1/5	DGH73C15RAX	
R 134 a	LBP				222	757	191	7.7	50		1/5+	DGH77C13RAW	
R 134 a	LBP				248	846	213	8.6	50		1/4	DGH86C16RAW	
R 134 a	LBP				260	887	224	9.6	50		1/4	DGH86C19GAX	
R 134 a	LBP				169	577	145	5.7	50		1/6	DGK57C97RLX	
R 134 a	LBP				192	655	165	6.6	50		1/5	DGK66C90RPW	
R 134 a	LBP				154	525	132	5.1	50		1/7	DHS51C74RAW	
R 134 a	LBP				172	587	148	5.7	50		1/6	DHS57C80RAW	
R 134 a	LBP				190	648	163	6.6	50		1/5	DHS66C10RAW	
R 134 a	LBP				190	648	163	6.6	50		1/5	DHS66C88RAW	
R 134 a	LBP				210	716	181	7.3	50		1/5	DHS73C10RAW	
R 134 a	LBP				222	757	191	7.3	50		1/5	DHS73C13RAW	
R 134 a	LBP				248	846	213	8.6	50		1/4	DHS86C15RAW	
R 134 a	LBP				169	577	145	5.7	50		1/6	DKK57C11RAE	
R 134 a	LBP				194	662	167	6.6	50		1/5	DKK66C13RAE	
									50				

220 / 240 / 50 HZ													
ملاحظات	الفريون	التطبيق	COOLING CAPACITY					الإزاحة Displ.CC	الأمبير RLA	Freq HZ	القدرة المسحوبة		MODEL
			W 7.2+	W -5	W -23	B T U	k CAL/HR				W	H P	
R 134 a	LBP				145	495	125	6.6	50		1/5	QA66C12GAX5	
R 134 a	LBP				145	495	125	6.6	50		1/5	QA66C14GAX5	
R 134 a	LBP				145	495	125	6.6	50		1/5	QA66C15GAX5	
R 134 a	LBP				176	600	151	7.7	50		1/5+	QA77C17GAX5	
R 134 a	LBP				207	706	178	9.1	50		1/4	QA91C22GAX5	

220 / 240 / 50 HZ													
ملاحظات	الفريون	التطبيق	COOLING CAPACITY					الإزاحة Displ.CC	الأمبير RLA	Freq HZ	القدرة المسحوبة		MODEL
			W 7.2+	W -5	W -23	B T U	k CAL/HR				W	H P	
R 134 a	LBP				128	437	110	5.1	50		1/7	QB51C74GAW5	
R 134 a	LBP				128	437	110	5.1	50		1/7	QB51C95GPW5	
R 134 a	LBP				128	437	110	5.1	50		1/7	QB51C99GAW0	
R 134 a	LBP				128	437	110	5.1	50		1/7	QB51C99GAX0	
R 134 a	LBP				128	437	110	5.1	50		1/7	QB51C99GLX5	
R 134 a	LBP				146	498	126	5.7	50		1/6	QB57C11GAX0	
R 134 a	LBP				146	498	126	5.7	50		1/6	QB57C11GLX5	
R 134 a	LBP				146	498	126	5.7	50		1/6	QB57C11GPX5	
R 134 a	LBP				146	498	126	5.7	50		1/6	QB57C86GAX0	
R 134 a	LBP				146	498	126	5.7	50		1/6	QB57C87GAW5	
R 134 a	LBP				165	563	142	6.6	50		1/5	QB66C13GAX5	
R 134 a	LBP				165	563	142	6.6	50		1/5	QB66C13GLX5	
R 134 a	LBP				165	563	142	6.6	50		1/5	QB66C13GPX5	
R 134 a	LBP				165	563	142	6.6	50		1/5	QB66C16GAX0	
R 134 a	LBP				165	563	142	6.6	50		1/5	QB66C97GAW5	
R 134 a	LBP				185	631	159	7.3	50		1/5	QB73C12GAW5	
R 134 a	LBP				185	631	159	7.3	50		1/5	QB73C15GAX5	
R 134 a	LBP				185	631	159	7.3	50		1/5	QB73C16GAX5	
R 134 a	LBP				202	689	174	7.7	50		1/5+	QB77C13GAW5	
R 134 a	LBP				202	689	174	7.7	50		1/5+	QB77C16GAX5	
R 134 a	LBP				202	689	174	7.7	50		1/5+	QB77C16GLX5	
R 134 a	LBP				202	689	174	7.7	50		1/5+	QB77C16GPX5	
R 134 a	LBP				202	689	174	7.7	50		1/5+	QB77C18GAX0	
R 134 a	LBP				222	757	191	8.6	50		1/4	QB86C13GAW5	
R 134 a	LBP				222	757	191	8.6	50		1/4	QB86C18GAX5	
R 134 a	LBP				236	805	203	9.1	50		1/4	QB91C16GAW5	
R 134 a	LBP				236	805	203	9.1	50		1/4	QB91C18GAX0	
R 134 a	LBP				236	805	203	9.1	50		1/4	QB91C19GAX5	
R 134 a	LBP				236	805	203	9.1	50		1/4	QB91C21RPX5	
R 134 a	LBP				236	805	203	9.1	50		1/4	QB91C24GAX0	
R 134 a	LBP				273	931	235	11.0	50		1/3	QB110C19GAW5	
R 134 a	LBP				273	931	235	11.0	50		1/3	QB110C25CAX0	
R 134 a	LBP				273	931	235	11.0	50		1/3	QB110C25GAX5	
R 134 a	LBP				175	597	150	5.7	50	110		MGA57C95RPX	
R 134 a	LBP				193	658	166	5.7	50	121		MGA66C11RPX	
R 134 a	LBP				217	740	187	5.7	50	131		MGA73C15RPX	

R 134 a	LBP			232	792	199			50	145		MGA77C16RLX
---------	-----	--	--	-----	-----	-----	--	--	----	-----	--	-------------

220 / 240 / 50 HZ													
ملاحظات	الفريون	التطبيق	COOLING CAPACITY					الإزاحة Displ.CC	الأمبير RLA	Freq HZ	القدرة المسحوبة		MODEL
			W 7.2+	W -5	W -23	B T U	k CAL/HR				W	H P	
R 134 a	LBP				142	484	122	5.1	50		1/7	QBH51C90GLX	
R 134 a	LBP				162	553	139	5.7	50		1/6	QBH57C10GLX	
R 134 a	LBP				162	553	139	5.7	50		1/6	QBH57C10GPX	
R 134 a	LBP				162	553	139	5.7	50		1/6	QBH57C15RLX	
R 134 a	LBP				178	607	153	6.6	50		1/5	QBH66C13GPX	
R 134 a	LBP				178	607	153	6.6	50		1/5	QBH66C13RLX	
R 134 a	LBP				202	689	174	7.3	50		1/5	QBH73C13GAE	
R 134 a	LBP				202	689	174	7.3	50		1/5	QBH73C15RLX	
R 134 a	LBP				202	689	174	7.3	50		1/5	QBH73C16GPX	
R 134 a	LBP				202	689	174	7.3	50		1/5	QBH73C20RLX	
R 134 a	LBP				220	751	189	7.7	50		1/5+	QBH77C16RLX	
R 134 a	LBP				240	819	206	8.6	50		1/4	QBH86C19RLX	
R 134 a	LBP				240	819	206	8.6	50		1/4	QBH86C19RPX	

220 / 240 / 50 HZ													
ملاحظات	الفريون	التطبيق	COOLING CAPACITY					الإزاحة Displ.CC	الأمبير RLA	Freq HZ	القدرة المسحوبة		MODEL
			W 7.2+	W -5	W -23	B T U	k CAL/HR				W	H P	
R 134 a	HBP		450			1535	387	5.1	50			QA51K13GAW5	
R 134 a	HBP		680			2320	585	7.7	50			QA77K18CAW5	
R 134 a	HBP		800			2729	688	9.1	50			QA91K21CAW5	
R 134 a	HBP		980			3344	843	11.0	50			QA110K23CAW5	
R 134 a	HBP		1100			3753	946	12.5	50			QA125K26CAW5	
R 134 a	HBP		1100			3753	946	12.5	50			QA125K29CAW5	

R134a	HBP	385			1314	331	4.3	50				QA43K11CASO
		435			1484	374		60				
R134a	HBP	680			2320	585	7.7	50				QA77K18CAXO
		830			2832	714		60				

220 / 240 / 50 HZ													
ملاحظات	الفريون	التطبيق	COOLING CAPACITY					الإزاحة Displ.CC	الأمبير RLA	Freq HZ	القدرة المسحوبة		MODEL
			W 7.2+	W -5	W -23	B T U	k CAL/HR				W	H P	
R134a	LBP		37			126	32	2.4	50			SB24C50GAW5	
R134a	LBP		60			205	52	3.0	50			SB30C50GAW5	
R134a	LBP		76			259	65	3.5	50			SB35C65GAW5	
R134a	LBP		76			259	65	3.5	50			SB35C67RAY5	
R134a	LBP		95			324	82	4.3	50			SB43C80GAW5	
R134a	LBP		95			324	82	4.3	50			SB43C90RAY5	
R134a	LBP		108			368	93	4.8	50			SB48C10RAY5	
R134a	LBP		110			375	95	4.8	50			SB48C12GAX5	
R134a	LBP		110			375	95	4.8	50			SB48C95GAW5	
R134a	LBP		84			287	72	3.5	50			SBH35C57GPW	
R134a	LBP		118			403	101	4.8	50			SBH48C11RLX	
R134a	LBP		105			358	90	3.9	50			SF39C74RAX5	
R134a	LBP		105			358	90	3.9	50			SF39C78GAX5	
R134a	LBP		121			413	104	4.3	50			SF43C76RAX5	
R134a	LBP		121			413	104	4.3	50			SF43C83RAW5	
R134a	LBP		139			474	120	4.8	50			SF48C10RAX5	
R134a	LBP		138			471	119	4.8	50			SF48C91RAW5	
R134a	LBP		148			505	127	5.1	50			SF51C10RAX5	
R134a	LBP		147			502	126	5.1	50			SF51C91RAW5	
R134a	LBP		106			362	91	3.9	50			SFH39C64RAW	
R134a	LBP		108			368	93	3.9	50			SFH39C73RLX	
R134a	LBP		121			413	104	4.3	50			SFH43C80RAW	
R134a	LBP		141			481	121	4.8	50			SFH48C11RAX	
R134a	LBP		140			478	120	4.8	50			SFH48C87RAW	
R134a	LBP		141			481	121	4.8	50			SFH48C99RAX	
R134a	LBP		150			512	129	5.1	50			SFH51C11RAX	
R134a	LBP		150			512	129	5.1	50			SFH51C99RAX	

200 / 220 / 50/60 HZ													
ملاحظات	الفريون	التطبيق	COOLING CAPACITY					الإزاحة Displ.CC	الأمبير RLA	Freq HZ	القدرة المسحوبة		MODEL
			W 7.2+	W -5	W -23	B T U	k CAL/HR				W	H P	
R134a	LBP		84			287	72	3.5	50				SBH35C68RLE
			100			341	86		60				
R134a	LBP		60			205	52	3.0	50				SB30C70GAXO
			72			246	62		60				
R134a	LBP		76			259	65	3.5	50				SB35C80GAXO
			88			300	76		60				
R134a	LBP		95			324	82	4.3	50				SB43C10GAXO
			120			409	103		60				
R134a	LBP		70			239	60	3.0	50				SBA30C45GPE
			85			290	73		60				
R134a	LBP		68			232	58	3.0	50				SBH30C52GLE
			80			273	69		60				
R134a	LBP		70			239	60	3.0	50				SBH30C65GAE
			82			280	71		60				
R134a	LBP		68			232	58	3.0	50				SBH30C52GPE
			80			273	69		60				
R134a	LBP		86			293	74	3.5	50				SBH35C81GAE
			100			341	86		60				

				102	340	80			50		
	R134a	LBP		106	362	91	4.3		50		SBH43C73RLE
				125	426	107			60		
	R134a	LBP		106	362	91	4.3		50		SBH43C97GAE
				125	426	107			60		
	R134a	LBP		121	413	104	4.3		50		SFH43C76GAE
				148	505	127			60		
	R134a	LBP		165	563	142	6.6		50		QB66C97GAW0
				200	682	172			60		

ملاحظات	الفريون	التطبيق	220 / 240 / 50 HZ						الإزاحة	الأمبير	Freq	القدرة المسحوبة		MODEL			
			COOLING CAPACITY									Displ.CC	RLA		HZ	W	H P
			W 7.2+	W -5	W -23	B T U	k CAL/HR										
	R600a	LBP			79	270	68	5.1	50				SF51E45GAW5				
	R600a	LBP			79	270	68	5.1	50				SF51E47GAW5				
	R600a	LBP			79	270	68	5.1	50				SF51E60GLW5				
	R600a	LBP			79	270	68	5.1	50				SF51E70RLW5				
	R600a	LBP			160	546	138	10.0	50				DA100E13RAX5				
	R600a	LBP			174	594	150	11.0	50				DA110E13RBX5				
	R600a	LBP			174	594	150	11.0	50				DA110E13RBY5				
	R600a	LBP			197	672	169	12.5	50				DA125E13RBY5				
	R600a	LBP			137	467	118	9.1	50				DA91E12GAX5				
	R600a	LBP			163	556	140	10.0	50				DC100E11RAX5				
	R600a	LBP			174	594	150	11.0	50				DC110E10RAW5				
	R600a	LBP			174	594	150	11.0	50				DC110E13RBX5				
	R600a	LBP			200	682	172	12.5	50				DC125E12RAW5				
	R600a	LBP			200	682	172	12.5	50				DC125E15RAX5				
	R600a	LBP			176	600	151	10.0	50				DG100E87RAW5				
	R600a	LBP			185	631	159	11.0	50				DG110E10RAW5				
	R600a	LBP			216	737	186	12.5	50				DG125E11RAW5				
	R600a	LBP			216	737	186	12.5	50				DG125E17RPX5				
	R600a	LBP			152	519	131	9.1	50				DG91E10RAX5				
	R600a	LBP			152	519	131	9.1	50				DG91E87RAW5				

MODEL D51C10RAW5 D51C90RAW5 D57C10RAW5 D57C13RAX5 D66C13RAW5 D66C13RAX5
D77C15RAW5 D77C18RAX5 D91C18RAW5 D91C21RAX5 D110C21RAX5 D110C21RAZ5 D110C21RBX5
D110C24GAX5 MODEL DA57C11RAY5 DA66C12RAY5 DA77C15RAY5 D B DB66C10RAW5 DB66C12RAY5
DB66C14RBX5 DB73C13RAY5 DB77C14RAY5 DB77C16RBX5 DB86C16RAY5 DB91C14RAW5 DB91C19RAY5
DB91C21RAX5 DB110C19RAW5 DB110C22RAW5 MODEL DD57C10RAW5 DD57C12GAX5 DD66C13RAW5
DD66C14GAX5 DD77C15GAX5 DD77C15RAW5 DD86C18RAW5 D G DG51C89RAW5 DGH51C90RAX
DG57C90GCW5 DG57C96RAW5 DG66C11RAW5 DG66C13GAX5 DG73C12RAW5 DG77C14RAW5
DG77C16GAX5 DG91C18RAW5 DG91C21RAX5 MODEL DGH66C13GAX DGH66C96RAW DGH73C14RAE
DGH73C14RAX DGH73C15GAX DGH73C15RAX DGH77C13RAW DGH86C16RAW DGH86C19GAX
DGK57C97RLX DGK66C90RPW DHS51C74RAW DHS57C80RAW DHS66C10RAW DHS66C88RAW
DHS73C10RAW DHS73C13RAW DHS86C15RAW DKK57C11RAE DKK66C13RAE MODEL QA66C12GAX5
QA66C14GAX5 QA66C15GAX5 QA77C17GAX5 QA91C22GAX5 MODEL QB51C74GAW5 QB51C95GPW5
QB51C99GAW0 QB51C99GAX0 QB51C99GLX5 QB57C11GAX0 QB57C11GLX5 QB57C11GPX5 QB57C86GAX0
QB57C87GAW5 QB66C13GAX5 QB66C13GLX5 QB66C13GPX5 QB66C16GAX0 QB66C97GAW5 QB73C12GAW5
QB73C15GAX5 QB73C16GAX5 QB77C13GAW5 QB77C16GAX5 QB77C16GLX5 QB77C16GPX5 QB77C18GAX0
QB86C13GAW5 QB86C18GAX5 QB91C16GAW5 QB91C18GAX0 QB91C19GAX5 QB91C21RPX5 QB91C24GAX0
QB110C19GAW5 QB110C25CAX0 QB110C25GAX5 MGA57C95RPX MGA66C11RPX MGA73C15RPX
MGA77C16RLX MODEL QBH51C90GLX QBH57C10GLX QBH57C10GPX QBH57C15RLX QBH66C13GPX
QBH66C13RLX QBH73C13GAE QBH73C15RLX QBH73C16GPX QBH73C20RLX QBH77C16RLX QBH86C19RLX

QBH86C19RPX MODEL QA51K13GAW5 QA77K18CAW5 QA91K21CAW5 QA110K23CAW5 QA125K26CAW5
QA125K29CAX5 QA43K11CAS0 QA77K18CAX0 MODEL SB24C50GAW5 SB30C50GAW5 SB35C65GAW5
SB35C67RAY5 SB43C80GAW5 SB43C90RAY5 SB48C10RAY5 SB48C12GAX5 SB48C95GAW5 SBH35C57GPW
SBH48C11RLX SF39C74RAX5 SF39C78GAX5 SF43C76RAX5 SF43C83RAW5 SF48C10RAX5 SF48C91RAW5
SF51C10RAX5 SF51C91RAW5 SFH39C64RAW SFH39C73RLX SFH43C80RAW SFH48C11RAX SFH48C87RAW
SFH48C99RAX SFH51C11RAX SFH51C99RAX MODEL SBH35C68RLE SB30C70GAX0 SB35C80GAX0 SB4

